

707-78 pma1 1087

ROHM AND HAAS COMPANY

INDEPENDENCE MALL WEST
PHILADELPHIA, PENNSYLVANIA 19105

BEST AVAILABLE COPY



FORE^R Turf and Ornamental Fungicide
EPA Reg. No. 707-87
Amended Registration to Add Ornamental Crops

ACCEPTED
NOV 21 1984
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 707-78

Proposed Revised Labeling
for ORNAMENTALS Section
of Latest EPA Approved Label

BEST AVAILABLE COPY

(1153E/31Z) flp

NOV 21 1984
NOV 21 1984

print
9-7-84

ROHM AND HAAS COMPANY

INDEPENDENCE MALL WEST

PHILADELPHIA, PENNSYLVANIA 19106

BEST AVAILABLE COPY



FORER) Turf and Ornamental Fungicide

EPA Reg. No. 707-87

Amended Label for Turf and Ornamental Uses

Crop	Diseases Controlled	REMARKS (Also Refer to Directions)
ORNAMENTALS:		GENERAL DIRECTIONS: Apply 1½ pounds FOM per 100 gallons spr Begin spraying when leafed out or at f disease in a full c to 10 day intervals or follow State Ext recommendations for on the following or
African violet	Botrytis blight	
Anthurium	Anthracnose spadix rot	
Arborvitae	Cercospora blight	
Ash, mountain	Entomosporium leaf spot Guignardia leaf blotch	
Ash, white	Anthracnose Cylindrosporium leaf spot	
Aster, perennial	Puccinia rusts	
Aucuba japonica	Anthracnose Alternaria leaf spot	
Azalea	Cylindrocladium rot Phytophthora twig and bud blight	
		Apply in a full co 3 times a week, wh opening. Direct s and thoroughly spr bushes.

BEST AVAILABLE COPY

Crop	Diseases Controlled	REMARKS (Also Refer to Directions For Use)
Begonia	Botrytis blight	Do not use fruit or food or feed purposes.
Buffaloberry	Cylindrosporium leaf spot	
Carnation	Septoria leaf spot Rust	
Cedar, red (Juniper)	Cercospora blight Phomopsis blight	Apply twice weekly during blooming period.
Chrysanthemum	Ascochyta blight Botrytis petal spot Rust	Begin application in spring or early summer before infection occurs. Repeat after heavy rains and at two week intervals as long as needed.
Conifers	Lophodermium needle cast Pine gall rust Scirrhia brown spot	
Cordylifne	Cercospora leaf spot	
Crabapple (ornamental)	Cedar-apple rust Scab Sphaeropsis leaf spot	
Cypress, Arizona (Cupressus sp.)	Cercospora blight Monochaetia canker	Apply when buds begin to open, when bracts have fallen, 4 weeks later, and again in late summer after flower buds for the next season have formed.
Dieffenbachia	Leptosphaeria brown spot	
Dogwood, flowering	Anthracnose Elisone leaf spot Septoria leaf spot	

BEST AVAILABLE COPY

<u>Crop</u>	<u>Diseases Controlled</u>
Dracaena	Fusarium leaf spot
Elm	Black leaf spot
Euonymus	Anthracoze
Fatsia	Anthracoze
Fern	Rhizoctonia blight
Ficus	Cercospora leaf spot
Firethorn (Pyracantha)	Fusicladium scab
Fir, Douglas	Swiss needle cast
Fuchsia	Botrytis blight Rust
Geranium	Rust
Hawthorn	Cedar-apple rust Fabraea leaf spot Frogeye leaf spot Hawthorn rust Scab
Hollyhock	Anthracoze Cercospora leaf spot Puccinia rusts
Honeysuckle	Herpobasidium blight
Horsechestnut, Buckeye	Alternaria leaf spot Guignardia leaf blotch

REMARKS
(Also Refer to Directions For Use)

ALL COPY

Crop	Diseases Controlled	REMARKS (Also Refer to Directions For Use)
Hydrangea	Botrytis blight Cercospora leaf spot	
Iris	Myrothecium ink spot Didymellina leaf spot	
Juniper	Phomopsis blight	
Laurel, Mountain	Cercospora leaf spot Petal blight	Refer to Azalea
Ligustrum	Cercospora leaf spot	
Magnolia	Gloeosporium leaf spot	
Maple	Alternaria leaf spot Phyllosticta leaf spot	Do not use on Sugar Maples intended for the production of maple syrup.
Marigold	Botrytis blossom blight	
Narcissus	Botrytis blight (fire) Smoulder	
Oak	Actinopelte leaf spot Taphrina leaf spot	
Orchid (Dendrobium)	Botrytis blossom blight	
Peperomia	Cercospora leaf spot	
Philodendron	Dactylaria leaf spot Phytophthora leaf spot	
Photinia	Entomosporium leaf spot	

BEST AVAILABLE COPY

<u>Crop</u>	<u>Diseases Controlled</u>
Poinsettia	Sphaceloma scab
Pleomele	Fusarium leaf spot
Rhododendron	Cercospora leaf spot Discosia leaf spot Petal blight
Rose	Black spot Cercospora leaf spot Rust
Schefflera	Alternaria blight
Skunkbush sumac	Cylindrosporium leaf spot
Statice	Cercospora frog-eye
Syngonium	Cephalosporium leaf spot
Venus flytrap	Anthracnose
Viburnum	Downy mildew Ramularia leaf spot
Walnut	Anthracnose
Zinnia	Alternaria leaf blight

REMARKS
(Also Refer to Directions For Use)

Refer to Azalea

Do not use treated walnuts for food
or feed purposes.

(0083H/131Z)

TEST COPY