

SKANE[®] M-8

Made In England

Avg. Gross: LB KG
 Net: LB KG
 Avg. Tare: LB KG

Product Code (91)

Industrial Mildewcide - For Use as an Industrial Mildewcide in Coatings, Paints, Building Materials, Wallpaper Pastes and Adhesives, Aqueous Adhesives and Tackifiers. - For Use by Manufacturers Only in Formulating Microbicides for Use in Coatings, Paints, Building Materials, Wallpaper Pastes and Adhesives, Aqueous Adhesives and Tackifiers, Leather, Hides, Metalworking Cutting Fluids, Fabric, Vinyl, Plastics, Emulsions, Hydraulic Fluids, Textiles, Laundry, Air Washer Water, Cooling Tower Water, Caulking Compounds, Fabric Surfaces, Polymers and Polyurethane.
 Store Between 32-100°F

Lot Number ()



«LN2»

Container: Code Number «SN2»
 Label Number BU000202

707-100

ACTIVE INGREDIENT:
 2-n-Octyl-4-isothiazolin-3-one 45%

INERT INGREDIENTS: 55%

Total: 100%

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID

IF ON SKIN:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 min.

IF IN EYES:

- Call a poison control center or doctor for advice.
- Hold eye open and rinse slowly and gently with water for 15-20 min. Remove contact lenses, if present after first 5 min. then continue rinsing eye.
- Call a poison control center or doctor for advice.

IF INHALED:

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth.
- Call a poison control center or doctor for advice.

IF SWALLOWED:

- Call a poison control center or doctor immediately for advice.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Have person sip a glass of water if able to swallow.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be necessary.

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER
CORROSIVE
CAUSES SEVERE EYE DAMAGE AND SKIN BURNS
MAY CAUSE ALLERGIC SKIN REACTION
HARMFUL IF INHALED
HARMFUL IF SWALLOWED

Do not get in eyes, on skin, or on clothing. Wear goggles and rubber gloves. Avoid breathing vapor or mist. Keep container closed. Use with adequate ventilation. Do not take internally. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS
 This product is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this pesticide only as specified on this label.

Skane M-8 mildewcide weighs 8.5 pounds per gallon.

STORAGE AND DISPOSAL PROHIBITIONS
 This product is corrosive to mild steel. Do not store or transport in unlined metal containers. Do not contaminate with strong oxidizing or reducing agents. Do not contaminate water, food, or feed by storage or disposal or cleaning of equipment.

PESTICIDE DISPOSAL
 Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL
METAL CONTAINERS
 Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

PLASTIC CONTAINERS
 Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

GENERAL: CONSULT FEDERAL, STATE, OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES.

CONDITIONS OF SALE AND WARRANTY
 Rohm and Haas warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label only when used in accordance with label directions under normal conditions of use. ROHM AND HAAS MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES, EITHER OF MERCHANTABILITY OR FITNESS, FOR A PARTICULAR USE. Handling, storage, and use of the product by Buyer or User are beyond the control of Rohm and Haas and Seller. Risks such as ineffectiveness or other unintended consequences resulting from, but not limited to, failure to follow directions will be assumed by the Buyer or User. IN NO CASE WILL ROHM AND HAAS OR SELLER BE HELD LIABLE FOR CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES RESULTING FROM THE HANDLING, STORAGE, OR USE OF THIS PRODUCT.

Date of Manufacture: location for date
 EPA Reg. No. 707-100
 EPA Est. No. 707-EN-1

DIRECTIONS FOR USE
 It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Skane M-8 mildewcide is for use as an industrial mildewcide in coatings, paints, building materials, wallpaper pastes and adhesives, aqueous adhesives and tackifiers.

COATINGS
 For use as a mildewcide in coatings such as latex and solvent-based paints, semi-transparent stains and solid stains. Use 1.0 to 3.0 pounds of Skane M-8 mildewcide per 100 gallons of coating formulation. If necessary, a higher dosage up to 4.0 pounds of Skane M-8 per 100 gallons may be used depending upon level of control required.

In latex coatings, Skane M-8 should be added during the lakedown phase of paint manufacture. To insure uniform distribution throughout the coating, it is recommended that Skane M-8 be premixed with propylene glycol and coalescent. The premix should be added slowly, with good agitation, just prior to the addition of the thickener. In solvent-based coatings, a coupling solvent such as butyl Cellosolve[®] may be used to assist in mixing Skane M-8.

CONCENTRATES Skane M-8 should be added to the polymer latex concentrate at a level to ensure that the final use-dilution will contain 1.0 to 3.0 pounds of Skane M-8 mildewcide per 100 gallons of coating formulation. Dosage levels of Skane M-8 mildewcide will depend upon the type of formulation, the presence and level of zinc oxide in the system, and the climate in which the material will be exposed.

BUILDING MATERIALS
 For use as a mildewcide in building materials such as elastomeric roof and wall coatings and mastics, caulks, sealants, joint cements, spackling, stucco, and grouting. Use 1.0 to 3.0 pounds of Skane M-8 mildewcide per 100 gallons of formulation.

WALLPAPER PASTES AND ADHESIVES
 For use as a mildewcidal preservative to protect materials such as polyvinyl acetate, starch and dextrin-based pastes from fungal attack after they are applied. Use 0.1 to 0.15 pounds of Skane M-8 mildewcide in 100 pounds of formulation.

AQUEOUS ADHESIVE AND TACKIFIER PRESERVATION
 For use as a mildewcidal preservative in water soluble and water dispersed adhesives such as animal glues, vegetable glues, natural rubber latices, polyvinyl acetate, styrene-butadiene, polyurethane, epoxy, acrylic latices, and tackifiers derived from rosin and hydrocarbon resins. Use 0.10 to 0.20 pounds of Skane M-8 mildewcide per 100 pounds of formulation.

Skane M-8 mildewcide is also sold for use in the formulation of industrial mildewcides in the following uses. Formulators using this product are also responsible for providing data for the EPA registration for their formulated products.

COATINGS
 For use as a mildewcide in coatings such as latex and solvent-based paints, semi-transparent stains, and solid stains.

BUILDING MATERIALS
 For use as a mildewcide in building materials such as elastomeric roof and wall coatings and mastics, caulks, sealants, joint cements, spackling, stucco, and grouting.

WALLPAPER PASTES AND ADHESIVES
 For use as a mildewcidal preservative to protect materials such as polyvinyl acetate, starch and dextrin-based pastes from fungal attack after they are applied.

AQUEOUS ADHESIVE AND TACKIFIER PRESERVATION
 For use as a mildewcidal preservative in water-soluble and water-dispersed adhesives such as animal glues, vegetable glues, natural rubber latices, polyvinyl acetate, styrene-butadiene, polyurethane, epoxy, acrylic latices, and tackifiers derived from rosin and hydrocarbon resins.

LEATHER AND HIDE
 For use in the prevention of mold, bacteria, and fungi in the storage and transport of wet leather stock such as pickled, chrome-tanned and vegetable-tanned leather and hides.

METALWORKING CUTTING FLUIDS
 For use as a mildewcidal preservative in soluble and emulsifiable aqueous metalworking fluids.

HYDRAULIC FLUIDS
 For use as a preservative in the manufacture and use of high water-based hydraulic fluids and invert emulsion hydraulic fluids typically prepared by emulsifying 40% by volume water in 60% by volume of mineral oil using an oil soluble emulsifying agent.

VINYL AND PLASTICS
 For use as a mildewcidal preservative in plastics and vinyl materials.

TEXTILES, LAUNDRY, FABRIC, FABRIC SURFACES, FABRIC MILDWECIDE
 For use to prevent mildew in laundered fabric, treated fabric, treated fabric surfaces, and textiles.

AIR WASHER WATER
 For use as a mildewcidal preservative to prevent fouling in industrial air washer systems.

COOLING TOWER WATER
 For use as a mildewcidal preservative to prevent fouling in water cooling systems when added to the reservoir, recirculating line, or some other point to insure uniform mixing.

EMULSIONS, POLYMERS, AND POLYURETHANE
 For use as a mildewcidal preservative in the manufacture and storage of synthetic and natural rubber polymer latices including: acrylic, styrene/butadiene, carboxylated styrene/butadiene, ethylene/vinyl acetate, polyurethane, and biopolymers intended for industrial use, such as xanthan gum, gum arabic, guar gum, protein derived polymers, starches, and casein derived polymers.

ACCEPTED
 MAR 15 2002
 Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for use pesticide, registered under EPA Reg. No. 707-100

3-15-2002

1/1