

FOR EXPERIMENTAL USE ONLY

Not for sale to any person other than a Participant or Cooperator of the EPA approved Experimental Use Program. For use only at an application site of a Cooperator in accordance with the terms and conditions of the Experimental Use Permit. This labeling must be in the possession of the user at the time of the pesticide application.

RH-3866

40W

Agricultural Fungicide

In Water-Soluble Pouches



DO NOT REMOVE PACKAGES FROM CONTAINER EXCEPT FOR IMMEDIATE USE.

KEEP OUT OF REACH OF CHILDREN WARNING AVISO

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Precaucion al Usuario: Scouted no lee ni aves, no use este producto hasta que la etiqueta haya sido expirada completamente. Causes eye irritation, harmful if swallowed, inhaled, or absorbed through the skin. Do not allow to get in eyes, on skin, or breathe spray mist. Wear goggles and forearm to elbow-length chemical-resistant gloves that long sleeves shirt and long pants when mixing, loading and applying this product. Contaminated clothing must be laundered separately in hot water before using. Wash thoroughly after handling and before eating or smoking.

STATEMENTS OF PRACTICAL TREATMENT
IF IN EYES: Flush eyes with a large amount of water for at least 15 minutes. Call a physician if irritation persists. **IF INHALED:** Move victim to fresh air. **IF ON SKIN:** Wash affected skin thoroughly with soap and water. **IF SWALLOWED:** Dilute by giving two glasses of water to drink and call a physician. Never give anything by mouth to an unconscious person.

ENVIRONMENTAL HAZARDS
Do not apply directly to water or wetlands. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift or runoff from areas treated.

STORAGE AND DISPOSAL

Store in a cool dry place but not below 32°F. Do not remove package from container except for immediate use.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional office for guidance.

CONTAINER DISPOSAL: Completely empty container into application equipment. Dispose of in a sanitary landfill or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Wear eye protection. Wear protective clothing. Spray water on powder and dust. Scoop or shovel solid material into a suitable container for recovery or disposal. Keep dust to a minimum. Flush contaminated area with a large amount of water to a chemical or sanitary sewer containing a settling pit. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Thoroughly launder clothing before reuse. Refer to Precautionary Statements.

NOTIFICATION
LABELING
REVISION
DATE: NOV 7 1999

Notice: Before using this product, read the entire Precautionary Statements, Notice of Warranty, Directions for Use, Use Restrictions, and Storage and Disposal Instructions.

ACTIVE INGREDIENT MYCLOBUTANIL

4-butoxy-4-chlorophenyl 1H-1,2,4-triazole 1-propanenitrile 40%

INERT INGREDIENTS 60%

Total 100

EPA Est. No. 33967 NJ-1 # 477 MD-1 # 707 PA-1 #

Supplier placed in final container of number

EPA Reg. No 707 EUP 123

NET CONTENTS:

20.0Z. (0.567 KG)

(4-5 OZ.)

WATER-SOLUBLE
POUCHES

10494 RI-C-IT (FRONT)

NOTICE OF WARRANTY

This product is for EXPERIMENTAL USE ONLY. Rohm and Haas makes no warranties of merchantability or fitness for a particular purpose nor any other express or implied warranty except as stated herein.

DIRECTIONS FOR USE

Use of this pesticide in a manner inconsistent with the terms of the experimental use permit is a violation of Federal law. All applicable directions, restrictions, and precautions on the EPA registered labeling must be followed.

RE-ENTRY AND WORKER PROTECTION STATEMENTS

Do not enter treated areas without protective clothing until sprays have dried. Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information. Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Written warnings must include the following information:

WARNING (Insert area or field description) treated with RH-3866 40W fungicide on (insert date of application). Do not enter treated area without protective clothing until sprays have dried. In case of accidental exposure, call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to RH-3866 40W fungicide and describe his condition. For further information see the "Statements of Practical Treatment."

Oral warnings must include the same information that is in the written warnings.

GENERAL INFORMATION

RH-3866 40W fungicide is a systemic, protectant and curative fungicide being evaluated for the control of specific diseases mentioned on this label. The fungicide should be used in a regularly scheduled preventative spray program.

USE RATE DETERMINATION — Carefully read, understand and follow label use rates and restrictions. Under low disease conditions, minimum suggested use rates can be used while maximum suggested label rates and shortened spray schedules are recommended for severe or threatening disease conditions. For proper application, determine the number of acres to be treated, the recommended label use rate and the gallonage to be applied per acre. Prepare only the amount of spray solution required to treat the measured acreage. Careful calibration of spray equipment is recommended prior to use.

HANDLING — The enclosed pouches of RH-3866 40W fungicide are water-soluble. Do not allow pouches to become wet prior to adding to the spray tank. Do not handle the pouches with wet hands or wet gloves. Always reseal container bag to protect remaining unused pouches. Do not remove water-soluble pouches from container except to add directly to the spray tank.

CHEMIGATION — Do not apply this product through any type of irrigation system.

MIXING — Always place RH-3866 40W fungicide into solution prior to adding co-applied agricultural chemicals registered for use on the specific crop or crops being treated. Add the required number of unopened pouches as determined by the label suggested into the spray tank with agitation. Depending on the water temperature and the degree of agitation, the pouches should dissolve completely within five minutes from the time they are added to the water.

COMPATIBILITY: RH-3866 40W fungicide is compatible with most commonly used agricultural fungicides, insecticides, growth regulators, micronutrients and spray adjuvants. A poor physical spray mix will result if mixed with soybean oil or products formulated with soybean oil.

NOTE: Do not use PVA pouches in a tank mix with products that contain boron or release free chlorine. The reaction of PVA with these materials results in a plastic which is not soluble in water or solvents such as diesel oils, kerosene, gasoline or alcohol. Do not attempt to use the PVA pouches directly in diesel oils or summer spray-type oils as in ULV or LV uses. PVA pouches are water-soluble, not oil-soluble.

USE DIRECTIONS FOR ALMONDS

Crop	Disease	Rate of RH-3866 40W		Use Recommendations	Restrictions
		Oz./100 gal.	Oz./Acre		
Almond	Blossom Blight	1.25 to 2.0	5 to 8	Begin applications at pink bud stage (about 5% bloom). If conditions are favorable for disease development, apply again at full bloom and at petal fall.	Do not apply within 160 days of harvest. Do not apply more than 1.5 pounds (0.6 pound active) RH-3866 40W fungicide per acre per season. Application by ground equipment only. Do not graze livestock in treated areas or feed cover crops grown in treated areas to livestock.
	(<i>Monilinia</i> spp)	0.5 to 0.8 oz active)	(2.0 to 3.2 oz active)		