

ACCEPTED

MAY 21 1975

UNDER THE FEDERAL PESTICIDE  
FUNGICIDE ACT  
FOR ECONOMIC PESTICIDE REGISTER-  
ED UNDER NO. 707-124

2196-R1

# DITHANE S-31

## DIRECTIONS FOR USE

### LAWN AND TURF GRASSES FOR SEED—

Stem, leaf and stripe rusts. Use 3 to 4 lbs. DITHANE S-31 fungicide per acre in 50 to 100 gallons water per acre. Add 2 to 4 ounces TRITON<sup>®</sup> B-1956<sup>®</sup> per acre if needed to improve wetting, coverage and distribution of spray. Begin application when first trace of rust pustules are noted in the field, and repeat at 10 to 14 day intervals until seed is well formed or rust threat is past. DO NOT GRAZE TREATED FIELDS OR USE STRAW OR CROP WASTES FOR LIVESTOCK FEED.

### DO NOT USE DITHANE S-31 ON FOOD OR FORAGE CROPS.

**IMPORTANT:** Keep away from fire and sparks. Store in a cool dry place. Do not allow to become wet or overheated in storage. This may bring on chemical changes which will impair the fungicidal effectiveness of DITHANE S-31 and may also generate flammable vapors. Keep container closed when not in use.

**NOTE:** DITHANE S-31 may be used without any spreader-sticker. When necessary to improve the spray coverage on foliage difficult to wet and to smooth out spray deposits on maturing fruit TRITON B-1956 is recommended. Other suitable pesticide spreader-stickers may also be used, except in situations where TRITON B-1956 is recommended as the only acceptable spreader-sticker.

**NOTICE:** Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use, storage or handling of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. These risks include, but are not limited to damage to plants, crops and animals to which the material is applied, failure to control pests, damage caused by drift to other plants or crops and personal injury.

## AGRICULTURAL FUNGICIDE

### CAUTION

#### KEEP OUT OF REACH OF CHILDREN

May cause irritation of nose, throat, eyes and skin. Do not breathe dust or spray mist. In case of skin contact, wash with water; for eyes, wash copiously with water and get medical attention.

This product is toxic to fish. Keep out of lakes, streams,

or ponds. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty container. Dispose of by perforating and either burning in strict accordance with air pollution control laws or by burying in a safe place in noncrop lands away from water supplies.

### ACTIVE INGREDIENT


Maneb (manganese ethylene bisdithiocarbamate)	53.0%
Nickel sulphate, anhydrous	19.0%
<b>INERT INGREDIENT</b>	<b>28.0%</b>
	<b>100.0%</b>

Metallic manganese equivalent	10.8%
Metallic nickel equivalent	7.2%

EPA Reg. No. 707-124-AA

EPA Est. No. 707-PA-1

### NET CONTENTS



# ROHM AND HAAS


PHILADELPHIA, PA. 19105

PRINTED IN U.S.A.

ACCEPTED  
MAY 21 1975

UNDER THE FEDERAL INSECTICIDE  
ACT OF 1947  
FOR THE  
ED UN... 707-124

# DITHANE® S



**ROHM  
AND  
HAAS**  
PHILADELPHIA, PA. 19105

## AGRICULTURAL F

### CAUTION

#### KEEP OUT OF REACH OF CHILDREN

May cause irritation if inhaled. Irritates eyes and skin. Do not breathe dust or spray mist. Irritates skin contact with water. Wash eyes. Wash thoroughly with water and get medical attention.

This product is toxic to fish. Keep out of lakes, streams

or ponds. Do not apply to water. Do not apply to crops or plants. Do not apply to crops or plants. Do not apply to crops or plants. Do not apply to crops or plants.

#### ACTIVE INGREDIENT

Maneb (manganese ethylene bisdithiocarbamate) 53.0%

Nickel sulphate anhydrous 19.0%

INERT INGREDIENT 28.0%

Metallic manganese equivalent 10.8%

Metallic nickel equivalent 7.2%

EPA Reg. No. 707-124 AA

EPA Est. No. 707 FA 1

Protective clothing consisting of long pants and boots must be worn during mixing and loa