

707-129

12/14/2000

1/3



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:

Date of Issuance:

707-129

DEC 14 2000

Term of Issuance: Conditional

NOTICE OF PESTICIDE:

Registration
 Reregistration
(under FIFRA, as amended)

Name of Pesticide Product:

Kathon 886 MW Concentrate
Industrial Microbicide

Name and Address of Registrant (include ZIP Code):

Rohm and Haas Company
100 Independence Mall West
Philadelphia, PA 19106-2399

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under the Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Reregistration Eligibility Document for Methylisothiazolone RED, EPA has reregistered the above named product subject to the comments recorded in the succeeding paragraph. This action is taken under the authority of section 4(g)(2)(C) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.

1. Make the following label changes:

a. Revise the EPA Registration No. to read "EPA Reg. No. 707-129"

Signature of Approving Official:

Marshall Swindell, PM 33
Regulatory Management Branch 1
Antimicrobial Division (7510C)

Date:

DEC 14 2000


Page 2
EPA Registration No. 707-129

2. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

If you have any questions concerning this letter, please contact Martha Terry at (703) 308-6217.

Sincerely,



Marshall Swindell
Product Manager 33
Regulatory Management Branch 1
Antimicrobial Division (7510C)

Enclosure

KATHON[®] 886 MW

Industrial Microbicide for use in Metalworking Fluids, Metal Cleaning Fluids, Hydraulic Fluids, Photoprocessing Systems, Dispersed Pigments, Adhesives, Tackifiers, Paints, Building Materials and Polymer Latexes



Lot Number
()

Avg. Gross: LB KG
Net: LB KG
Avg. Tare: LB KG

Product Code
(91)

ACTIVE INGREDIENTS:

5-Chloro-2-methyl-4-isothiazolin-3-one 10.4%
2-Methyl-4-isothiazolin-3-one 3.7%

INERT INGREDIENTS:

TOTAL: 100.0%

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush eyes immediately with plenty of water for at least 15 minutes. Get medical attention if irritation persists.

IF ON SKIN: Wash thoroughly with soap and plenty of water. Remove and wash contaminated clothing before reuse. Get medical attention if irritation occurs.

IF INHALED: Remove person to fresh air. Get medical attention.

IF SWALLOWED: Wash mouth thoroughly with plenty of water and give water or milk to drink. Get medical attention immediately. Do not give liquids to an unconscious person.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

CONDITIONS OF SALE AND WARRANTY

Rohm and Haas warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label only when used in accordance with label directions and as defined under the Directions for Use on this label. ROHM AND HAAS MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES EITHER OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE. Handling, storage, and use of the product by Buyer or User are beyond the control of Rohm and Haas and Seller. Risks such as ineffectiveness or other unintended consequences resulting from, but not limited to, failure to follow label directions will be assumed by the Buyer or User. TO THE EXTENT PERMITTED BY LAW, NEITHER ROHM AND HAAS NOR SELLER SHALL BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE HANDLING, STORAGE OR USE OF THIS PRODUCT.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

CORROSIVE

CAUSES IRREVERSIBLE EYE DAMAGE AND SKIN BURNS
MAY BE FATAL IF ABSORBED THROUGH THE SKIN OR SWALLOWED
MAY CAUSE ALLERGIC SKIN REACTION
HARMFUL IF INHALED

Do not get in eyes, on skin, or on clothing. Mixers, loaders and others exposed to this product must wear: long-sleeved shirt and long pants; chemical resistant gloves such as nitrile or butyl rubber; shoes plus socks; goggles and face shield; and chemical resistant apron. Discard clothing or other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly. This product may cause skin sensitization reactions in some people.

ENVIRONMENTAL HAZARDS

This chemical is toxic to aquatic plants, fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this pesticide only as specified on this label.

STORAGE AND DISPOSAL

PESTICIDE STORAGE

Do not contaminate water, food or feed by storage, or way that will contact workers or other persons.

PHYSICAL AND CHEMICAL HAZARDS

This product is corrosive to mild steel. This product prevent buildup of pressure the product is packaged container when not in use. Container must be stored contents through the vent.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of these wastes cannot be disposed of by use according to Environmental Control Agency or the Hazardous Waste Act guidance.

CONTAINER DISPOSAL

METAL CONTAINERS

Triple rinse (or equivalent). Then offer for recycling landfill, or by other procedures approved by state and local officials.

PLASTIC CONTAINERS

Triple rinse (or equivalent). Then offer for recycling landfill or by incineration, or, if allowed by state and local officials.

GENERAL: CONSULT FEDERAL, STATE OR LOCAL ALTERNATIVE PROCEDURES.

Date of Manufacture: location for date

EPA Reg. No. 707-129

EPA Est. No. 707-EN-1

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

POLYMER LATEX PRESERVATION

Kathon 886 MW microbicide is recommended for the control of bacteria and fungi in the manufacture and storage of synthetic and natural polymer latexes including: acrylic; styrene/butadiene; carboxylated styrene/butadiene; ethylene/vinyl acetate; and biopolymers intended for industrial use, such as a xanthum gum, gum arabic, guar gum, protein-derived polymers, starches, and casein-derived polymers. Add 0.044-0.355 pound Kathon 886 MW microbicide (20-161 gram) to each 1000 pound (453 kilogram) of fluid to provide 44 to 355 ppm product (6.25-50 ppm active isothiazolones).

NOTE: To ensure uniform mixing, add Kathon 886 MW microbicide to latex or solutions slowly with agitation. The actual concentrations required will depend upon such factors as the specific substance to be treated, frequency of repeated microbial contamination expected, and level of production required.

ADHESIVE AND TACKIFIER PRESERVATION

Kathon 886 MW microbicide is recommended as an in-container preservative for the control of bacteria and fungi in water-soluble and water-dispersed adhesives such as animal glues, vegetable glues, natural rubber latexes, polyvinyl acetate, styrene butadiene, and acrylic latexes. Kathon 886 MW microbicide is recommended as a preservative for tackifiers derived from rosin and hydrocarbon resins. Add 0.044-0.177 pound of Kathon 886 MW microbicide (20-80 gram) to each 1000 pound (453 kilogram) of fluid to provide 44 to 177 ppm product (6.25-25 ppm active isothiazolones).

PAINT AND COATING PRESERVATION

Kathon 886 MW microbicide is recommended as an in-container preservative for the control of bacteria and fungi in water-based coatings such as paper and wood coatings and paints used for architectural product finishes and special-purpose coatings. Add 0.044-0.177 pound of Kathon 886 MW microbicide (20-80 gram) to each 1000 pound (453 kilogram) of fluid to provide 44 to 177 ppm product (6.25-25 ppm active isothiazolones).

BUILDING MATERIAL PRESERVATION

Kathon 886 MW microbicide is recommended as an in-container preservative for the control of bacteria and fungi in building materials such as mastics, caulks, joint cements, spackling, and grouting. Add 0.044-0.177 pound of Kathon 886 MW microbicide (20-80 gram) to each 1000 pound (453 kilogram) of fluid to provide 44 to 177 ppm product (6.25-25 ppm active isothiazolones).

DISPERSED PIGMENTS

Kathon 886 MW microbicide is recommended as an in-container preservative for the control of bacteria and fungi in the manufacture and storage of dispersed pigments such as kaolin clay, montmorillonite clay, titanium dioxide, calcium carbonate, calcium sulfate, barium sulfate, magnesium silicate, and kieselsguhr used in paint and paper productions. Add 0.044-0.177 pound of Kathon 886 MW microbicide (20-80 gram) to each 1000 pound (453 kilogram) of fluid to provide 44 to 177 ppm product (6.25-25 ppm active isothiazolones).

METALWORKING FLUID PRESERVATION

Kathon 886 MW microbicide is recommended for the control of bacteria and fungi in soluble and emulsifiable-type aqueous metalworking fluids.

For the maintenance of a non-fouled system, use Kathon 886 MW microbicide at 2.7 fluid ounce (0.23 pound) per 1000 gallon of emulsion every 4 weeks or 2.7-12.8 fluid ounce (0.23-1.1 pound) per 1000 gallon of emulsion every 8-12 weeks. For a noticeably fouled system, use an initial dose of 5.4-12.8 fluid ounce (0.46-1.1 pound) per 1000 gallon of emulsion to be followed by subsequent maintenance dosages depending upon the treatment interval noted above. A higher dosage range and/or increased frequency of treatment may be required depending upon rate of dilution of the preservative with makeup fluid, the nature and severity of contamination, level of control required, filtration effectiveness, system design, etc. The preservative should be dispensed into the use-dilution of the metalworking fluid using a metering pump and uniformly dispersed throughout the system.

METAL CLEANING FLUID PRESERVATION

Kathon 886 MW microbicide is recommended as a preservative for use in the manufacture and use of alkaline, acid, and emulsion-based metal cleaning fluids typically used in electroplating, phosphating, galvanizing, and general metal cleaning operations.

In addition to a metal cleaning concentrate, add Kathon 886 MW at a level to ensure that the final use-dilution fluid will contain 44-177 ppm product (6.25 to 25 ppm active isothiazolones).

For direct addition to a fouled system, add 5.6-22.6 fl. oz. (0.48-1.9 pound) of Kathon 886 MW to each 1000 gallon of use-dilution metal cleaning fluid every 3 to 4 weeks to provide 44-177 ppm product (6.25 to 25 ppm active isothiazolones). A higher dosage range and/or increased frequency of treatment may be required depending upon rate of dilution of the preservative with make-up fluid, the nature and severity of contamination, level of control required, filtration effectiveness, system design, etc. The preservative should be dispensed into the use-dilution metal cleaning fluid using a metering pump and uniformly dispersed throughout the system.

WATER-BASED HYDRAULIC FLUID PRESERVATION

Kathon 886 MW microbicide is recommended as a preservative for use in the manufacture and use of high water-based hydraulic fluids and invert emulsion hydraulic fluids typically prepared by emulsifying 40% by volume water in 60% by volume of mineral oil using an oil-soluble emulsifying agent.

For the maintenance of a non-fouled system, use Kathon 886 MW microbicide at 9-13 fluid ounce (0.76-1.1 pound) per 1000 gallon fluid every 8 weeks. For a noticeably fouled system, use an initial dose of 13-20 fluid ounce (1.1-1.7 pound) per 1000 gallon fluid to be followed by subsequent maintenance dosage. A higher dosage range and/or increased frequency of treatment may be required depending upon rate of dilution of the preservative with makeup fluid, the nature and severity of contamination, level of control required, filtration effectiveness, system design, etc. The preservative should be dispensed into the use-dilution of the hydraulic fluid using a metering pump and uniformly dispersed throughout the system.