

GOAL[®] 2E

HERBICIDE

Before using this product, read all additional precautionary statements, storage and disposal instructions, use restrictions, and limit of warranty and liability statements on side panel

INERT INGREDIENTS

EPA Reg. No. 707-145-AA
EPA Est. No. 707-PA-1

1. 0. 0. 0. 0.

Copyright 1974. Reprinted by permission of the publisher.

NET CONTENTS

5 GAL.
(18.9 L)

PRECAUTIONARY STATEMENT
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
WARNING

ENVIRONMENTAL HAZARDS

PHYSICAL OR CHEMICAL HAZARD

FLAMMABLE.

DIRECTIONS FOR USE


General classification
It is a violation of federal law to use this product without its labeling

GENERAL INFORMATION

Preemergence and P. stemmergence Weed (Nectarines, Peaches, Plums and Prunes G.

RECOMMENDED RATES AND TIMING

PERIOD AFTER "STOP" (sec) 100



**ROHM
AND
HAAS**
PHILADELPHIA, PA 19105

STATEMENTS AND DOMESTIC ANIMALS

...on clothing. In case of eye contact immediately... minutes. Call a physician. In case of skin contact... immediately with soap and water.

...duce vomiting. Call a physician. Do not induce... person.

RDS

...ate water by cleaning of equipment or disposal of...

...when applying in areas frequented by wildlife or... other conditions favor drift from target area. Do not... disposal of wastes.

HAZARDS

...this product in a manner inconsistent...

Control in Nonbearing Almonds, Peaches Grown in CALIFORNIA ONLY

...pounds of active ingredient per gallon of product... and postemergence control of certain annual...

...when applications of GOAL are made to weed... highest. Higher rates will also provide residual... the section on recommended dosages and weeds...

...control of susceptible weed species. NO WAITING...

Postemergence application of GOAL 2E should be effective after weeds are 3 inches high. For preemergence control, apply GOAL 2E at 2.0 to 4.0 quarts per broadcast acre. For postemergence control, apply GOAL 2E at 2.0 to 4.0 quarts per broadcast acre. For preemergence control, apply GOAL 2E at 2.0 to 4.0 quarts per broadcast acre. For postemergence control, apply GOAL 2E at 2.0 to 4.0 quarts per broadcast acre.

RECOMMENDED DOSAGES AND WEEDS CONTROLLED

	GOAL 2E rate per broadcast acre*	Weeds Controlled
Early postemergence weeds up to 3 inches high	2.0 quart	Early postemergence weeds up to 3 inches high
Postemergence weeds up to 6 inches high	4.0 quart	Early postemergence weeds up to 6 inches high
Preemergence	2.0 quart	Early postemergence weeds up to 6 inches high

*Restrict rates per acre to spray tank capacity.

APPLICATION, MIXING AND EQUIPMENT

GOAL 2E should be applied as a ground spray directed to the base of the plant. Do not spray on water per acre. Direct contact with crop foliage should be avoided as GOAL 2E has an adverse effect on foliage activity. Apply uniformly with a standard low pressure herbicide sprayer equipped with a fan spray pattern. Spray equipment should be calibrated carefully before use.

Fill the spray tank at least one-third full of clean water and add the recommended amount of GOAL 2E while the pump and agitator are running. Complete filling the tank with water and stir thoroughly before use. Maintain agitation until spraying is completed.

HERBICIDE COMBINATIONS

GOAL 2E + PARAQUAT CL: Almonds, Nectarines, Peaches, Plums, and Prunes. Where residual control is desired, apply GOAL 2E at 2.0 to 4.0 quarts per broadcast acre and PARAQUAT CL at 1.0 quart per broadcast acre.

Fill the spray tank at least one-third full of clean water and add the recommended amount of GOAL 2E while the pump and agitator are running. Complete filling the tank with water and stir thoroughly before use. Maintain agitation until spraying is completed. Do not allow the tank to remain empty. PARAQUAT CL should be applied after GOAL 2E.

GOAL 2E + PARAQUAT CL + SURFLAN: Almonds, Peaches, Plums, and Prunes. Where residual control is desired, tank mix combination of GOAL 2E at 2.0 to 4.0 quarts with SURFLAN (50% DF) at 5.0 pounds plus 1.0 quart PARAQUAT CL per broadcast acre are recommended.

Fill the spray tank at least one-third full of clean water and add the recommended amount of GOAL 2E while the pump and agitator are running. Add the recommended amount of SURFLAN and PARAQUAT CL while the tank is being filled. Complete filling the tank with water and stir thoroughly before use. Maintain agitation until spraying is completed. Do not allow the tank to remain empty. PARAQUAT CL should be applied after GOAL 2E and SURFLAN.

CULTURAL CONSIDERATIONS

For best results, apply GOAL 2E to weeds after the soil surface has been moistened by rain or irrigation. Rain or irrigation within 24 hours of application is necessary for best results. Apply GOAL 2E to weeds after the soil surface has been moistened by rain or irrigation.

For best results, apply GOAL 2E to weeds after the soil surface has been moistened by rain or irrigation. Rain or irrigation within 24 hours of application is necessary for best results. Apply GOAL 2E to weeds after the soil surface has been moistened by rain or irrigation.

USE RESTRICTIONS

Only one application of GOAL 2E may be made per year to the same crops. Feeding or grazing of cover crops from areas treated with GOAL 2E to livestock is prohibited. Do not use around trees that will bear fruit within one year of treatment.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage and disposal. Open burning is prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL: Pesticide spray mixture or waste that cannot be used must be disposed of in a manner approved for pesticides or buried in a deep pit away from water supplies.

CONTAINER DISPOSAL: Triple rinse or equivalent and dispose in an incinerator or other approved for pesticide containers or bury in a safe place.

GENERAL: Consult Federal, State or local disposal authorities for approved alternative procedures, such as limited open burning.

NOTICE: Seller warrants that the product conforms to the label description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. Seller does not warrant, and makes no representation, of merchantability or fitness for a particular purpose, except to the extent of the use stated on the label. Handling of this product in a manner other than as directed by the label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to seller, and user assumes the risk of any such use. These risks include, but are not limited to, damage to plants, crops and animals to which the material is applied, failure to control pests, damage caused by drift to other parts of crops and personal injury.

MADE IN U.S.A.