

**ROHM AND HAAS COMPANY**


INDEPENDENCE MALL WEST  
PHILADELPHIA, PENNSYLVANIA 19105

8814-M1c



SUPPLEMENTAL LABELING FOR BLAZER 2S HERBICIDE

EPA Reg. No. 707-150



TANK MIXTURE WITH AMIBEN(R)

SOYBEANS

When applied to young actively growing broadleaf weed seedlings, the tank mixture of BLAZER 2S plus Amiben will control all weeds listed on the BLAZER label and will also provide preemergence control of those grass and broadleaf weeds listed in the General Information section of the Amiben label which have not yet germinated at time of treatment.

Rate: Apply a tank mixture of 1½ to 2 pints of BLAZER 2S (0.38 to 0.5 pounds ai per acre) plus 5 to 6 quarts of Amiben (2.5 to 3.0 pounds ai per acre) or 3.0 to 3.6 pounds Amiben DS (2.5 to 3.0 pounds ai per acre). In order to determine the correct application rate of BLAZER 2S to use in the tank mixture, see the BLAZER use rate table.

USE RESTRICTIONS:

- Follow all use restrictions detailed on the BLAZER and Amiben labels.
- Do not add surfactant or crop oil when using the tank mixture.
- Do not make applications later than 33 days after planting.

WRC/cap  
5660E/29Z  
3/21/83