

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

CORROSIVE
CAUSES EYE DAMAGE AND SKIN BURNS
MAY CAUSE ALLERGIC SKIN REACTION
MAY BE HARMFUL IF INHALED
MAY BE FATAL IF SWALLOWED OR ABSORBED THROUGH THE SKIN

Do not get in eyes, on skin, on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid breathing vapor or mist. Avoid contamination of food. Do not take internally. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority for guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this pesticide only as specified on this label.

CONDITIONS OF SALE AND WARRANTY

Rohm and Haas warrants that the product conforms to the chemical description and is reasonably fit for the purpose stated on the label only when used in accordance with the directions. ROHM AND HAAS MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES EITHER OF MERCHANTABILITY OR FITNESS FOR PARTICULAR USE. Storage and use of the product by Buyer or User are beyond the control of Rohm and Haas and Seller. Risks such as ineffective use or other unintended consequences resulting from but not limited to failure to follow label directions will be assumed by the Buyer or User. IN NO CASE WILL ROHM AND HAAS OR SELLER BE HELD LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE HANDLING, STORAGE OR USE OF THIS PRODUCT.

ROHM AND HAAS
PHILADELPHIA, PA. 19105
TELEPHONE: (215) 592-3000

KATHON® FP

AN INDUSTRIAL MICROBICIDE FOR USE AS A FUEL PRESERVATIVE

ACTIVE INGREDIENTS:

5-Chloro-2-methyl-4-isothiazolin-3-one 86%

2-Methyl-4-isothiazolin-3-one 26%

INERT INGREDIENTS: 88.8%

TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN DANGER

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, or fruit solution if these are not available. Drink large quantities of water. Avoid alcohol. Call a physician immediately.

IF ON SKIN: Wash thoroughly with soap and water. Remove and wash contaminated clothing before re-use.

IF IN EYES: Flush with plenty of water for at least 15 minutes. Call a physician.

IF INHALED: Remove immediately to fresh air. If not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Call a physician.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

MANUFACTURED BY
ROHM AND HAAS COMPANY
PHILADELPHIA, PA. 19105
EPA Est. No. 707 PA 1
EPA Reg. No. 707 194

NET CONTENTS _____ **GALLONS**

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FUEL PRESERVATION

Kathon FP is recommended for the control of bacteria and fungi in the following liquid hydrocarbon fuels and oils, kerosene, heating oils, diesel fuels, residual fuel oils, coal slimes, liquefied petroleum gases, and petrochemical feedstocks.

METHOD OF ADDITION: Kathon FP should be directly dispensed into a fuel tank, storage tank, or flowing stream of fuel in a manner to ensure uniform distribution of the preservative in the fuel system. Slug dose or continuous feed methods are recommended.

CURATIVE DOSE: When the system is noticeably fouled, add 0.020-0.070 lbs. (25-86 fl. oz.) of Kathon FP per 1,000 lbs. of fluid in the system. This will provide 20-70 ppm of Kathon FP and 2-7.8 ppm active ingredient. Repeat until control is achieved.

MAINTENANCE DOSE: When the system is not noticeably fouled, add 0.010-0.040 lbs. (12-49 fl. oz.) of Kathon FP per 1,000 lbs. of fluid to maintain the system. Repeat every 4 to 6 weeks or when fouling becomes evident. This will provide 10-40 ppm Kathon FP and 1 to 4.5 ppm active ingredient.

Grossly contaminated systems must be cleaned before treatment is begun. Kathon FP weighs 10.4 lbs. per gallon.

STORAGE AND DISPOSAL

PROHIBITIONS

The product as supplied evolves gas (largely carbon dioxide) slowly. To prevent buildup of pressure, the product is packaged in specially vented containers. Keep this product in the original container when not in use. Container must be stored in an upright position to prevent spilling the contents through the vent. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL


METAL CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

PLASTIC CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

GENERAL

CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES.

ACCEPTED
FEB 03 1987
U.S. DEPARTMENT OF AGRICULTURE
OFFICE OF PESTICIDE REGULATION
REGISTERED PRODUCT
EPA Reg. No. 707-194



Proper Shipping Name:
CORROSIVE LIQUID, N.O.S.
(5-Chloro-2-methyl-4-isothiazolin-3-one)
UN 1760
In event of emergency,
CALL TOLL FREE: 800-424-9300 (CHEMTREC)