


Emulsi-Lab

BEST AVAILABLE COPY

ACCEPTED
AUG 23 1993
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 707-202.



KELTHANE® MF

**AGRICULTURAL MITICIDE
EMULSIFIABLE CONCENTRATE**

Before using this product, read the entire Precautionary Statements, Conditions of Sale and Warranty, Directions for Use, Use Precautions and Storage and Disposal Instructions. If the Conditions of Sale and Warranty are not acceptable, return the product unopened within thirty days of purchase to the place of purchase.

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed, absorbed through the skin or inhaled. Causes moderate eye, skin, nose and throat irritation. Avoid contact with skin, eyes and clothing. Skin contact with this pesticide may be hazardous: wear chemical-resistant gloves when mixing, loading, or applying this product. This product is a skin sensitizer. Repeated exposure may cause allergic reaction in some individuals. If allergic reaction should occur, discontinue use and see a physician. Avoid breathing vapors or spray mist.

Wash thoroughly with soap and water after handling and before eating or smoking. Remove contaminated clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger, or call a physician and have the stomach emptied immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: Because this product contains a chlorinated hydrocarbon insecticide, vomiting or careful gastric lavage is recommended. Epinephrin or other adrenergic amines can cause myocardial irritability.

IF INHALED: Remove victim to fresh air. Treat the victim symptomatically. Call a physician if problem continues.

IF ON SKIN: Wash exposed areas with plenty of soap and water. If irritation persists, call a physician.

IF IN EYES: Flush eyes with plenty of water for at least 15 minutes. Call a physician if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

disposing of equipment washwaters.

PHYSICAL AND CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.



**ROHM
& HAAS**
PHILADELPHIA, PA 19105
TEL 2151 592-5000

ACTIVE INGREDIENT	
Dicofol	
1,1-Bis(chlorophenyl) 2,2,2-trichloroethanol	42%*
INERT INGREDIENTS	
	58%
TOTAL	100%

*Equivalent to 4 lbs. active ingredient per gallon

EPA Reg No 707-202
EPA Est No. 5905-CA-1 © 802 OR-1 ©

Subscript used is first letter of lot number

©Copyright 1992 Rohm and Haas Company

Kelthane is a registered trademark of Rohm and Haas Company

NET CONTENTS

2.5 GALLONS
(9.46 LITERS)



CONDITIONS OF SALE AND WARRANTY

Rohm and Haas warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label only when used in accordance with label directions under normal conditions of use. **ROHM AND HAAS MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES EITHER OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE.** Handling, storage and use of the product by Buyer or User are beyond the control of Rohm and Haas and Seiler. Risks such as crop injury, ineffectiveness or other unintended consequences resulting from, but not limited to, weather or soil conditions, presence of other materials, disease, pests, drift to other crops or property or failure to follow label directions will be assumed by the Buyer or User. **IN NO CASE WILL ROHM AND HAAS OR SELLER BE HELD LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE HANDLING, STORAGE OR USE OF THIS PRODUCT.**

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RE-ENTRY AND WORKER PROTECTION STATEMENTS

Do not enter treated areas without protective clothing until sprays have dried. Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information. Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Written warnings must include the following information:

CAUTION

(Insert area or field description) treated with KELTHANE MF on (insert date of application). Do not enter treated areas without protective clothing until sprays have dried. In case of accidental exposure: Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to KELTHANE MF and describe his condition. For further information see the "Statement of Practical Treatment."

Oral warnings must include the same information that is in the written warnings.

CHEMIGATION

Do not apply this product through any type of irrigation system.

GENERAL INFORMATION

KELTHANE MF Miticide is an emulsifiable formulation that gives high initial kill against most species of agricultural mites. KELTHANE MF is a specific miticide and will not kill bees and beneficial insect predators, when used as recommended.

KELTHANE MF Miticide is compatible with most other commonly used insecticides and fungicides. It should not be combined with lime. KELTHANE MF Miticide may be applied in dilute or in concentrate ground sprays. For aerial sprays use 3 to 10 gallons of water per acre to provide thorough coverage of all plant parts. Coverage on the underside of leaves is especially important. For further details see specific recommendations on this label, then consult current State Agricultural Experiment Station spray schedules or State Extension Service Specialists for additional details on compatibility, dosage, timing and uses.

VEGETABLES AND FIELD CROPS

BEANS (dry, green, lima) — Pacific, tropical and two-spotted mites. Use 3/4 to 1 pint KELTHANE MF Miticide per acre. Apply at first signs of mite buildup and repeat as necessary. Do not apply within 7 days of harvest. Do not feed treated vines (or crop residues) to meat or dairy animals.

BEANS (dry, green, lima) California only — Pacific, tomato russet, tropical and two-spotted mites. Use 3 pints KELTHANE MF Miticide per acre. Apply at first signs of mite buildup and repeat as necessary. Do not apply within 21 days of harvest. Do not feed treated vines (or crop residues) to meat or dairy animals.

COTTON — Desert, Pacific and two-spotted mites. Use 1 to 1 1/2 quarts KELTHANE MF Miticide per acre, depending on size of plant and density of foliage. Apply in sufficient water to provide thorough coverage. Begin application when mites are first noticed and repeat if necessary but do not apply within 14 days of harvest. Do not feed cotton stalks or trash to meat or dairy animals.

HOPS — Pacific, tropical and two-spotted mites. Use 2 to 2 1/2 pints KELTHANE MF Miticide per acre. Apply at first signs of mite buildup and repeat as necessary. Do not apply within 7 days of harvest. Do not feed treated vines (or crop residues) to meat or dairy animals.

MINT — Peppermint and spearmint for commercial oil production. For control of two-spotted mites use KELTHANE MF Miticide at 1 3/4 to 2 1/2 pints per acre in sufficient water for thorough coverage. Make application when mites become active. Do not apply within 30 days of harvest and do not make more than one application per crop per season. Do not feed treated fresh or spent hay to livestock.

PEPPERS, TOMATOES — Pacific, tropical, two-spotted and tomato russet mites. Use 3/4 to 1 1/2 pints KELTHANE MF miticide per acre. Apply at first signs of mite buildup. Do not apply more than two applications or exceed 1.6 pints per year. Do not apply within two days of harvest. Do not feed treated plants, storage, or crop residues to meat or dairy animals.

FRUITS AND NUTS

CITRUS (Grapefruit, Kumquats, Lemons, Limes, Oranges, Tangelos, Tangerines) — Citrus flat, citrus red (purple), citrus rust, six-spotted, Texas citrus and Yuma mites. Apply KELTHANE MF Miticide in full coverage sprays using 1 pint per 100 gallons of dilute spray (2 gallons maximum/acre). If concentrate sprays are used adjust dosage accordingly. Apply when mites appear in threatening numbers and repeat as required for satisfactory control. Do not apply within 7 days of harvest.

GRAPES — For clover (brown almond), European red, McDaniel, Pacific, two-spotted, Willamette and yellow mites. Use 1 1/2 to 2 1/2 pints KELTHANE MF Miticide per acre. Apply just after bloom or whenever mites appear and repeat if necessary. Do not apply within 7 days of harvest.

STRAWBERRIES — Six-spotted, strawberry (Atlantic) and two-spotted mites. Use 1 quart KELTHANE MF Miticide per acre. Apply when mites appear and repeat as necessary but do not apply within 2 days of harvest, or if temperature exceeds 90°F.

WALNUTS — For clover (brown almond), European red, McDaniel, Pacific, two-spotted, Willamette and yellow mites. Use a full coverage spray of 3/4 to 1 pint KELTHANE MF Miticide per 100 gallons dilute spray (1 gallon maximum/acre). Apply just after bloom or whenever mites appear and repeat if necessary. Do not apply within 14 days of harvest.

NOTE: KELTHANE MF Miticide may be used without any spreader-sticker. When necessary to improve the spray coverage on foliage difficult to wet and to smooth out spray deposits on maturing fruit, LATRON B-1956™ is recommended. Other suitable pesticide spreader-stickers may also be used except in situations where LATRON B-1956 is recommended as the only acceptable spreader-sticker.

STORAGE AND DISPOSAL

STORAGE — Keep from freezing. Store at 32°F-110°F.

PESTICIDE DISPOSAL — Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or residue is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL — Triple rinse (or equivalent). Then puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Eliminate ignition sources. Ventilate area. Avoid breathing vapors. Wear respirator suitable for vapor concentration encountered (MSHA/NIOSH approved or equivalent). Dike the spill with inert material and transfer the liquid or solid diking materials to separate containers. Wash clothing before reuse. REFER TO PRECAUTIONARY STATEMENTS.

Kelthane is a registered trademark of Rohm and Haas Company.
LATRON B-1956 is a trademark of Rohm and Haas Company.

10490-R3

MADE IN U.S.A.

