

KATHON® 893 TP 25

MADE IN UK

Avg. Gross: LB KG
 Net: LB KG
 Avg. Tare: LB KG

Product Code
 (01)

Industrial Fungicide for use in Coatings, Caulks and Sealants, Wallpaper Adhesive, Aqueous Emulsions and Adhesives, Polymer Compounds and Fabrics



Lot Number
 ()

«BC1»

«LN1»

Container Code Number
 «SN1»
 Label Number
 BU003201

ACTIVE INGREDIENT:	27.5%
2-n-Octyl-4-isothiazolin-3-one	
INERT INGREDIENTS:	72.5%
Total:	100.0%
KEEP OUT OF REACH OF CHILDREN	
DANGER	
FIRST AID	
IF ON SKIN:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 min. Call a poison control center or doctor for advice.
IF IN EYES:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 min. Remove contact lenses, if present, after first 5 min, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF INHALED:	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth. Call a poison control center or doctor for advice.
IF SWALLOWED:	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Have person sip a glass of water if able to swallow. Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Monitor against circulatory shock, respiratory depression, and convulsions may be necessary.	
SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS.	

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER
CAUSES EYE DAMAGE AND SKIN BURNS
MAY CAUSE ALLERGIC SKIN REACTION
IS HARMFUL IF INHALED
IS HARMFUL IF SWALLOWED

Do not get in eyes, on skin, or on clothing. Wear goggles and rubber gloves. Avoid breathing vapor or mist. Do not take internally. Wash thoroughly after handling. Keep container closed. Use with adequate ventilation.

ENVIRONMENTAL HAZARDS
 This product is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this pesticide only as specified on this label.

STORAGE AND DISPOSAL
PROHIBITIONS
 This product is corrosive to mild steel. Do not store or transport in unlined metal containers. Do not contaminate with strong oxidizing or reducing agents. Do not contaminate water, food, or feed by storage or disposal or cleaning of equipment.

PESTICIDE DISPOSAL
 Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or mixtures is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL
METAL CONTAINERS
 Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

PLASTIC CONTAINERS
 Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

GENERAL
CONSULT FEDERAL, STATE, OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES.

CONDITIONS OF SALE AND WARRANTY
 Rohm and Haas warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label only when used in accordance with label directions under normal conditions of use. ROHM AND HAAS MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES, EITHER OF MERCHANTABILITY OR FITNESS, FOR A PARTICULAR USE. Handling, storage, and use of the product by Buyer or User are beyond the control of Rohm and Haas and Seller. Risks such as insecticide or other unintended consequences resulting therefrom, but not limited to, failure to follow directions will be assumed by the Buyer or User. IN NO CASE WILL ROHM AND HAAS OR SELLER BE HELD LIABLE FOR CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES RESULTING FROM THE HANDLING, STORAGE, OR USE OF THIS PRODUCT.

Date of Manufacture: location for date
 EPA Reg. No. 707-208
 EPA Est. No. establishment number

DIRECTIONS FOR USE
 It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
DO NOT USE FOR ANY DIRECT OR INDIRECT FOOD OR DRINKING WATER CONTACT APPLICATIONS

COATINGS
 For use as a mildewicide in coatings such as latex paints and solvent-based paints. Use 1.64 - 6.55 pound of Kathon 893 TP 25 Fungicide per 100 gallon of coating formulation. To insure uniform distribution throughout the formulation, it is recommended that Kathon 893 TP 25 be preblended along with the coatings vehicle in the laddown phase before the final formulation step.

CAULKS AND SEALANTS
 For use as a mildewicide in caulks and sealants. Use 5.9 - 8.2 pound of Kathon 893 TP 25 Fungicide per 100 gallon of caulk or sealant formulation. To insure uniform distribution throughout the formulation, it is recommended that Kathon 893 TP 25 be preblended along with other ingredients such as solvents, plasticizers or freeze-thaw stabilizers before the final formulation step.

WALLPAPER ADHESIVES
 For use as a mildewicide to protect wallpaper pastes from fungal attack after they are applied. Use 0.12 - 0.16 pound of Kathon 893 TP 25 Fungicide per 100 pound of wallpaper adhesive formulation. To insure uniform distribution throughout the formulation, it is recommended that Kathon 893 TP 25 be preblended with water or other liquid components before the final formulation step.

AQUEOUS EMULSIONS AND ADHESIVES
 For use as a mildewicide preservative in water based emulsions and adhesives. Use 0.05 pound of Kathon 893 TP 25 Fungicide per 100 pound of emulsion or adhesive formulation. To insure uniform distribution throughout the formulation, it is recommended that Kathon 893 TP 25 be preblended with water or other liquid components before the final formulation step.

POLYMER COMPOUNDS
 For use as a mildewicide in PVC, polyurethanes, and other polymer compounds. Use 0.15 - 0.36 pound of Kathon 893 TP 25 Fungicide per 100 pound of compounded polymer system. To insure uniform distribution throughout the formulation, it is recommended that Kathon 893 TP 25 be preblended with plasticizer or other liquid ingredients before the final compounding step.

FABRICS
 For use as a mildewicide on fabrics. To protect fabric from mildew for up to four weeks, use 0.27 fluid ounce of Kathon 893 TP 25 Fungicide in the final rinse for every 100 pound of treated fabric. Longer term protection may be obtained by padding between 0.068 and 0.114 pound of Kathon 893 TP 25 in an aqueous or solvent dispersion onto 100 pound of fabric. Kathon 893 TP 25 weighs 8.6 lb/gallon.

ACCEPTED

NOV 19 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 707-208

707-208 11/19/2003

1/1