KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID

«Call a poison control center or doctor for advice

respiration, preferably mouth-to-mouth.

mouth to an unconscious person.

Call a poison control center or doctor for advice.

Have the product container or label with you when calling a poison control center or doctor, or going for

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Measures against circulatory shock, respiratory depression and convulsions may be necessary.

*Rinse skin immediately with plenty of water for 15-20 min.

+Call a poison control center or doctor for treatment advice.

«Call a noison control center or doctor immediately for advice

#Hold eye open and rinse slowly and gently with water for 15-20 min.

•Remove contact lenses, if present, after first 5 min. then continue rinsing

off person is not breathing, call 911 or an ambulance, then give artificial

. Do not induce vomiting unless told to do so by a poison control center or

•Have person sip a glass of water if able to swallow. Do not give anything by

For Use in Conveyer Lubricants

Number



«LN1»

Code Number «SN1»

BU003403 04/22/02

ACTIVE INGREDIENTS:

IF ON SKIN:

F IN EYES:

IF INHALED:

IF SWALLOWED:

5-Chloro-2-methyl-4-isothiazolin-3-one 2-Methyl-4-isothiazolin-3-one INERT INGREDIENTS:

1.11% 0.39% 98.50% 100.00%

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

DANGER

CORROSIVE CAUSES IRREVERSIBLE EYE DAMAGE AND SKIN BURNS MAY CAUSE ALLERGIC SKIN REACTION HARMFUL IF INHALED

HARMFUL IF SWALLOWED OR ARSORBED THROUGH THE SKIN

Do not get in eyes, on skin, or on clothing. Mixers, loaders and others exposed to this product must wear; long-sleeved shirt and long pants; chemical resistant gloves such as nitrile or butyl nubber; shoes plus socks; goggles and face shield; and chemical resistant apron. Discard clothing or other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exists, use detergent and hot water. Keep and wash PPE separately from other laundry. Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toiler. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and out on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly. This product may cause skin sensitization reactions in some people.

This chemical is toxic to aquatic plants, fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this pesticide only as specified on this label.

STORAGE AND DISPOSAL PESTICIDE STORAGE

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Do not apply this product in a way that will contact workers or other persons.

Ave. Gross: LB KG

Avg. Tare: LB KG

LB KG

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

METAL CONTAINERS

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of it a samitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If

CONSULT FEDERAL STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED. ALTERNATIVE PROCEDURES

CONDITIONS OF SALE AND WARRANTY

Rohm and Haas warrants that this product conforms to its chemical description and is reasonably fit for the purpos stated on the label only when used in accordance with label directions under normal conditions of use. ROHM AND HAAS MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES, EITHER OF MERCHANTABILITY OR FITNESS, FOR A PARTICULAR USE. Handling, storage, and use of the product by Buyer or User are beyond the ontrol of Rohm and Hass and Seller. Risks such as meffectiveness or other unintended consequences resulting from but not limited to, failure to follow directions will be assumed by the Buyer or User. IN NO CASE WILL ROHM AND HAAS OR SELLER BE HELD LIABLE FOR CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES RESULTING FROM THE HANDLING, STORAGE, OR USE OF THIS .PRODUCT.

Date of Manufacture: location for date

EPA Reg. No. 707-216

DIRECTIONS FOR USE

Product

Code

(91)

It is a violation of Federal law to use this product in a manner inconsistent with its

CONVEYOR LUBRICANT MICROBIAL CONTROL

Kathon CL microbicide is recommended for the control of bacteria and fungi in the manufacture and use of water-based conveyer lubricants.

METHOD OF ADDITION: Kathon CL microbicide should be dispensed into the conveyer hibricant concentrate and uniformly dispersed throughout the fluid or dispensed into the conveyer lubricant use-dilution feed line using a metering pump and uniformly sprayed onto the conveyor.

FLUID CONCENTRATE: Kathon CL microbicide should be added to the conveyor Inbricant concentrate at a level to ensure that the final use-dilution will contain 200-1000 ppm of Kathon CL microbicide (3-15 ppm of active ingredient).

USE-DILUTION FLUID: Grossly contaminated systems must be cleaned before treatment is begun.

INITIAL DOSE: For a noticeably fouled system, meter in 8.3 pound (126 fluid ounce) of Kathon CL microbicide per 1000 gallon of use-dilution conveyor lubricant. If necessary, continue metering 3.3-8.3 pound (50-126 fluid ounce) of Kathon CL. microbicide per 1000 gallon of conveyor lubricant until control is achieved and only to maintain the level of Kathon CL microbicide in the final use-dilution fluid at 400-1000 pom (6-15 pom active ingredient).

SUBSEQUENT DOSE: After establishing microbial control or to prevent fouling of a clean system, maintain the system at 3-15 ppm active ingredient by metering 1.7-8.3 pound (26-126 fluid ocurce) of Kathon CL microbicide per 1000 gallon of conveyor

Kathon CL microbicide weighs 8.4 pound/gallon.

ACCEPTED

MAY 3 1 2002

Under the Federal insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under