

KATHON EDC 1.5%

INDUSTRIAL MICROBICIDE
FOR USE IN RECIRCULATING
ELECTRODEPOSITION SYSTEMS

ACTIVE INGREDIENTS:

5-Chloro-2-methyl-4-isothiazolin-3-one	1.15
2-Methyl-4-isothiazolin-3-one	0.35

INERT INGREDIENTS

98.50

TOTAL

100.00

KEEP OUT OF REACH OF CHILDREN DANGER

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water.

IF ON SKIN: Wash thoroughly with soap and water. Remove and wash contaminated clothing before reuse.

IF IN EYES: Flush with plenty of water for at least 15 minutes. Call a physician.

IF INHALED: Remove immediately to fresh air. If not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Call a physician.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage. Measure again for respiratory and respiratory depression and convulsions may be noted.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

MANUFACTURED BY
ROHM AND HAAS COMPANY
PHILADELPHIA, PA 19105

EPA Est. No. 707 EN 1
EPA Reg. No. 707 219

Lot

Drum

PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS AND
DOMESTIC ANIMALS**

DANGER

**CORROSIVE
CAUSES EYE DAMAGE AND SKIN
BURNS
MAY CAUSE ALLERGIC SKIN
REACTION
HARMFUL IF INHALED
HARMFUL IF SWALLOWED**

Do not get in eyes, on skin, on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid breathing vapor or mist. Avoid contamination of food. Do not take internally. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this pesticide only as specified on this label.

CONDITIONS OF SALE AND WARRANTY

Rohm and Haas warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label only when used in accordance with label directions under normal conditions of use. **ROHM AND HAAS MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES EITHER OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE.** Handling, storage and use of the product by Buyer or User are beyond the control of Rohm and Haas and Seller. Risks such as ineffectiveness or other unintended consequences resulting from, but not limited to, failure to follow label directions will be assumed by the Buyer or User. **IN NO CASE WILL ROHM AND HAAS OR SELLER BE HELD LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE HANDLING, STORAGE OR USE OF THIS PRODUCT.**



**ROHM
AND
HAAS** 

PHILADELPHIA, PA. 19105
TELEPHONE: (215) 592-3000

0564 R0

DIRECTIONS FOR USE

If a violation of Federal law is made, it is made in a manner inconsistent with the labeling.

RECIRCULATING ELECTRODEPOSITION SYSTEMS

Kathon EDC 15 microbicide is recommended for the control of bacteria, fungi, and algae in recirculating electrodeposition systems and associated rinse systems.

Kathon EDC 15 microbicide should be dispensed into the recirculating rinse system, ultrafilter permeate, or final distilled water rinse at a point to ensure uniform mixing.

INITIAL DOSE When the system is noticeably fouled, add 667.2333 ppm Kathon EDC 15 microbicide (6.7233 gallons) per 10,000 gallons of fluid in the system. This will provide 10 to 35 ppm of active ingredient. Repeat until control is achieved.

SUBSEQUENT DOSE When microbial control is evident, add 333 to 1000 ppm Kathon EDC 15 microbicide (3.3 to 10 gallons) per 10,000 gallons of fluid in the system weekly or as needed to maintain the system. This will provide 5 to 15 ppm of active ingredient. A change of frequency of treatment may be required to permit for up to the rate of dilution of the preservative with the makeup fluid, the nature and severity of contamination, level of control required, filtration effectiveness, system design, etc.

Kathon EDC 15 weighs 5.4 lbs./gallon.

STORAGE AND DISPOSAL

PROHIBITIONS

This product is corrosive to mild steel. Do not store or transport in unlined metal containers. Do not contaminate food or feed by storage, disposal, or cleaning of equipment.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL


METAL CONTAINERS Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

PLASTIC CONTAINERS Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

GENERAL


CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES.

NET CONTENTS




R3 DE IN, b K

10564 R0



Proper Shipping Name:
CORROSIVE LIQUID, N.O.S.
(5-Chloro-2-methyl-4-isothiazolin-3-one)
UN 1760
In event of emergency
CALL TOLL FREE: 800-424-9300 (CHEMTREC)
FOR EMERGENCY IN U.K. TEL: 091-489-8181



and Haas (UK) Limited, 2 Mason's Avenue, Croydon, Eng

MADE IN 

EXPIRES
UN PER M
0 1 1 1