

KATHON[®] 930

Industrial Microbicide for Use in Architectural Paints and Coatings,
Building Materials and Adhesives and Tackifiers

MADE IN USA



Lot
Number
()



Avg. Gross: LB KG
Net: LB KG
Avg. Tare: LB KG

Product
Code
(91)

«LN1»

Container:
Code Number «SN1»
Label
Number BU005502

ACTIVE INGREDIENT:
4,5-Dichloro-2-n-octyl-3-(2H)-isothiazoline 30.0%

INERT INGREDIENTS: 70.0%

Total: 100.0%

Contains Petroleum Distillates.

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 min. Remove contact lenses, if present after first 5 min. then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

IF ON SKIN:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 min.
- Call a poison control center or doctor for advice.

IF INHALED:

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth.
- Call a poison control center or doctor for advice.

IF SWALLOWED:

- Call a poison control center or doctor immediately for advice.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Have person sip a glass of water if able to swallow.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be necessary.

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER
CORROSIVE
CAUSES IRREVERSIBLE EYE DAMAGE AND SKIN BURNS
HARMFUL IF SWALLOWED OR ABSORBED THROUGH THE SKIN
MAY CAUSE ALLERGIC SKIN REACTION
MAY BE FATAL IF INHALED

This product is a dermal sensitizer. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, rubber gloves and protective clothing when handling. Avoid breathing vapor or mist. Avoid contamination of food. Do not take internally. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS
This pesticide is toxic to fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this pesticide only as specified on this label.

PHYSICAL/CHEMICAL HAZARDS
FLAMMABLE LIQUID AND VAPOR
Keep away from heat, sparks, and flame. Keep container closed. Use with adequate ventilation.

IN CASE OF FIRE: Use water spray (fog), foam, dry chemical, or CO₂.

STORAGE AND DISPOSAL
PROHIBITIONS
Do not store near heat sources or open flames. Containers are hazardous when empty. Emptied containers retain product residue (vapors and/or liquid). Residual vapors may explode on ignition; do not cut, drill, grind, or weld on or near this container.

This product is corrosive to mild and stainless steel. Do not store or transport in unlined metal containers. Do not contaminate water, food or feed by storage, disposal, or cleaning of equipment.

PESTICIDE DISPOSAL
Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, or rinseate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL
METAL CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

PLASTIC CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

GENERAL: CONSULT FEDERAL, STATE, OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES.

CONDITIONS OF SALE AND WARRANTY
Rohm and Haas warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label only when used in accordance with label directions under normal conditions of use. ROHM AND HAAS MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES, EITHER OF MERCHANTABILITY OR FITNESS, FOR A PARTICULAR USE. Handling, storage, and use of this product by Buyer or User are beyond the control of Rohm and Haas and Seller. Risks such as ineffectiveness or other unintended consequences resulting therefrom, but not limited to, failure to follow directions will be assumed by the Buyer or User. IN NO CASE WILL ROHM AND HAAS OR SELLER BE HELD LIABLE FOR CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES RESULTING FROM THE HANDLING, STORAGE, OR USE OF THIS PRODUCT.

Date of Manufacture: location for date
EPA Reg. No. 707-265
EPA Est. No. establishment number

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

ARCHITECTURAL PAINTS AND COATINGS
For use as an industrial microbicide in coatings such as latex and solvent-based paints, semi-transparent stains and solid stains. Use 0.08 - 0.37 pound of Kathon 930 Industrial Microbicide per 100 pound of coating formulation. If necessary, a higher dosage up to 0.67 pound of Kathon 930 Industrial Microbicide per 100 pound may be used depending upon level of control required.

In latex coatings, Kathon 930 Industrial Microbicide should be added during the letdown phase of paint manufacture. To insure uniform distribution throughout the coating, it is recommended that Kathon 930 Industrial Microbicide be premixed with propylene glycol and coalescent. The premix should be added slowly, with good agitation, just prior to the addition of the thickener. In solvent-based coatings, a coupling solvent such as butyl Cellosolve® may be used to assist in mixing Kathon 930 Industrial Microbicide.

CONCENTRATES:
Kathon 930 Industrial Microbicide should be added to the polymer latex concentrate at a level to ensure that the final use-dilution will contain 0.08 to 0.37 pound of Kathon 930 Industrial Microbicide per 100 pound of coating formulation.

Dosage levels of Kathon 930 Industrial Microbicide will depend upon the type of formulation, the presence and level of zinc oxide in the system, and the climate in which the material will be exposed.

This product may not be used for food grade coatings or adhesives that may come in contact with food.

BUILDING MATERIALS
For use as an industrial microbicide in building materials such as elastomeric roof and wall coatings and mastics, caulks, sealants, joint cements, spackling, stucco, grouting and insulation and exterior finish systems. Use 0.08 - 0.37 pound of Kathon 930 Industrial Microbicide per 100 pound of formulation.

ADHESIVES AND TACKIFIERS
For use as an industrial microbicide in water soluble and water dispersed adhesives such as animal glues, vegetable glues, natural rubber latices, polyvinyl acetate, styrene-butadiene, polyurethane, epoxy, acrylic latices and tackifiers derived from rosin and hydrocarbon resins. Use 0.08 - 0.37 pound of Kathon 930 Industrial Microbicide per 100 pound of formulation.

This product may not be used for food grade coatings or adhesives that may come in contact with food.

Kathon 930 Industrial Microbicide weighs 7.8 pound per gallon.

ACCEPTED

JUN 03 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 707-265

107-265

6-3-2003

11