

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

JUL 3 1 2014

Office of Chemical Safety and Pollution Prevention

Dow Chemical Company 727 Norristown Road, P.O.Box 904

Spring House. Pennsylvania 15275-1112

Attn: Joanne Ryder

Subject:

Amended Reregistration Label

Rocima-63

EPA Registration Number 707-303 EPA Decision Number 433441

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the reregistration of the above referenced product, and has concluded that your submission is acceptable.

NOTE: This product is <u>not</u> being reregistered under sections 3(c)5 and 4(g) of FIFRA at this time.

Please note that the record for this product currently contains the Confidential Statements of Formulation (CSFs) listed below. Any previously dated CSFs are superseded.

Basic CSF, dated February 7, 2012

A copy of your label stamped "Accepted" is enclosed. Products shipped after 12 months from the date of this amendment or the next printing of the label, whichever occurs first, must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e).

If you have any questions about this letter, please contact Melba Morrow at morrow.melba@epa.gov.

Sincerely,

E. Miederbold

Regulatory Management Branch I Antimicrobials Division (7510P)

ROCIMATM 63

ROHM AND HAAS COMPANY A Wholly Owned Subsidiary of The Dow Chemical Company 100 Independence Mall West Philadelphia, PA, 19106-2399 Phone: 215-592-3000



®™*Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow

ACTIVE INGREDIENT:

3-(3,4-dichlorophenyl)-1-1dimethylurea 20.0% Carbamic acid, 1H-benzimidazol-2-yl-, methyl ester 7.5% 2-octyl-3(2H)-isothiazolone 2.7% OTHER INGREDIENTS: 69.8% Total: 100.0%

KEEP OUT OF REACH OF CHILDREN DANGER **FIRST AID**

IF IN EYES: •Hold eye open and rinse slowly and gently with water for 15-20 min.

•Remove contact lenses, if present, after first 5 min. then continue rinsing eye.

•Call a poison control center or doctor for treatment advice.

IF ON SKIN OR ON CLOTHING

• Take off contaminated clothing.

•Rinse skin immediately with plenty of water for 15-20 min.

•Call a poison control center or doctor for treatment advice.

IF INHALED: •Move person to fresh air.

•If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably

mouth-to- mouth if possible.

•Call a poison control center or doctor for further treatment advice.

IF SWALLOWED: •Call a poison control center or doctor immediately for treatment advice.

•Do not induce vomiting unless told to do so by a poison control center or doctor.

• Have person sip a glass of water if able to swallow. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IN CASE OF EMERGENCY CALL ROHM AND HAAS COMPANY 215-592-3000

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be necessary.

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



FILE # 000707-00303, 20140729.REREGISTRATION ROCIMA 63

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER
CORROSIVE
CAUSES IRREVERSIBLE EYE DAMAGE AND SKIN IRRITATION
MAY CAUSE ALLERGIC SKIN REACTIONS
HARMFUL IF ABSORBED THROUGH SKIN
HARMFUL IF SWALLOWED
HARMFUL IF INHALED

This product is a dermal sensitizer. Do not get in eyes, on skin, or on clothing. Avoid breathing vapor. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear chemical-resistant gloves such as nitrile or butyl rubber, goggles, face shield, chemical-resistant apron worn over long sleeved shirt and long pants and a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any N, R, P or HE pre-filter. Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then was thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, aquatic invertebrates, oysters and shrimp. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

STORAGE

This product is corrosive to mild steel. Do not store or transport in unlined metal containers. Do not contaminate food or feed by storage, disposal, of cleaning of equipment.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING

Nonrefillable container. Do not reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by procedures approved by state and local authorities.

GENERAL

CONSULT FEDERAL, STATE, OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES.

CONDITIONS OF SALE AND WARRANTY

Rohm and Haas warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label only when used in accordance with label directions and as defined the Directions for Use on this label. ROHM AND HAAS MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES, EITHER OF MERCHANTABILITY OR FITNESS, FOR A PARTICULAR USE. Handling, storage, and use of the product by Buyer or User are beyond the control of Rohm and Haas and Seller. Risks such as ineffectiveness or other unintended consequences resulting from, but not limited to, failure to follow directions will be assumed by the Buyer or User. TO THE EXTENT PERMITTED BY LAW, NEITHER ROHM AND HAAS NOR SELLER SHALL BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE HANDLING, STORAGE OR USE OF THIS PRODUCT

Date of Manufacture: location for date EPA Reg. No. 707-303 EPA Est. No.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons.

COATINGS

For use as a microbicide to control algae and fungi in paints, coatings and stains. Use 0.25 – 2.0 pounds of Rocima 63 per 100 pounds of formulation

BUILDING MATERIALS


For use as a microbicide to control algae and fungi in building materials, stucco, caulks, and sealants,. Use 0.25 – 2.0 pounds of Rocima 63 per 100 pounds of formulation.

FILE # 000707-00303. 20140729.REREGISTRATION ROCIMA 63

If necessary, higher dosages, up to 3.0 pound of Rocima 63 per 100 pounds of coating or building material formulation, may be used depending on the level of control required. Dosage levels of Rocima 63 will depend upon the type of formulation, the level of protection required, and the climate in which the material will be exposed.

This product may not be used for food grade coatings or adhesives that may come in contact with food.

Rocima 63 weighs 9.3 pounds per gallon.



Net content:

0.0 KG

0.0

DOW an affixited company of Dow

ROHM AND HAAS COMPANY
A Wholly Owned Subsidiary of The Dow Chemics
100 Independence Mall West
Philadelphia, PA, 19106-2399

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

20.00%

nidazol-2-yl-, methyl

ACTIVE INGREDIENTS: 3-(3,4-dichlorophenyl)-1-1dimethylurea Carbamic acid, 1H-benzi

7.50%

DANGER CORROSIVE COUSES IRREVERSIBLE EYE DAMAGE AND SKIN IRRITATION TIGGS MAY CAUSES ALLERGIC SKIN REACTIONS HARMFUL IF SWALLOWED HARMFUL IF SWALLOWED HARMFUL IF INHALED

KEEP OUT OF REACH OF CHILDREN DANGER FIRST AID

y stords it a demand sensition. Do not get in eyes, on skin or on clothing. Wear COD gigle or those shell, whole leves and proletice obting with manfalling. Do not get in eyes, on skin or on clothing leves and proletice obting with manfalling. Do not manufacturer is estudiorist or extension of food. Do not also internally, Follow Norm manufacturer is estudiorist or desaught with the expension of the continuous prospection of the continuous prospection

call 911 or an ambulance, then give rably mouth-to-mouth if possible.

enter or doctor for treatment advice.

nated clothing. diately with plenty of water for 15-20 min marks center or doctor for treatment advice

IF ON SKIN OR ON CLOTHING: F INHALED:

IF IN EYES:

ENVIRONMENTAL HAZARDS

Have person sip a glass of water if able to swallow.

Do not give anything by mouth to an unconscious person.
or label with you when calling a poison confrol center or docto

we the product container or label with you when issum, a present and the product container or label with you when settled CENT CALL ROUM AND HAAS COMPANY 1-215.850.2300 COSE OF EMESTORY Publishes when we good offer the present of t

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS

....a presux is toxic to fish and aquatic invertebrates. Do not dischage eithent concondining the product into takes, testeming, noted, settleries, coaces, or other waters were
unless in accordance with the requirements of a National Pollutant Declaric or may
unless in accordance with the requirements of a National Pollutant Declarics or may
Eministrion System (NPDES) permit and the permitting authority has been notified in creasystems without previously notifying the sewage treatment plant authority. For take,
additions contain our State Maker Board or Regional Office of the EPA. Do not
published to work the properties of the properties of waters.

The sext of the properties of the properties of waters.

DIRECTIONS FOR USE It is a violation of Federal law to use this product in a manner inconsistent with its labeling. STORAGE AND DISPOSAL STORAGE

his product is corrosive to mild steel. Do not store or transport in unlined netal containers. Do not contaminate food or feed by storage, disposal, or Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or finsale is a violation of Federal law. If these wastes cannot be disposed by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. cleaning of equipment.

PESTICIDE DISPOSAL

CONTAINER HANDLING

Nonnelliable container. Do not reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) pornetly after emptying. Then other for recycling or reconditioning, or puncture and dispose of in a sanilary landfil, or by procedures approved by state and local authorities. GENERAL: CONSULT FEDERAL, STATE, OR LOCAL DISPOSAL, AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES.

CONDITIONS OF SALE AND WARRANTY: now much has no before conform to its certificate description and its reasonaby fill on the proper state on this late nony was read to a continuous the state of the second on the state of the read to the on this late. Note that it is continuous that is defined made the before the second of the major and the continuous of the continuous o

ROCIMA^{1M} 63 weighs 9.3 pounds per gallon

101111257 / 101134425 / Version 0.00

For use as a microbicide to control algae and fungi in paints, coatings and stains. Use 0.25 - 2.0 pounds of ROCIMA*** 63 per 100 pounds of formulation. Do not apply this product in a way that will contact

or use as a microbicide to control algae and fungi in building malerials, stucco aulks, and sealants. Use 0.25 - 2.0 pounds of ROCIMA™ 63 per 100 pounds imulation. BUILDING MATERIALS

ecessary, higher dosages, up to 3.0 pound of ROCIMA¹⁸ 63 per 100 pounds of fing or building nafiels information, may be used depending na the level of fortunation, may be used depending on the level of that required. Dosage levels of ROCIMA¹⁸ 33 will depend upon the type of mulation, the level of protection required, and the climate in which the material will

This product may not be used for food grade concentact with food.

JUL 3 1 2014 Union the federal handened fangious and のと言うないのと mand, for the 7-303 Andersteide fiels, as