

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON D.C., 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

JUN 1 5 2010

Rohm and Haas Company 100 Independence Mall West Philadelphia, PA 19106-2399

Attention: Valerie Phillips Regulatory Manager

Subject:

Rocima™ 200

EPA Reg. No. 707-306

Amendment Application Date: March 16, 2010

EPA Received Date: March 18, 2010

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. The Agency has no objection to the following:

- Updating label requirements for Storage Container Disposal (PR Notice 2007-4)
- Add an emergency contact number
- Updating First Aid Language

A stamped label is included with this letter for your records. If you have any questions concerning this letter, please contact Demson Fuller at (703) 308-8062.

Sincerely,

Marshall Swindell

Product Manager (33)

Regulatory Management Branch 1 Antimicrobials Division (7510C)

# ROCIMA™ 200

Industrial Microbicide for Use in Coatings, Building Materials, Adhesives and Tackifiers

ACCEPTED with COMMENTS EPA Letter Dated: JUN 1 5 2010

**ACTIVE INGREDIENT:** 

4,5-Dichloro-2-n-octyl-3(2H)-isothiazolone **INERT INGREDIENTS:** 

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended for the pesticide, registered under EPA Reg. No. 70 7-30 6

Total:

20.0% 80.0% 100.0%

## KEEP OUT OF REACH OF CHILDREN DANGER FIRST AID

IF ON SKIN:

•Take off contaminated clothing.

•Rinse skin immediately with plenty of water for 15-20 min. •Call a poison control center or doctor for treatment advice.

IF IN EYES:

•Hold eye open and rinse slowly and gently with water for 15-20 min. •Remove contact lenses, if present, after first 5 min. then continue rinsing eye.

•Call a poison control center or doctor for treatment advice.

IF INHALED:

•Move person to fresh air.

•If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably

mouth-to- mouth if possible.

•Call a poison control center or doctor for further treatment advice.

IF SWALLOWED: •Call a poison control center or doctor immediately for treatment advice.

•Do not induce vomiting unless told to do so by a poison control center or doctor.

• Have person sip a glass of water if able to swallow. Do not give anything to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

### IN CASE OF EMERGENCY CALL ROHM AND HAAS COMPANY 215-592-3000

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be necessary.

#### SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS

#### PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER **CORROSIVE** CAUSES IRREVERSIBLE EYE DAMAGE AND SKIN BURNS MAY CAUSE ALLERGIC SKIN REACTION HARMFUL IF SWALLOWED MAY BE FATAL IF INHALED MAY BE FATAL IF ABSORBED THROUGH SKIN

This product is a dermal sensitizer. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves and protective clothing when handling. Do not breathe vapor or mist. Avoid contamination of food. Do not take internally. Wash of the contamination of food. thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

1660

### FILE # 000707-00306.20100316.PRN2007-4 AMEND ROC-200.pdf

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this pesticide only as specified on this label.

#### STORAGE AND DISPOSAL PESTICIDE STORAGE

PESTICIDE STORAGE
This product is corrosive to mild steel. Do not store or transport in unlined metal containers. Do not contaminate water, food, or feed by storage.

ACCEPTED

#### PESTICIDE DISPOSAL

with COMMENTS PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If these was An Interest Participated: of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the JUN 1 5 2010 nearest EPA Regional Office for guidance.

#### CONTAINER DISPOSAL

Nonrefillable container. Do not reuse or refill this container. Triple rinse or pressure rinse container Under the Federal Insecticide, Nonrefiliable container. Do not reuse of ferm and containers of recording or reconditioning, or puncture and Asproficide, and Rodenticide Act as of in a sanitary landfill, or by procedures approved by state and local authorities. amended, for the pesticide, registered under EPA Reg. No. 107-306
GENERAL: CONSULT FEDERAL, STATE, OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES.

#### CONDITIONS OF SALE AND WARRANTY

Rohm and Haas warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label only when used in accordance with label directions and as defined the Directions for Use on this label. ROHM AND HAAS MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES, EITHER OF MERCHANTABILITY OR FITNESS, FOR A PARTICULAR USE. Handling, storage, and use of the product by Buyer or User are beyond the control of Rohm and Haas and Seller. Risks such as ineffectiveness or other unintended consequences resulting from, but not limited to, failure to follow directions will be assumed by the Buyer or User. TO THE EXTENT PERMITTED BY LAW, NEITHER ROHM AND HAAS NOR SELLER SHALL BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE HANDLING, STORAGE OR USE OF THIS PRODUCT

Date of Manufacture: location for date EPA Reg. No. 707-306 EPA Est. No.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use as a microbicide to control bacteria, algae and fungi in non-food use/non-food contact coatings, latex and solvent-based paints, semi-transparent stains and solid stains. Use 0.12 - 0.56 pounds of ROCIMA 200 Industrial Microbicide per 100 pounds of formulation (1.2 to 5.6 pounds per 100 gallons).

#### BUILDING MATERIALS

For use as a microbicide to control bacteria, algae and fungi in building materials, elastomeric roof and wall coatings and mastics, caulks, sealants, joint cements, spackling, stucco, and grouting. Use 0.12 - 0.56 pounds of ROCIMA 200 Industrial Microbicide per 100 pounds of formulation(1.2 to 5.6 pounds per 100 gallons).

If necessary, higher dosages, up to 1.0 pound of ROCIMA 200 Industrial Microbicide per 100 pounds of coating or building material formulation, may be used depending on the level of control required.

Dosage levels of ROCIMA 200 Industrial Microbicide will depend upon the type of formulation, the level of protection required, and the climate in which the material will be exposed.

#### ADHESIVE AND TACKIFIER PRESERVATION

ROCIMA 200 Industrial Microbicide is recommended for the control of bacteria and fungi in starch and dextrin-based pastes, v/atersoluble and water-dispersed adhesives, animal glues, vegetable glues, natural rubber latices, polyvinyl acetate, styrene butadiene and control to be a styrene butadiene and control to 0 C 0 C C acrylic latices.

ROCIMA 200 Industrial Microbicide is recommended as a preservative for tackifiers derived from rosin and hydrogarbon resins. Add 0.12 - 0.56 pounds of ROCIMA 200 Industrial Microbicide to each 100 pounds of fluid (1.2 to 5.6 pounds per 100 gallyns). 

THIS PRODUCT MAY NOT BE USED FOR FOOD GRADE COATINGS OR ADHESIVES THAT MAY GOMES CONTACT

WITH FOOD.

ROCIMA 200 weighs 9.1 pounds per gallon.

00000