



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Antimicrobials Division (7510C)
1200 Pennsylvania Avenue NW
Washington, D.C. 20460

EPA Reg. Number:
707-314

Date of Issuance

SEP - 8 2010

Term of Issuance:

Conditional

Name of Pesticide Product:

ROCIMA™ BT 2S

NOTICE OF PESTICIDE:

Registration
 Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Rohm Haas Company
100 Independence Mall West
Philadelphia, PA 19106-2399

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the 1,2-Benzisothiazolin-3-one RED, the EPA has reregistered this product subject to the comments recorded in the succeeding paragraph. This action is taken under the authority of section 4(g) (2) of the Federal Insecticide, Fungicide and Rodenticide Acts, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. The EPA may require submission of data at any time to maintain the registration of the subject product.

1. Make the following label changes:

a. Revise the EPA Registration Number to read "707-314."

Signature of Approving Official:

Marshall Swindell
Product Manager Team-33
Regulatory Management Branch I
Antimicrobials Division (7510P)

Date:

SEP - 8 2010

- b. As per the acute toxicity review, the Hazards to Humans and Domestic Animals section must be revised to read as follows:

“DANGER. Corrosive. Causes irreversible eye damage. Causes skin burns. May be fatal if inhaled. Harmful if swallowed. Harmful if absorbed through skin. Do not get in eyes, on skin or on clothing. Wear protective eye wear(goggles or face shield). Wear a respirator with an organic vapor removing cartridge with a pre-filter approved for pesticides (MSHA/NIOSH approval number TC-23C) or a canister approved for pesticides (MSHA/NIOSH approval number TC-14G), or a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any N, R, P or HE prefilter. When mixing and loading wear a chemical-resistant apron. When cleaning equipment wear a chemical resistant apron. Wear coveralls worn over long sleeved shirt and long pants, chemical resistant footwear, socks, and chemical resistant gloves (barrier laminate butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chloride or viton).”

- c. Revise the subheading, “IF ON SKIN” in the “First Aid” statement to read as follows: “IF ON SKIN OR CLOTHING.”
- d. As per the acute toxicity review, add the statement to read as follows:

Have the container or label with you when calling a poison control center or doctor or going to treatment. You may also contact 1-800-xxx-xxxx for emergency medical treatment information.

e. A Note to Physician section must be added to the label to read as follows:

“Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.”

Since the Agency recommends that additional text be added to the Note to Physician section that addresses acute dermal toxicity and eye and skin irritation concerns, add the following statements to read as follows:

- technical information on symptomatology;
- use of supportive treatments to maintain life functions;
- medicine that will counteract the specific physiological effects of the pesticide;
- company telephone number to specific medical personnel who can provide specialized medical advice.

f. As per the acute toxicity review, the following User Safety Recommendations must be added to the product labeling to read as follows:

User Safety Recommendations

User should wash hands before, eating, drinking, chewing gum, using tobacco, or using the toilet.

User should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

User should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. “Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product’s concentrate. Do not reuse them.”

g. As per the product chemistry review, revise the “Storage and Disposal” section as per PR Notice 2007-1.

h. Place the statement, “Do not contaminate water, food, or feed by storage and disposal,” directly below the subheading, “Storage and Disposal.”

i. Under the Storage and Disposal section heading, the phrase, “PROHIBITIONS”, should be deleted.


- j. Add the statement, "Do not allow to freeze", to the Pesticide Storage section.
- 2. For additional labeling clarity and consistency, please refer to the enclosed EPA reviews.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec.6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Submit two (2) copies of the revised labeling bearing the labeling revisions listed above. A stamped copy of the label is enclosed for your records.

If you have questions concerning this matter, please contact me at (703) 308-6341 or by email at swindell.marshall@epa.gov or Karen M. Leavy at (703)308-6237 or by email at leavy.karen@epa.gov.

Sincerely,



Marshall Swindell
Product Manager 33
Regulatory Management Branch I
Antimicrobials Division (7510P)

Enclosures: (Stamped Label)

7/8

ROCIMA™ BT 2S

For Industrial Use only as an antimicrobial to protect aqueous compositions such as latices, oil-in-water emulsions paints and coatings, inks and font solutions, water-based adhesives, aqueous pigment or mineral slurries, building and construction compositions, pesticide formulations, home cleaning products, liquid laundry additives, car care products, oil recovery materials, secondary oil recovery fluids, paper or textile coating compositions, pulp and paper mill systems, or leather processing solutions, or intended to protect fresh animal hides or skins



100 INDEPENDENCE MALL WEST
PHILADELPHIA, PA 19108
TELEPHONE: (215) 592-3000

ACTIVE INGREDIENT:
1,2-Benzisothiazolin-3-one

19.0%
81.0%

INERT INGREDIENTS:

Total: 100%

ACCEPTED
with COMMENTS
EPA Letter Dated:

SEP - 8 2010

KEEP OUT OF REACH OF CHILDREN

DANGER
FIRST AID

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 707-314

IF ON SKIN:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 min.
- Call a poison control center or doctor for treatment advice.

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 min.
- Remove contact lenses, if present, after first 5 min. then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

IF INHALED:

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
- Call a poison control center or doctor for further treatment advice.

IF SWALLOWED:

- Call a poison control center or doctor immediately for treatment advice.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Have person sip a glass of water if able to swallow. Do not give anything to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IN CASE OF EMERGENCY CALL ROHM AND HAAS COMPANY 215-592-3000

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

CORROSIVE
CAUSES IRREVERSIBLE EYE DAMAGE
CAUSES SKIN BURNS
HARMFUL IF SWALLOWED
HARMFUL IF ABSORBED THROUGH THE SKIN
MAY BE FATAL IF INHALED

Do not get in eyes, on skin or on clothing. Wear protective eyewear such as goggles or face shield. Wear Coveralls worn over short-sleeved shirt and short pants, socks, chemical-resistant footwear, chemical-resistant gloves. Wear a respirator with an organic-vapor removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C) or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G), or a NIOSH approved respirator with an organic vapor (OV)

6/8

cartridge or canister with any N, R, P, or HE prefilter. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination Systems (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

PESTICIDE STORAGE

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Do not apply this product in a way that will contact workers or other persons. Do not allow to freeze.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Nonrefillable container. Do not reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by procedures approved by state and local authorities.

GENERAL

CONSULT FEDERAL, STATE, OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES

CONDITIONS OF SALE AND WARRANTY

Rohm and Haas warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label only when used in accordance with label directions and as defined the Directions for Use on this label. ROHM AND HAAS MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES, EITHER OF MERCHANTABILITY OR FITNESS, FOR A PARTICULAR USE. Handling, storage, and use of the product by Buyer or User are beyond the control of Rohm and Haas and Seller. Risks such as ineffectiveness or other unintended consequences resulting from, but not limited to, failure to follow directions will be assumed by the Buyer or User. TO THE EXTENT PERMITTED BY LAW, NEITHER ROHM AND HAAS NOR SELLER SHALL BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE HANDLING, STORAGE OR USE OF THIS PRODUCT

Date of Manufacture: location for date
EPA Reg. No. 707-314
EPA Est. No.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

ROCIMA™ BT 2S is an effective preservative in most aqueous compositions. The concentration required to give protection depends on several factors. These include the susceptibility of the system to microbiological degradation, the extent to which micro-organisms can gain access, the species involved, pH, temperature, and length of time for which protection is required. For protection against bacterial attack, a concentration within the range of 0.02-0.25% ROCIMA™ BT 2S is almost invariably sufficient. The control of mold growth, particularly on paste products of high solids content, may occasionally require demand dosages above 0.25%. In dilute fluid systems, spoilage is usually controlled with dosages not greater than 0.09%. Do not use at concentration greater than 0.5%.

Typical applications, and the suggested range of concentrations on which trials can be based are:

Refer to the table at the end of this section for recommended dose rates.

- Latices**, such as: polymer latices based on monomers such as acrylate, butadiene, PVA or styrene; synthetic rubber/latex.
- Oil-in-water emulsions**, such as textile spin-finish solutions, cutting/rolling oils, soluble oils (metal and engineering industries), and photographic emulsions. Note: limit amount of ROCIMA™ BT 2S in metalworking fluid concentrate (to be diluted before use) to 3.0% to reduce the possibility of dermal sensitization.
- Paints and coatings**, such as aqueous coatings, water-based paints, and emulsion paints.
- Inks and font solutions**

**ACCEPTED
with COMMENTS
EPA Letter Dated:**

SEP - 8 2010

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 707-314

7/8

<u>Type of material to be protected</u>	<u>Lbs ROCIMA™ BT 2S To Use Per 1000 LB Of Material To Be Protected</u>
Latices	0.5 to 1.5 lb (0.05 – 0.15%)
Oil-in-water emulsions	0.5 to 1.8 lb (0.05 – 0.18%)
Paints and coatings	0.5 to 2.5 lb (0.05 – 0.25%)
Inks and font solution	0.5 to 2.5 lb (0.05 – 0.25%)

Typical applications, and the suggested range of concentrations on which trials can be based are:

Refer to the table at the end of this section for recommended dose rates.

- Water-based adhesives**, including animal glues, adhesives based on carboxymethylcellulose (CMC) and derivatives, gelatin and/or latex.
- Aqueous slurries of pigments**, such as titanium dioxide or of minerals such as kaolin, calcium carbonate, calcium sulfate, or magnesium sulfate.
- Building and construction compositions**, such as tape joint compounds, caulks, and sealants.
- Pesticide formulations**, including in-can protection and protection of use dilutions
- Home cleaning products**, including floor waxes and polishes, surface cleaners, window cleaners, and dish detergents.
- Liquid laundry additives**, including laundry detergents, fabric softeners, and stain removers.

<u>Type of material to be protected</u>	<u>Lbs ROCIMA™ BT 2S To Use Per 1000 LB Of Material To Be Protected</u>
Water-based adhesives	0.5 to 2.5 lb (0.05 – 0.25%)
Aqueous slurries of pigment	0.4 to 1.25 lb (0.04 – 0.125%)
Building and construction compositions	0.8 to 2.5 lb (0.08 – 0.25%)
Pesticide formulations	0.5 to 2.5 lb (0.05 – 0.25%)
Home cleaning products	0.5 to 1.5 lb (0.05 – 0.15%)
Liquid Laundry additives	0.5 to 1.5 lb (0.05 – 0.15%)

Typical applications, and the suggested range of concentrations on which trials can be based are:

Refer to the table at the end of this section for recommended dose rates.

- Car care products**, including car washing products, car waxes, and silicone emulsions.
- Oil recovery materials**, such as drill muds, packer fluids and completion fluids, containing polysaccharide fluid loss control agents and/or thickeners such as starch, guar, or xanthan gum.
- Secondary oil recovery injection water** containing additives, such as polymer or micellar/polymer waterfloods using thickeners such as xanthan gum and/or polyacrylamides.
- Leather processing solutions**, to preserve the solutions
- Fresh animal skins and hides**, to preserve the integrity of hides and skins before or during processing. Add the appropriate quantity of ROCIMA™ BT 2S to the brine solution during the curing operation or treat hides or skins with an appropriately diluted aqueous solution during other portions of the processing operation. The specific use rate and contact time needed to control microbial attack will depend on the degree of decomposition of the hides or skins prior to treatment.
- Paper coatings and textile coatings**, including rosin dispersions, starch and casein based products.

<u>Type of material to be protected</u>	<u>Lbs ROCIMA™ BT 2S To Use Per 1000 LB Of Material To Be Protected</u>
Car care products	0.75 to 1.5 lb (0.075 – 0.15%)
Oil recovery materials	0.5 to 1.5 lb (0.05 – 0.15%)
Secondary oil recovery injection water	0.15 to 1.5 lb (0.015 – 0.15%)
Leather processing solution	0.25 to 2.0 lb (0.025 – 0.20%)
Fresh animal skins and hides	1 to 24 lb (13 fl oz – 2.5 gal)
Paper coatings and textile coatings	0.5 to 1.5 lb (0.05 – 0.15%)

ACCEPTED
with COMMENTS
EPA Letter Dated:

SEP - 8 2010

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 707-314

Pulp & paper mill system slime control – The preferred method of addition is by **shock dosing** because this ensures that a high concentration of ROCIMA™ BT 2S is present in the system for several hours. If a slime control agent is added by continuous methods over periods of several hours, its concentration in the system at all times is low. This can lead to the development of resistant organisms, which is less likely to occur when the shock dosing method is used.

It is not possible to give precise recommendations as to the quantity of ROCIMA™ BT 2S to add to control slime formation, because the magnitude of the problem varies greatly from mill to mill, depending on the furnish employed, the cleanliness of the mill system, and the additional nutrients (for example, starch) that may be added to the stock. The following quantities of ROCIMA™ BT 2S are suggested **for trial**:

Shock dosing: If this preferred method is adopted, add 2.5 to 9 ounces of ROCIMA™ BT 2S for each ton of paper produced per day as a single shock dose, the actual quantity to be used depending on the severity of the slime problem. This addition may be made to any part of the stock preparation or backwater system. Alternatively, the addition may be made to those parts of the system where it is known that slime deposits accumulate.

Continuous addition: If this method is adopted, add ROCIMA™ BT 2S continuously for either the single period of 8 hours during every 24 hours or for two separate periods of 4 hours during every 24 hours. Meter ROCIMA™ BT 2S into the recirculated backwater at a rate of 7 to 8.5 ounces for each ton of paper produced during the dosing period.

Detergent Concentrates,
ROCIMA™ BT 2S should be added to the concentrate at a level to ensure that the final use-dilution of the product will contain 0.05 – 0.15% ROCIMA™ BT 2S.

**ACCEPTED
with COMMENTS
EPA Letter Dated:**

SEP - 8 2010

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 707-314