

SAVIN SANITIZER-CLEANER 45-7 is recommended wherever the maintenance of sanitary, clean conditions are indicated.

Sanitizing Effectiveness: SAVIN SANITIZER-CLEANER 45-7 is effective in waters up to 750 ppm hardness. This activity has been confirmed by the Germicidal and Detergent Sanitizers Method ("The Chambers Method"), Methods of Analysis, AOAC, Thirteenth Edition as follows:

Escherichia coli ATCC No. 11229 at 200 ppm active quaternary — 750 ppm CaCO₃

Staphylococcus aureus ATCC No. 6538 at 200 ppm active quaternary — 750 ppm CaCO₃

SAVIN SANITIZER-CLEANER 45-7 contains a non-ionic wetting agent to promote rinsing thus assuring film-free, spot-free equipment and utensils.

NOTE: Do not mix with soap or anionic detergents.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Keep out of reach of children. May cause severe eye irritation or eye damage. Causes skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food.

STORAGE AND DISPOSAL

THIS PRODUCT MUST BE KEPT UNDER LOCKED STORAGE SUFFICIENT TO MAKE IT INACCESSIBLE TO CHILDREN OR PERSONS WHOSE USE OF IT IS NOT PROPER USE.

- DO NOT CONTAMINATE WATER, FOOD OR FEEDSTUFFS OR DISPOSAL
- OPEN DUMPING IS PROHIBITED
- DO NOT REUSE EMPTY CONTAINERS

PESTICIDE DISPOSAL

PESTICIDE SPRAY MIXTURE OR RINSATE THAT CANNOT BE USED OR CHEMICALLY REPROCESSED SHOULD BE DISPOSED OF IN A LIMITED APPROVED OR PESTICIDE SOLUBLE DRAINAGE SYSTEM AS APPROVED BY SUPPLIERS.

CONTAINER DISPOSAL

TRIPLE RINSE (OR EQUIVALENT) AND DISPOSE IN AN INCINERATED OR LANDFILL APPROVED FOR PESTICIDE CONTAINERS OR BURIED IN A LIMITED PLACE. CONSULT FEDERAL STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES SUCH AS LIMITED OPEN BURNING.

GENERAL

CONSULT FEDERAL STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES SUCH AS LIMITED OPEN BURNING.

SAVIN SANITIZER-CLEANER 45-7

Sanitizer-Cleaner for Equipment and Utensils in Food Processing, Dairy Industry, Bars, Restaurants, Institutional Kitchens, etc., Farms


Active Ingredients:

Alkyl (60%, C₁₄: 30%, C₁₆: 5%, C₁₂: 5%)
Dimethyl Benzyl Ammonium Chlorides

Alkyl (68%, C₁₂: 32%, C₁₄) Dimethyl Ethylbenzyl Ammonium Chlorides

Sodium carbonate

Inert Ingredients



KEEP OUT OF REACH OF CHILDREN

WARNING

Statement of Fractional Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of water. Call a physician immediately.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA Registration No.

EPA Establishment No.

Net Contents

33A

34

MANUFACTURED BY
SAVIN PRODUCTS CO., INC. RANDOLPH, MA 02368

It is a violation of Fed. law to use this product without its labeling.

GENERAL USE DIRECTIONS

Add one ounce per gallon of 45-7 for sanitizing and cleaning dairy industry, but a final rinse is required.

For heavily soiled equipment, rinse with clean water. SANITIZER-CLEANER 45-7 surface until it does not remain wet for 1 minute. The solution becomes very effective for sanitizing.

DIRECTIONS FOR USE

For dishes, glassware, etc., rinse thoroughly with SANITIZER-CLEANER 45-7 solution.

DIRECTIONS FOR USE

Clean and rinse equipment containing 1 oz. of water (200 ppm) N.

WISCONSIN

1. Scrape and pre-rinse
2. Wash with a gallon of water
3. Rinse with clean water
4. Sanitize in a solution of one gallon of water with at least two ounces of 45-7. Code
5. Place sanitized equipment in clean water

SAVIN SANITIZER-CLEANER 45-7

Sanitizer-Cleaner for Equipment and Utensils in Food Processing, Dairy Industry, Bars, Restaurants, Institutional Kitchens and Farms


Active Ingredients:

Alkyl (60%, C₁₄: 30%, C₁₆: 5%, C₁₂: 5%)
Dimethyl Benzyl Ammonium Chlorides

Alkyl (68%, C₁₂: 32%, C₁₄) Dimethyl Ethylbenzyl Ammonium Chlorides

Sodium carbonate

Inert Ingredients



1.28%

1.28%

2.00%

95.44%

100.00%

KEEP OUT OF REACH OF CHILDREN

WARNING

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of water. Call a physician immediately.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA Registration No.

EPA Establishment No.

Net Contents

33A

3-1

712-26
712-MA-1
One Gallon

MANUFACTURED BY
SAVIN PRODUCTS CO., INC. RANDOLPH, MA 02368

Directions of Use

GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

GENERAL USE DIRECTIONS FOR SAVIN SANITIZER-CLEANER 45-7

Add one ounce per gallon of water. Use SAVIN SANITIZER-CLEANER 45-7 for sanitizing and cleaning of equipment and utensils in food processing, dairy industry, bars, restaurants, institutional kitchens and farms. No rinsing is required.

For heavily soiled equipment or utensils, pre-wash with a good detergent. Rinse with clean water. Then apply recommended dilution of SAVIN SANITIZER-CLEANER 45-7 with a cloth, mechanical spray device (spray surface until thoroughly wetted) or immersion. Treated surfaces must remain wet for 1 minute. Prepare a fresh solution daily or when the solution becomes visibly dirty. Do not mix with other cleaning solutions for sanitizing.

DIRECTIONS FOR RESTAURANT AND BAR USE

For dishes, glasses, silverware, cooking utensils, wash with detergent thoroughly, then apply recommended dilution of SAVIN SANITIZER-CLEANER 45-7. Rinse with clean water. No rinsing is required.

DIRECTIONS FOR FOOD PROCESSING EQUIPMENT

Clean and rinse equipment thoroughly. Then apply recommended dilution of SAVIN SANITIZER-CLEANER 45-7. Rinse with clean water (200 ppm). No rinsing is required.

WISCONSIN STATE BOARD OF HEALTH DEPARTMENT OF HEALTH SERVICES

1. Scrape and pre-wash with detergent when necessary.
2. Wash with a good detergent or compatible cleaner.
3. Rinse with clean water.
4. Sanitize in a solution of 1 oz. of SAVIN SANITIZER-CLEANER 45-7 per gallon of water (200 ppm active quat concentration). Immerse all utensils for at least two minutes or for contact time specified by governing regulatory code.
5. Place sanitized utensils on a rack or drain board to air-dry.

1/81