

ATLAS MANUFACTURING CO

321

Precautionary Statements

Hazards to humans and domestic animals

DANGER

Keep out of reach of children. Corrosive. Causes eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food.

STORAGE AND DISPOSAL

- Do not contaminate water, food, or feed by storage or disposal.
- Open dumping is prohibited.
- Do not reuse empty container.

PESTICIDE DISPOSAL

Pesticide spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved State procedures under Subtitle C of the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by incineration if allowed by State and Local authorities.

GENERAL

Consult Federal, State, or Local disposal authorities for approved alternative procedures.

This disinfectant has been formulated to aid in the reduction of gross-contamination in institutions, schools and hospitals. This disinfectant is a one-step disinfectant-cleaner that is effective against a broad spectrum of bacteria, is virucidal, fungicidal, and will prevent the growth of mold and mildew and their odors when used as directed. This disinfectant is an effective one-step sanitizer-cleaner for use on non-food contact surfaces.

When used as directed, this disinfectant will deodorize surfaces in toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause mal odors.

Directions for Use

GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This disinfectant is a proven "one-step" cleaner-disinfectant-sanitizer-fungicide-mildewstat-virucide in the presence of moderate amounts of organic soil.

VISAN V

Disinfectant-Cleaner-Sanitizer-Fungicide-Mildewstat-Virucide-Deodorizer with Organic Soil Tolerance for Hospitals, Institutional and Industrial Use

Active Ingredients

Octyl Decyl Dimethyl Ammonium Chloride	1.14%
Dioctyl Dimethyl Ammonium Chloride	0.57%
Didecyl Dimethyl Ammonium Chloride	0.57%
Alkyl (C ₁₁ , 50%; C ₁₂ , 40%; C ₁₀ , 10%)	
Dimethyl Benzyl Ammonium Chloride	1.52%

Inert Ingredients

96.20%
100.00%

KEEP OUT OF REACH OF CHILDREN
DANGER

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

ACCEPTED
OCT 15 1982
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 713-23

EPA Registration No. 713-23
EPA Establishment No. 713-TX-1
Net Contents

For Sale For Use And Storage
By Maintenance Personnel Only

BEST DOCUMENT AVAILABLE

321

VISAN V

Disinfectant-Cleaner-Sanitizer-
Fungicide-Mildewstat-Virucide*-Deodorizer
with Organic Soil Tolerance for Hospitals,
Institutional and Industrial Use

Active Ingredients

Octyl Decyl Dimethyl Ammonium Chloride	1.14%
Dioctyl Dimethyl Ammonium Chloride	0.57%
Didecyl Dimethyl Ammonium Chloride	0.57%
Alkyl (C ₁₂ , 50%; C ₁₄ , 40%; C ₁₆ , 10%)	
Dimethyl Benzyl Ammonium Chloride	1.52%

Inert Ingredients

96.20%
100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, plain solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Use in the Field: Fungicide, Mildewstat, Virucide, and Deodorizer. As directed. For the pesticide registered under EPA Reg. No. 713-23-1.

EPA Registration No. 713-23
EPA Establishment No. 713-IX-1
Net Contents

For Sale For Use And Storage
By Maintenance Personnel Only

Apply this disinfectant to walls, floors and other hard (inanimate) non-porous surfaces such as tables, chairs, countertops, sinks, bedframes with a cloth, mop or mechanical spray device so as to thoroughly wet surfaces. For heavily soiled areas, a preliminary cleaning is required. Prepare a fresh solution daily or when use solution becomes visibly dirty.

Disinfection - to disinfect hard, non-porous surfaces, treated surfaces must remain wet for 10 minutes.

For hospitals and nursing homes, add 2 oz. per gallon of water. The activity of this disinfectant has been evaluated in the presence of 5% serum by the A.C. use dilution test and found to be effective against a broad spectrum of gram negative and gram positive organisms as represented by:

- Pseudomonas aeruginosa
- Staphylococcus aureus
- Salmonella choleraesuis
- Escherichia coli
- Serratia marcescens
- Klebsiella pneumoniae
- Enterobacter aerogenes
- Salmonella schottmuelleri
- Streptococcus faecalis
- Shigella dysenteriae
- Brevibacterium ammoniagenes

For schools, non-medical institutional and industry: At 1 oz. per gallon of water, this disinfectant delivers excellent cleaning and germicidal effectiveness. It is effective against Staphylococcus aureus, Salmonella choleraesuis and Escherichia coli. The same AOAC tests used above to confirm suitable performance for hospitals were used.

Fungicidal Performance - This disinfectant at 1 oz. per gallon is an effective fungicide against Trichophyton mentagrophytes (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas, exercise facilities etc.

Mold and Mildew Control - At 1 oz. per gallon, This disinfectant will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard non-porous surfaces (as indicated in general instructions above). Allow to dry on surface and repeat when mildew growth returns.

Virucidal Performance - *At 1 oz. per gallon use-level, this disinfectant was evaluated in the presence of 5% serum and found to be effective against the following viruses: Influenza A/Brazil, Herpes Simplex and Vaccinia, on inanimate environmental surfaces.

Sanitizing-Non-Food Contact Surfaces (such as floors, walls, tables, etc.). - At 1/2 oz. per gallon use-level, this disinfectant is an effective sanitizer against Staphylococcus aureus and Klebsiella pneumoniae in the presence of 5% serum on porous and non-porous environmental surfaces. Treated surfaces must remain wet for 80 seconds.

0000