

722-9 PM17

1073

NOX-TOX

SPACE AND CONTACT SPRAY

**KILLS: Flies, Clothes Moths, Mosquitoes, Ants,
Bed-Bugs, Fleas, Silverfish**

ACTIVE INGREDIENTS:

Petroleum Distillates	99.718%
Piperonyl Butoxide, Technical	.251%
Pyrethrins	.031

*Equivalent to (Dutycarb(yl) (6 Propylpiperonyl) ether
.20% and related compounds .051%

KEEP OUT OF REACH OF CHILDREN
CAUTION
See Side Panels For Additional Precautionary Statements

E.P.A. Reg. No. 722-9

E.P.A. Est. No. 722-NY-1


Net contents ___ gal. Lot # _____

Manufactured By

**W. D. CARPENTER CO. INC.
East Syracuse, N.Y. 13057**

BEST AVAILABLE COPY

ACCEPTED
MAR 20 1985
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, this pesticide registered under EPA Reg. No. 722-9



left panel

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

Harmful if swallowed. Contains petroleum distillate. If swallowed do not induce vomiting because of aspiration hazard. Do not apply directly to food. Cover or remove all food and food processing equipment before use and wash with potable water after use of equipment, counters, etc. where food will be handled.

Remove pets and birds and cover or remove aquariums before spraying.

Environmental Hazards

This product is toxic to fish and other wildlife. Do not apply directly to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Physical or Chemical Hazards

Do not use or store near heat or open flame.


STORAGE AND DISPOSAL

Storage: Store in a cool, dry place. Keep container closed.

Pesticide Disposal: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or Local procedures.

Container Disposal: Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and Local procedures.

BEST AVAILABLE COPY



right panel

DIRECTIONS FOR USE

FLIES, MOSQUITOS and GNATS- Close doors and windows. Direct the spray up toward the ceiling. The room should be filled with mist and remain closed for 10 - 20 minutes. Sweep up and destroy dead or stupefied insects. Repeat treatment as often as necessary. Spray garbage cans, refuse and manure piles, stagnant water, drains and all other likely breeding places of fly and mosquito eggs and larvae.

SILVERFISH- Spray liberally with force around refrigerators, sinks, cabinets and pantry shelves, into all cracks and crevices, pipe openings in walls and floors or wherever these insects are likely to hide. Repeat as necessary.

ANTS- Use the spray so as to wet as many of the insects as possible paying particular attention to nests and runways. Repeat as necessary.

BED-BUGS - Spray mattresses thoroughly on both sides, especially seams and tufts. Spray springs, slats and all joints and crevices in beds. Also spray room base boards, mouldings and behind loose wallpaper, and any place where bugs may hide. Repeat as often as necessary.

CLOTHES MOTHS and CARPET BEETLES- Take special precautions to see that cracks in floors and openings below base boards are thoroughly wetted with spray. Wool lint and organic matter accumulating in these places will serve as breeding materials for such pests. Clothing to be stored should be cleaned, aired and sprayed carefully at a distance of one to two feet, taking care to see that seams and folds are wetted. Chests in which woolems are to be stored should be thoroughly sprayed before being filled with clothes. Closets should be sprayed liberally at least twice a month, directing the spray on the garments. Unless articles are stored in mothproof containers, they should be sprayed every thirty days.

FLICKS- Liberally spray all infested places - rugs, and under rugs, basements, under porches and wherever pet animals make their beds. Spray bedding of household pets. Do not spray directly on animals. Repeat as required.

FOODS SHOULD BE REMOVED OR COVERED DURING TREATMENT. ALL FOOD PROCESSING SURFACES SHOULD BE COVERED DURING TREATMENT OR THOROUGHLY CLEANED BEFORE USING. WHEN USING THIS PRODUCT IN THESE AREAS, APPLY ONLY WHEN THE FACILITY IS NOT IN OPERATION.

BEST AVAILABLE COPY

