

[722-17]  
**REGISTERED**  
 June 12, 1972  
 UNDER THE FEDERAL INSECTICIDE  
 FUNGICIDE AND RODENTICIDE ACT  
 FOR ECONOMIC PEACE AND SECURITY  
 TO UNDER E-722-17



EPA Reg. No.  
722-17

Contents  
One Quart

# FACE-FLY TREATMENT

**ACTIVE INGREDIENTS** . . . . . 100%

Pyrethrins . . . . .	.060%
Piperonyl butoxide, technical* . . . . .	.120%
N-octyl bicycloheptene dicarboximide . . . . .	.200%
Di-n-propyl isocinchomeronate . . . . .	.400%
Petroleum Distillate . . . . .	99.220%

\*Consists of .096% (butylcarbityl) (6-propylpiperonyl) ether and .024% related compounds.

### Directions For Use

Apply CARCO FACE FLY TREATMENT on the faces of cattle at the rate of 1.0 fl. oz. per animal, paying particular attention to the areas near the eyes and nostrils. Wipe on with a heavy cloth or sponge, or spray on with a sprayer that delivers coarse droplets. Avoid spraying directly into the animal's eyes. Treatment should be made daily while the cattle are stanchioned for morning milking to give protection from face flies for 24 hours.

## CAUTION

**KEEP OUT OF REACH OF CHILDREN.**  
 Do not spray entire animal with this product. Do not contaminate milk or milk handling equipment. Avoid contamination of feed and foodstuffs. Do not store, pour or spill near heat or open flame. Harmful if swallowed. Do not reuse empty container. Wash thoroughly with water and detergent. Dispose in a safe place.

**W. D. CARPENTER CO., INC.**  
 East Syracuse, N.Y. 13057