

No 70 l. on
Must add an ounce
for Calcium Arsenate

ROBINSON'S KWIK-KILL BAIT

July 31, 1972
728-23

WARNING:
Keep Out of Reach
of Children.


(SEE BACK PANEL FOR
ADDITIONAL CAUTIONS)

Active Ingredients:
Calcium
Arsenate 5.00%
Metaldehyde 2.00%
Inert Ingredients . 93.00%
Arsenic expressed
as metallic ... 1.88
Water soluble
arsenic not
more than0.035

ANTIDOTE

Call a Physician immediately
if this material is ingested.
Note to Physician: Treat poi-
son case with emetic of
mustard, hydrated oxide of
iron and magnesia, a cupful;
follow with olive oil or white
of eggs, mucilaginous drinks;
20 grains potassium bromide
in water. If much pain, give
two tablespoonfuls paregoric
in water.

**NET WEIGHT
1 POUND**

 **CUT
WORMS**

 **SLUGS**

 **SNAILS**

PEARSON'S KWIK-KILL BAIT

WARNING:
Keep Out of Reach
of Children.

(SEE BACK PANEL FOR
ADDITIONAL CAUTIONS)

Active Ingredients:
Calcium
Arsenate 5.00%
Metaldehyde 2.00%
Inert Ingredients 93.00%
Arsenic expressed
as metallic 1.83
Water soluble
arsenic not
more than 0.035

ANTIDOTE

Give a Ely-telan immediately
if this material is ingested.
Notify Physician. Treat poi-
soning case with emetic of
mustard, hydrated oxide of
iron and magnesia, a cupful;
follow with olive oil or white
of eggs, mucilaginous drinks;
20 grains potassium bromide
in water. If much pain, give
two tablespoonfuls paregoric
in water.

**NET WEIGHT
1 POUND**



**CUT
WORMS**



SLUGS



SNAILS

DIRECTIONS FOR USE

Apply Kwik-Kill Bait late in the day, just before dark. If ground is dry, wet down thoroughly with a garden hose, covering the entire infested area. Then broadcast Kwik-Kill Bait on the ground under plants and shrubs. Repeat application in one week to control new generation hatching from eggs in the ground and invasion from adjoining areas. Kwik-Kill Bait will not injure vegetation if used as directed. "Do not contaminate edible plant parts."

Each pound of Kwik-Kill Bait is sufficient for treating 200 square feet of surface area.

Kwik-Kill Bait, when applied to the soil surface around ornamentals and listed vegetable plants, will kill Cutworms, Slugs, Snails and will generally control moderate infestations of Sow Bugs.

BEANS
BLACKEYED PEAS
COLLARDS

CORN
CUCUMBERS
EGGPLANT

MUSTARD
ONIONS
TOMATOES

WARNING: May be fatal if swallowed. Harmful dust. Avoid breathing dust. Avoid contamination of food and feed. Keep out of reach of children, irresponsible persons and domestic animals. Do not get in eyes or on skin. If contact is made with eyes, flush with clear water for 15 minutes. Wash hands thoroughly with soap and water after use. Destroy empty container by burning. Keep away from smoke and fumes.

This product is toxic to wildlife. Keep out of lakes, streams and ponds. Apply only where dogs and poultry do not have access to the bait. Birds feeding on treated areas may be killed.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

P. A. Reg. No. 728-23

Net Weight 1 Pound

Manufactured by
PEARSON & COMPANY
Mobile, Alabama 36607

Active Ingredients:

Calcium Arsenate 500
Metaldehyde 200
Inert Ingredients 93.000
Arsenic expressed as
metalloid 1.50
Water soluble arsenic
not more than 0.050

ANTIDOTE

Call a Physician immediately if this material is ingested.

Note to Physician: Treat poison case with emetic of mustard hydrated oxide of iron and magnesium, a cupful; follow with olive oil or white of eggs, mucilaginous drinks; 20 grain potassium bromide in water. In much pain, give two tablespoonfuls paregoric in water.