



KWIK-KILL BAIT

EASY TO USE READY PREPARED POISON BAIT FOR KILLING



CUTWORMS



SLUGS



SNAILS

ALSO WILL GENERALLY CONTROL
MODERATE INFESTATIONS OF
SOW BUGS

ACTIVE INGREDIENTS:

Calcium Arsenate	5.00%
Metaldhyde	2.00%
INERT INGREDIENTS:	93.00%
TOTAL:	100.00%

Arsenic expressed as metallic 1.88
Water soluble arsenic not more than . . . 0.035

**KEEP OUT OF THE
REACH OF CHILDREN**

WARNING!

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol.

IF IN EYES: Immediately flush eyes with plenty of water and get medical attention.

IF ON SKIN: Immediately remove contaminated clothing, INCLUDING SHOES, and wash skin with soap and plenty of water. If irritation develops, send for a physician.

See Side Panel For Additional Precautionary Statements.

Southland Pearson & Company
Box 7344
Mobile, Alabama 36607

EPA Reg. #728-23
EPA Est. #728-AL-1

NET CONTENT



PRECAUTIONARY STATEMENTS

Hazards to humans and domestic animals.

WARNING: Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Wear safety glasses. Harmful if swallowed. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not apply when weather conditions favor drift from areas treated. This product is toxic to wildlife. Apply only where dogs and poultry do not have access to the bait. Birds feeding on treated areas may be killed. Do not contaminate water by cleaning of equipment or disposal of waste.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Apply Kwik-Kill Bait late in the day, just before dark. If ground is dry, wet down thoroughly with a garden hose, covering the entire infested area. Then broadcast Kwik-Kill Bait on the ground under plants and shrubs. Repeat application in one week to control new generation hatching from eggs in the ground and invasion from adjoining areas. Kwik-Kill Bait will not injure vegetation if used as directed. "Do not contaminate edible plant parts."

Each pound of Kwik-Kill Bait is sufficient for treating 200 square feet of surface area.

Kwik-Kill Bait, when applied to the soil surface around ornamentals and listed vegetable plants, will kill Cutworms, Slugs, Snails and will generally control moderate infestations of Sow Bugs.

BEANS
BLACKEYED PEAS
COLLARDS
CORN
CUCUMBERS

EGGPLANT
MUSTARD
ONIONS
TOMATOES

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment.

Do not reuse empty container (bottle, can, bucket). Wrap (container) and put in trash collection.

WARRANTY - CONDITION OF SALE:

OUR RECOMMENDATIONS FOR USE of this product are based upon tests believed reliable. Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith.

In no case shall Drexel or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product when such use and/or handling is not in strict accordance with directions given herewith. The foregoing is a condition of sale by Drexel Chemical Company and is accepted as such by the Buyer.

Ms. Les Snockey
Southland Pearson & Company
P.O. Box 7151
Mobile, AL 36607

Subject: Pearson's Kwik-Kill Bait w/rotaldonyde
EPA Registration No. 728-23
Your Application Dated August 17, 1982

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,

Jay S. Ellenberger
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

TS-767:Ellenberger:DCR-24750:WANG-0348C:jad:Raven:479-2013: 9/24/82