

PEARSON'S

40% CHLORDANE W.P.

Active Ingredient: Technical Chlordane* 40%
Inert Ingredients: 60%
100%

*Equivalent to 24% Octachloro-4, 7-Methano-tetrahydroindane and 16% related compounds.

Effective for the control of Plum Curculio, Army Worms, Leaf Miners, Ants, Roaches, Ticks, Silverfish and Waterbugs.

CAUTION: Keep out of reach of children

(See back panel for additional cautions)

DIRECTIONS

For control of Cabbage Loopers, Army Worms, Serpentine Leaf Miners, Imported Cabbage Worms and Harlequin Bugs on Cabbage, Broccoli, Kale, Lettuce and Collards, apply Pearson's 40% Chlordane at the rate of 1 pound per 8,712 square feet with sufficient water for complete coverage. Do not continue applications after heads and other edible parts begin to form.

For control of Ants, Chiggers, and Ticks, apply Pearson's 40% Chlordane at the rate of 1 pound per 10,890 square feet with sufficient water for complete coverage. In making applications, special care should be taken to cover weed patches and tall grass thoroughly. Thorough application under buildings and along foundation walls will further relief from these pests. This application applies only to non-food crop areas.

For control of Plum Curculio and Catfacing Insects, apply Pearson's 40% Chlordane at the rate of 1 pound per 50 gallons of water. Do not apply more than 1,000 gallons of this solution per acre on Apples, Peaches, Pears and Plums. This spray should be applied as "Petal Fall Spray" and should be repeated every 10 to 14 days thereafter as local conditions warrant. Do not apply within 30 days of harvest.

Soil Treatment: For control of Wireworms, White Grubs, Japanese Beetles and Root Maggots on Radishes, Onions and Cabbage, apply Pearson's 40% Chlordane at the rate of 1 pound per 6,970 square feet with sufficient water for complete coverage. Work into the soil to a depth of 4 to 9 inches according to local conditions. For control of the Onion, Radish and Cabbage Maggot, the application should be made only when the seedlings are set, in order to kill the adult flies or the newly hatched larvae. This treatment applies only at time of preplanting, planting or transplanting.

ACCEPTED

SEP 27 1971

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. SUBJECT
TO ATTACHED COMMENTS.

728-31

Consult your State Agricultural Extension Service re: timing, number of applications and other information consistent with label directions and cautions.

Household Use: Mix 3 tablespoonfuls of Pearson's 40% Chlordane with 1 quart of water for control of Ants, Roaches, Waterbugs and Silverfish. Do not use as a space spray. Make spot applications where pests are known to be present, such as around baseboards, mouldings, quarter rounds, door sills and frames, as well as openings where pipes enter the premises. Also treat sleeping quarters of domestic animals and pets. Repeated applications should be made as necessary.

CAUTION: Avoid skin contact and inhalation of dust or spray mist. Harmful if swallowed. Contact with skin can cause toxic symptoms. Avoid contamination of food and foodstuffs. Do not reuse container. Destroy by burning when empty. Keep out of smoke. Apply this product only as specified on this label.

This product is poisonous to fish and wildlife. Keep out of lakes, ponds and streams.

NOTICE: Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith.

U. S. D. A. Reg. No. 728-31

NET WEIGHT 1 POUND

Manufactured by

PEARSON & COMPANY

MOBILE, ALABAMA 36601