728-37

mar 23 1966

CONSECTICIDE

CONSECTICIDE

CONSECTICIDE

CONSECTICIDE

CONSECTION

SUBJECT

CONSECTION

C

GREEN DEVIL SPRAYS

CONTAINS 50% MALATHION



CONTROLS

SCALE APP

APHIDS RED SPIDER MITES

acditio

73

(1)

্ৰা ব্ৰে

(3.

42

 \mathbf{a}

0

3

<u>a</u>

42)

CAMELLIAS AZALEAS
OTHER FLOWERS and SHRUBS

ACTIVE INGREDIENTS:

Malathion *

Xylene

INERT INGREDIENTS:

*O, O-dimethyl dithiophosphate of diethyl mercaptosuccinate

Manufactured by

Pearson & Company, Mobile, Alabama

NET CONTENTS 8 OUNCES

District Read centire label. Observe all cautions and warnings. Spray infested plants thoroughly; be sure to wet the underside of leaves. Repeat as often as necessary for good control.

ORNAMENTALS: Roses, Camellias, Azaleas, Stocks, Chrysanthemums, Evergreens, and many other flowers and shrubs: Aphids — 1% to 2 teaspoons per gallon of water. Red Spider Mites, Mealybugs, Wooly Aphids, White Flies, Thrips, Bagworms, Rose Leafhonners, Japanese Beetle Adults — 1 tablespoon per gallon of water. Black Scale, Soft Brown Scale, Oyster Shell Scale, and certain others — 1% to 2 tablespoons per gallon of water. (See caution below:) VEGETABLES: Broccoli, Brussel Sprouts, Cabbage, Cauliflower, Kale, Beans, Peas, Potatoes: Aphids — 1% to 2 teaspoons per gallon of water. Red Spider Mites, Mealyhugs, White Flies, Thrips, Bean Leafhonner, Potato Leafhopper, Japanese Beetle Adults — 1 tablespoon per gallon of water. Do not apply to beans within 1 day of harvest. Do not apply to broccoli and peas within 3 days of harvest; and to brussel sprouts, cabbage, cauliflower, or kale within 7 days of harvest.

FLEAS ON DOGS AND CATS: 2 tablespoons per gallon of water. Wet animal thoroughly. Do not apply more than once a week. ANIMAL QUARTERS: 10 tablespoons per gallon of water. Spray kennels, pens, yards, lawns, and under houses at the rate of 1 gallon diluted spray per 1000 square feet. Remove animals before treatment. Put in fresh bedding after treatment.

HOUSEHOLD PESTS: Roaches, Ants, Spiders, Mosquitoes, Silverfish, Crickets, Clover Mites, Earwigs: 8 tablespoons per gallon of water. Using a coarse, wet spray or a paint brush apply to window sills and screens, baseboards, under sinks (especially where pipes come through walls and floors) and dark places where pests hide. Do not contaminate food or utensils.

CAUTION: Harmful if swallowed. Avoid breathing of spray mist. Avoid prolonged or repeated contact with skin; wash hands thoroughly after using. Avoid contamination of feed or foodstuffs. Keep out of reach of children. If poisoning should occur CALL A PHYSICIAN IMMEDIATELY. ATROPINE IS ANTIDOTAL. Malathion is a cholinesterase inhibitor and can cause symptoms similar to those caused by other organic phosphates although much larger exposures are required. Do not use or store near heat or open flame. When container is empty immediately wash thoroughly and destroy. Never re-use.

(*Do not use on Boston, Maidenhair, and Pteris ferns and some species of Crassula.) NOTICE: This product is sold without warranty of any kind. Buyer assumes all risk of handing and use whether in accordance with directions or not.

U.S.D.A. Reg. No. 728- 37