

728-47

ACCOUNTED
JAN 13 1967
TO ATTACHED COMMENTS

Also
Directions for Use

CAUTION: DO NOT POUR, SPILL OR STORE NEAR FIRE OR FLAME. Harmful if swallowed. Repeated or prolonged contact with skin can cause toxic symptoms. Avoid breathing spray mist. In case of contact with skin, wash with soap and water. Avoid contamination of feed and foodstuffs. Keep out of reach of children.

NOTICE: Buyer assumes all risk of use or handling whether in accordance with directions or not.

DO NOT USE IN UNDILUTED FORM

FOR DETAILED DIRECTIONS SEE ATTACHED LEAFLET

Active Ingredients:

Technical Chlordane*	75.0%
Petroleum Hydrocarbons	15.0%
Inert Ingredients	10.0%
	<hr/>
	100.00%

*Equivalent to 45% Octachloro - 4, 7-Methano-9-tetrahydroindane and 30% related compounds.

U. S. D.A. Reg. No. 728-47

NET CONTENTS 4 FLUID OUNCES

PEARSON'S 75% CHLORDANE

Emulsifiable Concentrate

For the control of Crabgrass Seedlings, Ants, Armyworms, Boxelder Bugs, Brown Dog Ticks, Carpet Beetles, Centipedes, Chiggers, Chinch Bugs, Crickets, Earwigs, Grasshoppers, Houseflies, Japanese Beetle Grubs, Mole Chickens, Roaches, Silverfish, Sod Webworms, Spiders, TERMITES, Ticks, Wasps, White-Fringed Beetle, White Grubs, Wireworms.

Manufactured by

PEARSON & COMPANY

MOBILE, ALABAMA, U. S. A.

CAUTION: Read and Follow Directions for Use

See back

**DIRECTIONS FOR USE OF
PEARSON'S 75% CHLORDANE
EMULSIFIABLE CONCENTRATE**

CAUTION: DO NOT USE IN UNDILUTED FORM. FLAMMABLE! Keep away from heat and open flame. Harmful if swallowed. Repeated or prolonged contact with skin can cause toxic symptoms. Avoid breathing spray mist. In case of contact with skin, wash with soap and water. Avoid contamination of feed and foodstuffs. Keep out of reach of children.

NOTICE! Buyer assumes all risk of use or handling whether in accordance with directions or not.

INDOOR USE CAUTION: First check by applying on small areas of articles, particularly fabrics, for likelihood of staining.

FOR THE PREVENTION OF GROWTH OF CRABGRASS. Add 1.5 pints of 75% Chlordane concentrate (7.5 gallons per acre) to enough water to treat 1000 square feet of lawn or turf to suppress crabgrass seedlings before germination or sprouting occurs. It is for use as an early season preventive treatment and is not effective for the control of crabgrass plants. Timing of application is important and should be applied before any germination which in many areas is during the period April 15 to May 1. This treatment will not burn or injure established lawns.

LAWN OR TURF APPLICATIONS: For the control of sod, earthworms, crickets, grasshoppers and spiders, add 1 tablespoonful of 75% Chlordane concentrate to enough water to thoroughly treat or spray the lawn, turf or ornamental plants of 1000 square feet area.

For the control of chiggers, earwigs, or ticks, add 1 to 1.5 tablespoonfuls of 75% Chlordane concentrate to enough water to thoroughly spray or treat the lawn, turf or ornamental plants of 1000 square feet area.

For the control of boxelder bugs, add 1 to 1.5 tablespoonfuls of 75% Chlordane concentrate to enough water to treat 1000 square feet. Spray around the base or trunks of boxelder trees, along porches or foundation of buildings or other protected places.

For the control of mosquitoes, add 1/2 to 1 tablespoonfuls of 75% Chlordane concentrate to enough water to thoroughly treat the lawn, turf or ornamental plants of 1000 square feet area.

For the control of mole crickets, add 1 to 1.5 tablespoonfuls of 75% Chlordane concentrate to enough water to thoroughly treat or spray the lawn or turf of 1000 square feet. Sprinkle the lawn before the chlordane spray is applied.

For the control of chinch bugs, sod webworms or lawn moths, add 1.5 to 2.5 tablespoonfuls of 75% Chlordane concentrate to enough water to thoroughly treat 1000 square feet of lawn or turf.

For the control of white grubs, Japanese beetle grubs, white-fringed beetle and wireworms, add 2 to 4 tablespoonfuls of 75% Chlordane concentrate to enough water to thoroughly treat the lawn or turf of 1000 square feet. Wash the Chlordane into the soil immediately after the application.

HOUSEHOLD APPLICATION: For the control of roaches or waterbugs, add 1.5 to 2 tablespoonfuls of 75% Chlordane concentrate to 1 quart of water and

thoroughly spray infested grates and other hiding places and of adjacent exposed surfaces where they crawl when they come out of hiding. Repeat treatment when necessary.

For the control of ants, add 1.5 to 2 tablespoons of 75% Chlordane concentrate to 1 quart of water and thoroughly spray ant trails and areas around door sills and window frames where they enter. It is desirable to treat the space around yard gates, back doors, utility outlets and basements where ants may come into rooms from wall spaces or partitions. Repeat treatments as often as necessary to maintain effective control.

For the control of silverfish, add 1.5 to 2 tablespoons of 75% Chlordane concentrate to 1 quart of water and thoroughly spray baseboards, areas behind shelves, book cases and storage areas. Repeat application to maintain effective control.

For the control of brown dog ticks, add 1.5 to 2 tablespoons of 75% Chlordane concentrate to 1 quart of water and thoroughly spray infested areas around baseboards, window frames and door frames, wall cracks, quarters of household pets and localized areas of floors and floor coverings. Fresh bedding should be placed in animal quarters following treatment. Do not treat pets or other animals.

For the control of carpet beetles, add 1.5 to 2 tablespoons of 75% Chlordane concentrate to 1 quart of water and thoroughly spray infested areas of carpets, localized areas of floors and baseboards, and into cracks and under carpets where these pests may be found. Repeat application as often as necessary to maintain effective control.

For the control of flies, mosquitoes and wasps, add 1.5 to 2 tablespoons of 75% Chlordane concentrate to 1 quart of water and thoroughly spray selected surfaces such as doors, around windows and areas frequented by these pests. Also thoroughly treat screens, window frames, door sills, and selected areas of porches where these insects tend to alight or congregate. Repeat application if necessary for effective control.

For the control of powder bugs, add 1.5 to 2 tablespoons of 75% Chlordane concentrate to 1 quart of water and thoroughly spray around door sills, window frames or wherever these pests may enter the house.

For the control of crickets, add 1.5 to 2 tablespoons of 75% Chlordane concentrate to 1 quart of water and thoroughly spray baseboards, floors of closets and storage places and other hiding places. Repeat application as necessary to maintain effective control.

For the control of spiders and centipedes, add 1.5 to 2 tablespoons of 75% Chlordane Concentrate to 1 quart of water and thoroughly spray infested baseboards and corners, around pipes, porous materials and other infested areas in basements. Repeat application as necessary to maintain effective control.

TERMITTE CONTROL APPLICATION: For the control of termites, add 1 pint of 75% Chlordane concentrate to 12 gallons of water. Apply 2 gallons per 5 linear feet in trenches not deeper than 18 inches around the foundations or 4 gallons per 5 linear feet when deeper than 18 inches. Apply 1 gallon per 10 square feet as an overall treatment under the slab, and under attached porches.

Manufactured in U. S. A. by
PEARSON & COMPANY
Mobile, Alabama