

MAR 14 1960
U.S. DEPARTMENT OF AGRICULTURE
FOR THE CONTROL OF GOPHERS

FOR MORE DETAILED DIRECTIONS SEE ENCLOSED SUPPLEMENTAL DIRECTION SHEET

DIRECTIONS FOR USE

POCKET GOPHERS — Hand Baiting: Burrowing Pocket Gophers throw out low, fan-shaped mounds on either side of their underground tunnel. These lateral tunnels coming to the surface are on the flat side of the fan and are plugged with soil. With a longhanded spoon, carefully remove the plug. Insert one teaspoonful of Pearson's Gopher Bait as far down as possible. Reclose opening, being careful not to cover the bait with soil. Probe 6 to 12 inches deep with a metal rod to locate the main tunnel. Drop one teaspoonful of Pearson's Gopher Bait into the tunnel and cover the hole so that light will not enter the tunnel system. See Federal and State rodent control bulletins for a full discussion of Pocket Gopher burrowing habits.

MICE — Control in and around buildings: Place one teaspoonful of Pearson's Gopher Bait at 8 to 10 foot intervals where Mice feed, water or travel. Bait must be placed in tamper-proof bait boxes constructed of wood or metal with baffled entrances. Remove all other food sources while this bait is in use. Collect and burn or bury, all uneaten baits after 72 hours of exposure. All dead animals must be burned or buried.

FIELD MICE (Pine Mouse, Meadow Mouse and White-footed Mouse) — Hand, Spot or Trail Baiting: Place one teaspoonful of Pearson's Gopher Bait in surface trails or at the mouth of holes leading to underground burrowing systems. Make two to four bait placements near the base of each infested tree, and cover bait by pulling overhanging grass back into place. Do not disturb the runway system. Bait should be applied at the rate of 2 to 3 pounds per acre.

Broadcast Baiting (Meadow Mouse and White-footed Mouse only): Bait may be applied by cyclone seeder or by hand. When applying by hand, throw tablespoonful amounts of Pearson's Gopher Bait into heavy cover along tree rows, rock outcrops and fence lines. Bait should be applied at the rate of 6 to 10 pounds per acre. Do not broadcast bait over growing areas with crops.

Machine Baiting: Use a modified corn planter with plates set to drop one kernel per inch along a line just inside the drip line on both sides of the tree. Bait should be applied at the rate of 3 to 6 pounds per acre; this applies to postharvest use only.

GROUND SQUIRRELS — Hand Baiting: Select three one foot squares on the bare ground near mouths of burrows. Place one teaspoonful of Pearson's Gopher Bait in each square.

DANGER: Convulsive poison. Poisonous if swallowed. Wash hands thoroughly with soap and water after using. Do not contaminate feed or food. Bait should be placed in areas not accessible to children, pets, wildlife and domestic animals or in tamper-proof bait boxes.

Treated seeds exposed on soil surface may be hazardous to birds and other wildlife. Do not contaminate water by cleaning equipment or disposal of wastes. Dispose of excess treated seed or wastes by burial. Apply this product only as specified on this label.



POISON

ANTIDOTE: CALL A PHYSICIAN IMMEDIATELY. If less than ten minutes has passed since poison was taken, induce vomiting by giving a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Then have victim lie down in a quiet, darkened room and keep warm.

NOTE TO PHYSICIAN: Give Tannin dissolved in water or iodine of starch. Give large doses of Chloral Hydrate and Potassium Bromide in solution.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

E. P. A. Reg. No. 728-60

NET WEIGHT FIFTY POUNDS

Manufactured by


PEARSON & COMPANY

MOBILE, ALABAMA 36607

PEARSON'S

MILO

MAIZE



ACTIVE INGREDIENT:
Strychnine alkaloid3%
INERT INGREDIENTS 99.7%
100.0%

GOPHER BAIT

DANGER: Keep Out of Reach of Children

(See back panel for additional cautions.)

POISON

CONTAINS STRYCHNINE




PEARSON'S

GOPHER BAIT

The directions on our package label are correct as far as they go. This supplemental direction sheet merely provides more detailed information to help you obtain the best possible results from this product.

POCKET GOPHERS-hand baiting: burrowing Pocket Gophers throw out low, fan-shaped mounds on either side of their underground tunnel. These lateral tunnels coming to the surface are on the flat side of the fan and are plugged with soil. With a longhandled spoon, carefully remove the plug. Insert one teaspoonful of Pearson's Gopher bait as far down as possible. Reclose opening, being careful not to cover the bait with soil.



Probe 6 to 12 inches deep with a metal rod to locate the main tunnel. Drop one teaspoonful of Pearson's Gopher bait into the tunnel and cover the hole so that light will not enter the tunnel system. See Federal and State rodent control bulletins for a full discussion of Pocket Gopher burrowing habits.

MICE-Control in and around buildings: Place one teaspoonful of Pearson's Gopher bait at 8 to 10 foot intervals where Mice feed, water or travel. Bait must be placed in tamper-proof bait boxes constructed of wood or metal with baffled entrances. Remove all other food sources while this bait is in use. Collect and burn or bury, all uneaten baits after 72 hours of exposure. All dead animals must be burned or buried.

FIELD MICE(Pine Mouse, Meadow Mouse and White-footed Mouse)-Hand, Spot or Trail baiting: Place one teaspoonful of Pearson's Gopher bait in surface trails or at the mouth of holes leading to underground burrowing systems. Make two to four bait placements near the base of each infested tree, and cover bait by pulling overhanging grass back into place. Do not disturb the runway system. Bait should be applied at the rate of 2 to 3 pounds per acre.

FIELD MICE continued

broadcast baiting (Meadow Mouse and White-footed Mouse only): Bait may be applied by cyclone seeder or by hand. When applying by hand, throw tablespoonful amounts of Pearson's Gopher bait into heavy cover along tree rows, rock outcrops and fence lines. Bait should be applied at the rate of 0 to 10 pounds per acre. Do not broadcast bait over growing areas with crops.

Machine baiting: Use a modified corn planter with plates set to drop one kernel per inch along a line just inside the drip line on both sides of the tree. Bait should be applied at the rate of 3 to 0 pounds per acre; this applies to postharvest use only.

GROUND SQUIRRELS-Hand baiting: Select three, one foot squares on the bare ground near mouths of burrows. Place one teaspoonful of Pearson's Gopher bait in each square.

DANGER: Convulsive poison. Poisonous if swallowed. Wash hands thoroughly with soap and water after using. Do not contaminate feed or food. Bait should be placed in areas not accessible to children, pets, wildlife and domestic animals or in tamper-proof bait boxes.

Treated seeds exposed on soil surface may be hazardous to birds and other wildlife. Do not contaminate water by cleaning of equipment or disposal of wastes. Dispose of excess treated seed or wastes by burial. Apply this product only as specified on this label.

E. P. A. Reg. No. 728-60

MANUFACTURED BY
PEARSON & COMPANY
MOBILE, ALABAMA 36607

