

DIRECTIONS: Use 2 level teaspoonfuls of Pearson's 50% Sevin in 1 gallon of water. For best results, apply with a spraying apparatus. To use, mix designated amounts of Pearson's 50% Sevin in a little water to make a thin paste, then add required amounts of water. Do not store diluted spray. Make new solution for each use.

ROSES, ORNAMENTALS, FLOWERS, SHRUBS AND SHADE TREES: Japanese Beetles, Aphids, Bagworms, Elm Leaf Beetles, Certain Leafminers, Rose Slugs, Periodical Cicadas (17-year locust), Scale Insects, Tent Caterpillars, Blister Beetles, Leaf Rollers and Exposed Thrips -- Begin spraying when insects or their damage appear. Repeat applications weekly or as necessary. Do not use on Boston Ivy.

FRUIT TREES (APPLE, PEARS AND PEACHES): Apple Maggots, Plum Curculio, Apple Aphids, Leaf Rollers, Peach tree Borers, Oriental Fruit Moths, and Codling Moths -- Make one application between bud break and bloom, a second application at petal fall and then at 3 to 4 week intervals for 3 to 4 months as necessary. Apple Maggots -- For best control, apply at 10 day intervals. Rosy Apple Aphids -- Apply before leaves are curled. May be applied within 1 day of harvest.

VEGETABLES (TOMATOES, EGGPLANT, PEPPERS, CUCUMBERS AND SUMMER SQUASH): Pickle Worms, Fruitworms, Melon Worms, Horn Worms, Fall Armyworms and Corn Borers -- Apply when insects first appear. Repeat applications at 7 to 10 day intervals. Do not apply within 1 day of harvest.

NET WEIGHT SIX OUNCES

LAWN INSECTS (CHINCH BUGS, SOD WEBWORMS, FALL ARMYWORMS, FLEAS AND ANTS): Mix 6 ounces in 15 gallons of water and cover 850 sq. ft. of established lawn. For best results, use a spraying apparatus. Mow lawn first and apply after rain or watering. Do not water for at least two days after application. Repeat in 2 or 3 weeks or as necessary.

NOTICE: Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith.

CAUTION: HARMFUL IF SWALLOWED OR INHALED. DO NOT TAKE INTERNALLY. AVOID BREATHING DUST. AVOID CONTACT WITH SKIN. WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING. CHANGE CONTAMINATED CLOTHING DAILY. AVOID CONTAMINATION OF FEED AND FOODSTUFFS, TROUGHS AND WATERING RECEPTACLES.

* Trademark of Union Carbide Corp. for 1-Naphthyl N-Methylcarbamate

E.P.A. Reg. No. 728-64

PEARSON'S 50% SEVIN

Wettable Powder — Garden Spray
For Flowers, Ornamentals,
Lawns, Vegetables
and Fruits

KILLS: Chinch Bugs, Japanese Beetles, Fleas and Ants. See back panel for more complete list.

CAUTION: Keep out of reach of Children

(See back panel for additional cautions)

CONTENTS

ACTIVE INGREDIENTS
1-Naphthyl N-Methylcarbamate
INERT INGREDIENTS

Manufactured By

Pearson & Company • Mobile, Ala. 36607

ACCEPTED

JAN 4, 1973

UNDER THE FEDERAL INSECTICIDE ACT
FOR TECHNICAL PERSONS REGISTERED
UNION CARBIDE
728-64

Comments

ACCEPTED WITH COMMENTS

