



Kleen-Gro

Kills Weeds As They Germinate

ACTIVE INGREDIENT

~~Dimethyl ester of tetrachloroterephthalic acid~~ 2.5% ✓
Dimethyl tetrachloroterephthalate

INERT INGREDIENTS 97.5%
TOTAL 100.0%

Pre-emergence herbicide for use in

FLOWER AND VEGETABLE GARDENS

AND NURSERIES

*Use as a preemergence herbicide patented under U.S. Patent
No. 2,923,634.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes and get medical attention.

IF ON SKIN: Immediately remove contaminated clothing, INCLUDING SHOES, and wash skin with soap and plenty of water. If irritation develops, send for a physician.

See Side Panel For Additional Precautionary Statements.

Southland Pearson & Company

Box 7344
Mobile, Alabama 36607

EPA Reg #728-69
EPA Est #728-AL-1

Net Content:

BEST DOCUMENT AVAILABLE

RECEIVED
JUN 14 1982
728-69

PRECAUTIONARY STATEMENTS

Hazards to humans and domestic animals.

CAUTION: HARMFUL IF SWALLOWED. Avoid Breathing of Dust. Do Not Take Internally. Avoid Contact with Skin and Eyes. Wear regular long-sleeved work clothing. Change to clean clothing daily. Wash hands and face before eating. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not apply when weather conditions favor drift from areas treated.
Do not contaminate water by cleaning of equipment or disposal of waste.

GENERAL INFORMATION

KLEEN-GRO is a selective pre-emergence herbicide for control of CRABGRASS and other annual grasses and certain broadleaved weeds on mineral soils in HOME FLOWER AND VEGETABLE GARDENS and NURSERIES.

KLEEN-GRO must be applied prior to weed seed germination.

For use in NURSERIES, HOME FLOWER GARDENS, STRAWBERRIES AND VEGETABLE GARDENS.

DO NOT USE ON Bugle-weed, Button pink, Carnation, Geum, Germander, Mesembryanthemum, Pansy, Phlox, Sweet William, Telanthera.

149 RECOMMENDED USAGES

WHEN TO USE

AT TIME OF SEEDING of Beans (dry, snap), Broccoli, Brussels sprouts, cabbage, cauliflower, collards, cucumbers, garlic, kale, lettuce, melons (cantaloupe, honeydew, watermelon), mustard greens, onions, potatoes (whole or cut pieces), Southern peas (blackeyed), squash (summer and winter), turnip greens and turnips.

BEST DOCUMENT AVAILABLE

AT TIME OF TRANSPLANTING of nursery stock and ornamental plantings, broccoli, Brussels sprouts, cabbage, cauliflower, eggplant, garlic, peppers, onions, sweet potatoes, yams and STRAWBERRIES.

One to six weeks AFTER SEEDING lettuce (head). Four to six weeks AFTER SEEDING cucumbers, squash, melons (cantaloupe, watermelon, honeydew).

Four to six weeks AFTER TRANSPLANTING tomatoes.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DO NOT GRAZE ON TREATED AREAS OR FEED PLANT REFUSE TO LIVESTOCK.

For the control of grasses and some broadleaved weed species, such as smooth and hairy crabgrass, green foxtail, yellow foxtail, lovegrass, witchgrass, carpetweed, common chickweed, lambsquarter, purslane and Florida pussley, KLEEN-GRO is recommended at the rate of 320 to 360 pounds per acre, .8 (eight tenths) pounds per 100 square feet. A slightly higher rate of application (up to 420 pounds per acre) may be required for control of barnyardgrass, annual bluegrass, ground cherry, dodder, browntop panicum, goosegrass, Johnsongrass from seed, redroot pigweed, sesbania (*S. macrocarpa*) and nodding spurge.

KLEEN-GRO, when used at recommended rate, gives up to 3 months weed control. Bermudagrass, Johnsongrass established from rhizomes, nutgrass, galinsoga, wild mustard, ragweed, smartweed and velvetleaf have not been effectively controlled with KLEEN-GRO.

Spreaders should be checked to determine whether they are applying the correct amount of KLEEN-GRO. The application should be made to a uniform weed-free soil surface within two or three days following cultivation to prevent subsurface germinating weeds from becoming established before the KLEEN-GRO is activated. Disturbing the soil surface following application will reduce effectiveness. RATES OF APPLICATION CAN BE REDUCED BY BANDING.

If there is no effective rain within 3 to 4 days after KLEEN-GRO application, sprinkler irrigation should be used for best results.

KLEEN-GRO can also be applied by the shaker method. The ideal way of doing this is to measure off the area to be treated into small plots and then evenly spread the prescribed quantity of KLEEN-GRO over this area. 1 pound (1 quart) treats 125 square feet (area 12.5 feet x 10 feet), 1 cupfull treats 25 square feet.

See enclosed direction sheet for full details and recommendations for use and pictures of grasses and weeds controlled.

STORAGE AND DISPOSAL

Do not contaminate water, food, feed, seed or fertilizers by storage, disposal or cleaning of equipment. Store in a dry place.

PESTICIDE DISPOSAL:

Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures under Subtitle C of the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL:

Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by State and local authorities.

WARRANTY - CONDITION OF SALE:

DIRECTIONS FOR USE of this product are based on field use and tests believed reliable and should be followed carefully. It is however impossible to eliminate all risks associated with use of this product. Because such factors as weather conditions, foreign material and manner of use for application are all beyond the control of the Seller of this product, such things as crop injury, ineffectiveness or other unintended consequences may result.

ALL SUCH RISKS ARE ASSUMED BY THE BUYER

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the directions for use. Seller makes no other warranties, express or implied, including FITNESS OR MERCHANTABILITY. In no case shall the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product. The foregoing is a condition of sale by Seller and is accepted as such by the Buyer.

BEST PRICE AVAILABLE