



Selective Post-Emergence Weed Killer

SPEEDY WEEDER

APPLIED
MAY 14 1982
728-79

KILLS: Dallis grass, Nutgrass, Johnson grass, Bahiagrass, Barnyard grass, Chickweed, Cocklebur, Watergrass and Goosegrass.

ACTIVE INGREDIENT:

Monosodium Acid Methanearsonate* 34.8%

INERT INGREDIENT 65.2%
TOTAL 100.0%

Total Arsenic (as elemental) all water soluble from 16.1%

*Product contains 4 lbs. MSMA per gallon.

KEEP OUT OF THE REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes and get medical attention.

IF ON SKIN: Immediately remove contaminated clothing, INCLUDING SHOES, and wash skin with soap and plenty of water. If irritation develops, send for a physician.

See Side Panel For Additional Precautionary Statements.

Southland Pearson & Company
Box 7344
Mobile, Alabama 36607

EPA Reg #728-79
EPA Est #728-AL-1

Net Content:



PRECAUTIONARY STATEMENTS

Hazards to humans and domestic animals.

CAUTION: HARMFUL IF SWALLOWED. Avoid Breathing of Spray. Do Not Take Internally. Avoid Contact with Skin and Eyes. Wear regular long-sleeved work clothing. Change to clean clothing daily. Wash hands and face before eating. Wash thoroughly after handling. Keep children and domestic animals off treated areas until this material has been washed into the soil.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of waste. Do not contaminate waters used for domestic consumption, or by animals, wildlife and aquatic life, or for irrigation purposes.

GENERAL INFORMATION: Speedy Weeder is useful for selective post-emergent weed control, particularly for grassy weeds. Its phytotoxic properties are quickly inactivated on contact with soil. It is a combination of herbicide and surfactant. It is unnecessary to add any other surfactant to the spray solution. Best results are obtained on young actively growing weeds at air temperatures above 70°F.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

MIXING INSTRUCTIONS: Speedy Weeder must be thoroughly dissolved. Fill the spray equipment reservoir about half full with water and add the required amount of herbicide with agitation. Finish filling the reservoir with water and apply. After use, clean equipment thoroughly by flushing with water. Do not store spray solution in tank for prolonged periods.

LAWN AND ORNAMENTAL TURF: Speedy Weeder is useful for control of nutgrass, Dallisgrass, snadbur, Bahiagrass, barnyard grass, chickweed and wood sorrel with little or no injury to good lawn grasses. On new lawns, do not treat until after three mowings. Good grasses may be temporarily discolored. Zoysia, bluegrasses and bermuda are quite tolerant. Do not use on St. Augustine or Centipede.

Mow lawns 1 to 1½ inches high before treatment. MIX 1½ FLUID OUNCES (3 tablespoonful) of Speedy Weeder in 5 gallons of water and apply to an area of 1,000 square feet. Spray thoroughly to wet all undesirable plants. Repeat applications, 10 to 14 days apart, may be needed for good control.

NON-CROP: Speedy Weeder is useful for control of Johnsongrass, nutseige, barnyard grass and similar weeds on drainage ditchbanks, right-of-way, fence rows, storage yards and similar non-crop areas.

Mix Speedy Weeder at rate of 2 to 5 quarts in 100 gallons of water. Spray unwanted vegetation thoroughly to just short of runoff. Any spray equipment that gives good coverage may be used. If regrowth occurs, reapply as required.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment.

PESTICIDE DISPOSAL:

Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures under Subtitle C of the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL:

Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by State and local authorities.

WARRANTY - CONDITION OF SALE:

DIRECTIONS FOR USE of this product are based on field use and tests believed reliable and should be followed carefully. It is however impossible to eliminate all risks associated with use of this product. Because such factors as weather conditions, foreign material and manner of use for application are all beyond the control of the Seller of this product, such things as crop injury, ineffectiveness or other unintended consequences may result.

ALL SUCH RISKS ARE ASSUMED BY THE BUYER

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the directions for use. Seller makes no other warranties, express or implied, including FITNESS OR MERCHANTABILITY. In no case shall the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product. The foregoing is a condition of sale by Seller and is accepted as such by the Buyer.