



**INSTITUTIONAL
BUG KILLER**

**For Use In Food Establishments,
Theatres, Warehouses, Industrial Plants
And Homes**

**Grade AA Housefly Spray
Non-Staining - Kills DDT Resistant Insects**

ACCEPTED
OCT 5 1982
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
LPA Reg. No. **728-82**

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

ACTIVE INGREDIENTS:

| | |
|--|----------------|
| Piperonyl Butoxide, Technical* | 0.50% |
| Pyrethrins | 0.06% |
| Petroleum Oil | 99.44% |
| TOTAL: | 100.00% |

*Equivalent to .40% of (butylcarbityl) (6-propylpiperonyl) ether,
and to .10% of related compounds.

SOUTHLAND PEARSON'S INSTITUTIONAL BUG KILLER is an effective, fast-acting insecticide for the control of roaches, ants and other listed injurious and annoying insects. It can be used around food, food products and utensils, but should not be applied directly to uncovered food or foodstuffs.

SOUTHLAND PEARSON'S INSTITUTIONAL BUG KILLER is highly useful for insect control in residences, institutions, public buildings, hospitals, hotels, clubs, restaurants, stores, markets, theatres, and other situations where an effective insecticide is required.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Do not induce vomiting unless instructed to do so by a physician. Aspiration is a potential hazard.


IF ON SKIN: Immediately remove contaminated clothing, INCLUDING SHOES, and wash skin with soap and plenty of water. If irritation develops, send for a physician.

See Side Panel For Additional Precautionary Statements.

**Southland Pearson & Company
Box 7344
Mobile, Alabama 36607**

EPA Reg. #728-82

EPA Est. #728-81



PRECAUTIONARY STATEMENTS

Hazards to humans and domestic animals.

CAUTION: HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN. Avoid Breathing Vapors or Spray Mist. Avoid Contact with Skin and Eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is under way. After space spraying in meat packing plants, bakeries and other food processing plants, wash all equipment, benches, shelving, etc., where exposed food will be handled, with potable water. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Remove pets, birds and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not apply when weather conditions favor drift from areas treated.
Do not contaminate water by cleaning of equipment or disposal of waste.

PHYSICAL OR CHEMICAL HAZARDS

Do not store near heat or open flame.
Contents under pressure. Do not use or store near heat or open flame.
Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

GENERAL INFORMATION

FOR USE IN FOOD ESTABLISHMENTS, THEATRES, WAREHOUSES, INDUSTRIAL PLANTS AND HOMES. Grade AA Housefly Spray. Kills - Roaches, Silverfish, Crickets, Ants, Spiders, Flies, Mosquitoes, Grain Moths, Gnats, Wasps, Hornets, Bedbugs, Clothes Moths, Carpet Beetles, Fleas, Brown Dog Ticks in buildings, Grain Insects listed below.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.


For most effective results against the active stages of the above-mentioned insects, use in a good sprayer adjusted to deliver a fine mist. Treat infested areas thoroughly and whenever possible keep windows and door closed for ten minutes after spraying.
Flying Insects: For control of flies, mosquitoes, gnats, wasps, hornets, direct the spray toward the upper portions of the room and saturate the atmosphere with the mist.

Crawling Insects: For control of roaches, silverfish, crickets, spiders, spray behind baseboards, moldings, cabinets, shelves, sinks, door and window frames, and pipes toward drains and dark corners, and into cracks and crevices and similar hiding places. Against ant infestations, treat shelves, cabinets and storage areas, spray ant runs, trails, baseboards, thresholds and other places of entry, and spray nests thoroughly. For control of clothes moths and carpet beetles, brush thoroughly and after airing, infested articles may be treated by holding the spray nozzle at least 3 feet away from the fabric and applying the spray lightly. Thorough coverage is essential for control. Treat both sides of rugs, carpets and pads, and all exposed and accessible surfaces of over-stuffed furniture. Repeat treatment monthly as needed for susceptible articles not stored in mothtight containers. Interior surfaces of storage containers, such as closets and trunks, should be thoroughly sprayed in order that all moths larvae that may be feeding on lint in the cracks be killed.

For control of fleas, apply to floor and baseboards and to walls to a height of 1 foot. Spray rugs and furniture lightly.

For control of brown dogticks, spray or paint baseboards, draperies, and all other possible hiding places. Home and institutional pantries and food storage frequently become infested with various stored food pests including flour beetles, meal moths, grain and cheese mites. To avoid sources of re-infestation, wormy flour, grain and cereal should be destroyed before treatment. Spray thoroughly all surfaces of shelves, bins, cupboards, cabinets, pantries, lockers, and similar storages, with particular attention to cracks, crevices, niches and other hiding places. Do not spray foodstuffs containing food pests. Spray pests only when exposed and away from foods.

BUG KILLER is an excellent insecticide for use as a vapor, fog or mist spray in special generators. Regulate dosage in accordance with equipment manufacturer's directions for the particular type of applicator employed. Application should be sufficient to fill enclosure with the fog, mist or vapor.



**STORAGE AND
DISPOSAL**

Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment.

Do not reuse empty container (bottle, can, bucket). Wrap (container) and put in trash collection.

WARRANTY - CONDITION OF SALE:

OUR RECOMMENDATIONS FOR USE of this product are based upon tests believed reliable. Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith.

In no case shall Southland Pearson & Company or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product when such use and/or handling is not in strict accordance with directions given herewith. The foregoing is a condition of sale by Southland Pearson & Company and is accepted as such by the Buyer.

