



ACCEPTED
 JAN 22 1983
 U.S. Environmental Protection Agency
 Office of Pesticide Programs
 Registration Division
 EPA Reg. No. 728-93

TEXAS STAR FLY REPELLENT AND WOUND DRESSING

ACTIVE INGREDIENTS:	
Pine Tar	38%
Pine Oil	5%
Bone Oil, Anhydrous	23%
Turkey Red Oil	2%
Mineral Oil	8%
INERT INGREDIENTS.	24%
TOTAL	100%

**KEEP OUT OF THE REACH OF CHILDREN
 CAUTION**

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE VOMITING:** vomiting may cause aspiration pneumonia.

IF SPLASHED IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes and get medical attention.

IF SPILLED ON SKIN: Immediately remove contaminated clothing, INCLUDING SHOES, and wash skin with soap and plenty of water. If irritation develops, send for a physician.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if needed. See Side Panel For Additional Precautionary Statements.

Southland Pearson & Company
 Box 7344
 Mobile, Alabama 36607

EPA Reg #728-93
 EPA Est #728-AL-1

Net Content

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

CAUTION: HARMFUL IF SWALLOWED. Avoid Breathing of Spray. Do Not Take Internally. Avoid Contact with Skin and Eyes. Wear regular long-sleeved work clothing. Change to clean clothing daily. Wash hands and face before eating or smoking. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not apply when weather conditions favor drift from areas treated.
Do not contaminate water by cleaning of equipment or disposal of waste.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

GENERAL INFORMATION

A soothing protective dressing for application to superficial cuts, wounds, scratches and bruises on Horses. Repels Horseflies, Deer Flies, Stable Flies and Black Flies from treated wounds.

Do not use on food producing animals.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Apply liberally to all superficial cuts, wounds, scratches and bruises on Horses. Repeat application as often as necessary. This product is a valuable aid in protecting wounds as healing will be accomplished in a minimum of time. In case of deep or punctured wounds, serious burns or if redness, irritation or swelling persists or increases, consult a veterinarian.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment.

PESTICIDE DISPOSAL:

Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures under Subtitle C of the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL:

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or disposal of in a sanitary landfill, or by incineration if allowed by state and local authorities.

WARRANTY - CONDITION OF SALE:

OUR RECOMMENDATIONS FOR USE of this product are based upon tests believed reliable. Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith.

In no case shall Southland Pearson & Company or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product when such use and/or handling is not in strict accordance with directions given herewith. The foregoing is a condition of sale by Southland Pearson & Company and is accepted as such by the Buyer.

DIRECTIONS FOR APPLYING *LETHALAIRE*, A-50

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.
IMPORTANT—First read the precautions printed on Right Panel of Label.**

ENTOMOLOGICAL RECOMMENDATIONS: When applied as an aerosol, *LETHALAIRE* A-50 is recommended for use in peanut warehouses for the control of the Almond Moth, *Ephestia cautella* (Walker) and the Indian Meal Moth, *Plodia interpunctella* (Hbn)

GENERAL INFORMATION: *LETHALAIRE* A-50 applied as an aerosol in warehouse areas kills by contact. The vapor will give good control of moths and will also kill exposed larvae.

Peanut insects are most active between 5:00 P.M. and midnight. For this reason, aerosols applied between 5:00 P.M. and midnight give best results. Large quantities of peanuts can be treated rapidly and with relative economy.

PREPARATION OF WAREHOUSE AREAS: The preparation of warehouse areas is based primarily on the number of cubic feet of area to be treated. Several *LETHALAIRE* A-50 units can be mounted and wired in series. This enables two or more units to be activated simultaneously through the use of a single electrical switch. The number of units is based on an application rate of 2.5 grams of *LETHALAIRE* A-50 per 1000 cubic feet (1.5 gram of DDVP per 1000 cubic feet). A single automatic *LETHALAIRE* A-50 unit activated for a period of 45 seconds would treat approximately 50,000 cubic feet of area.

Treated warehouses should not be entered for a period of four hours after application, or until aerosol particles have settled.

The mechanical equipment used in the application of this insecticidal composition is covered by United States Patent Number 3,209,950, owned by Virginia Chemicals Inc.

LOT
NO.

DOT SHIPPING NAME
COMPRESSED GAS, n.o.s.

27-330882V