

DIRECTIONS: Begin applications when insect damage and disease conditions are evident. Repeat every 7 to 10 days or as necessary for good control on all vegetables listed below. May be applied to dry or moist foliage any time when good dusting conditions exist. For effective insect control, thoroughly cover both upper and lower surfaces of leaves.

TOMATOES—For control of Early and Late Blight, Anthracnose, Septoria Leaf Spot, Tomato Fruitworm, Tomato Hornworm, Flea Beetle, Leafhopper, Fall Armyworm, European Corn Borer and Stinkbug.

PEPPERS—For control of Anthracnose, Cespura, European Corn Borer, Corn Earworm, Flea Beetle and Hornworm.

EGGPLANT—For control of Alternaria, Anthracnose, Colorado Potato Beetle, Flea Beetle and Hornworm.

BEANS—For control of Rust, Anthracnose, Downy Mildew, Mexican Bean Beetle, Bean Leaf Beetle, Cucumber Beetle, Leafhopper, Flea Beetle, Japanese Beetle, Lima Bean Pod Borer, Lygus Bug and Corn Earworm. Do not apply within 7 days of harvest.

CUCUMBERS, SUMMER SQUASH AND WATERMELONS—For control of Downy Mildew, Cucumber Beetle, Flea Beetle, Melonworm, Pickleworm and Squash Bug.

CAUTION: Harmful if swallowed or inhaled. Do not take internally. Avoid breathing dust and contact with skin. Wash thoroughly with soap and water after handling. Change contaminated clothing daily. Avoid contamination of feed and foodstuffs, troughs and watering receptacles. Do not reuse empty container. Destroy it by burying with wastes or burning. Stay away from smoke and fumes.

Some phytotoxicity may occur on tender foliage in the presence of rain or high humidity of several days duration following application. This product is highly toxic to bees exposed to direct treatment residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

NOTICE: Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, handling and storage of this material not in strict accordance with directions given herewith.

STORE IN A DRY PLACE

PEARSON'S Tomato Dust

INSECTICIDE & FUNGICIDE

6% DITHANE Z-78* CONTAINING 3% SEVIN®



Double Ground to a Super-Fine Powder

FOR HOME AND TRUCK GARDEN USE

ACTIVE INGREDIENTS:	
Zineb (Zinc ethylene bisdithiocarbamate)	3.9%
(Metallic zinc content .92%)	
Carbaryl (1-Naphthyl N-Methylcarbamate)	3.0%
INERT INGREDIENTS:	93.1%
TOTAL: 100.0%	

CAUTION: Keep Out of Reach of Children.

(See back panel for additional cautions)

Manufactured by

PEARSON & COMPANY

Mobile, Alabama

Net Weight 1 Pound

* Trade Mark Reg. U. S. Patent Office

® Trade Mark of Union Carbide Corp.

U.S.D.A. Reg. No. 728-94