

728-108

PM-15

1/29/90

10, 5

SOUTHLAND PEARSON & COMPANY

BUG SPRAY

CONTAINS DIAZINON AND PYRETHRINS

KILLS

ANTS, WATERBUGS, ROACHES, CARPET BEETLES, FLIES, GNATS,
SPIDERS, MOSQUITOES, SCORPIONS, SILVERFISH

LASTS FOR WEEKS
EASY TO USE

ACTIVE INGREDIENTS:

Pyrethrins.....	0.050%
Technical Piperonyl Butoxide*	0.125%
Diazinon (O,O-Diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate).....	0.500%
INERT INGREDIENTS:**	99.325%
TOTAL	100.000%

*Equivalent to 10% of (butylcarbityl (6-propyl piperonyl) ether and .025% of related compounds.

** Contains petroleum distillates.

NOTICE: Read entire label and use in accordance with applications and cautions. Thorough, full coverage applications should be made as necessary for effective insect control.

KEEP OUT OF REACH OF CHILDREN


CAUTION

See Back Panel for Additional Cautions

EPA REG. NO. 728-108
EPA EST. NO. 728-AL-1

NET CONTENTS: 1 Quart

Manufactured By:
Southland Pearson & Company
P.O. Box 1141
Birmingham, Alabama 35202



Not Reviewed. Registrant claims to be in accordance with reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

BEST AVAILABLE COPY

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be fatal if swallowed. May be absorbed through the skin. May cause contact sensitization following repeated contact with skin in susceptible individuals. Avoid repeated contact with skin. If sensitization reactions result consult a physician. Do not breathe spray mist. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling and before eating or smoking. Avoid contamination of food. Do not use on humans or permit children to go into treated areas until spray has completely dried. Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Keep out of reach of domestic animals. Do not contaminate feed or use on household pets or livestock. Do not permit pets to go into treated areas until spray has completely dried.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Do not induce vomiting unless no other treatment is available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas promptly with soap and water. Rinse thoroughly.

IF IN EYES: Flush eyes with plenty of water. Call a physician immediately.

NOTE TO PHYSICIAN: If symptoms of cholinesterase inhibition are present, atropine sulfate is antidotal. 250mg is also antidotal and may be administered in conjunction with atropine.

ENVIRONMENTAL HAZARDS

Do not apply this product to areas where it may be absorbed through the skin. Do not apply to areas where it may be absorbed through the skin. Do not apply to areas where it may be absorbed through the skin. Do not apply to areas where it may be absorbed through the skin. Do not apply to areas where it may be absorbed through the skin.

BEST AVAILABLE COPY

potential hazards to birds and waterfowl. Avoid overlapping of sprays. Where irrigation (watering) is recommended apply a minimum of 0.25 inch of water immediately after application. Stop irrigation before puddling occurs. Keep out of lakes, streams, ponds, tidal marshes and estuaries (except for effluence from treated watercress beds). Do not apply to water that will be used for recreational purposes and human and livestock consumption. Shrimp and crab may be killed at applications rates recommended on this label. Do not apply where fish, shrimp, crab and other aquatic life are important resources.

This pesticide is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this pesticide or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill, or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Indoor Domestic Use. Use only in well-ventilated areas. If clothing is sprayed during application, remove clothing immediately after spraying and launder before wearing again. All food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Do not allow children or pets to contact treated areas until spray has dried.

Outdoor Domestic Use: Wear a long sleeve shirt and long legged pants. Spray with the wind to your back. If clothing becomes wet from spray during use, remove clothing after spraying, wash affected body areas thoroughly with soap and water, and launder clothing before wearing again.

Do not allow children or pets onto a treated area until the treated area such as grass or soil has dried.

WORK SAFETY RULES

REPEATED EXPOSURES TO CHOLINESTERASE INHIBITORS SUCH AS ARE CONTAINED IN THIS PRODUCT MAY, WITHOUT WARNING, CAUSE PROLONGED SUSCEPTIBILITY TO VERY SMALL DOSES OF ANY CHOLINESTERASE INHIBITOR.

If handled indoors provide mechanical exhaust ventilation.

Keep this unprotected persons, children, livestock, and pets away from treated areas until they have dried.

BEST AVAILABLE COPY

Do not rub eyes or mouth with hands. If you feel sick in any way STOP work and get help right away. See Practical Treatment Section.

PERSONAL PROTECTIVE EQUIPMENT: Long-sleeved shirt, long-legged pants, shoes and socks, and chemical resistant gloves.


IMPORTANT - Before removing gloves, wash them with soap and water. Always wash hands, face, and arms with soap and water before smoking, eating, drinking, or using the toilet.

AFTER USING THIS PRODUCT: Wash hands, face, and arms, with soap and water. Remove clothing that has become damp, wet, (or dusty) while using this product and wash them separately from household clothing. Clothing or gloves that have been heavily contaminated or drenched with diazinon must be destroyed according to State and local regulations. **HEAVILY CONTAMINATED OR DRENCHED CLOTHING CANNOT BE ADEQUATELY DECONTAMINATED.**

**DIRECTIONS
FOR USE OF SPRAYER ATTACHMENT**

1. Insert sprayer tube into can neck and tighten screw cap.
2. Prime sprayer by pumping trigger. Adjust nozzle to desired spray (fine spray full left, jet stream full right).
3. Spray clear water through sprayer after every use.
4. Remove sprayer and replace can cap after each use to prevent spillage and evaporation.
5. Use sprayer only with Southland Pearson's Professional Home Pest Control.

For control of **ANTS, WATERBUGS, ROACHES, SCORPIONS, SILVERFISH, and SPIDERS**, apply coarse spray directly on insects if possible. Also make applications with spray or paint brush at infested cracks or other areas where insects have been nesting, hiding, or coming into buildings. Special attention should be given to treatment of baseboards, areas around water pipes, cracks and crevices, attics, basements and areas where people gather. Repeat applications as necessary to maintain effective control.



BEST AVAILABLE COPY

For control of **CARPET BEETLES** make localized applications to areas of the floor and baseboards. Spray into cracks and under carpets where the insects are found. Also treat top surface of infested area of carpet. Treat crevices, cracks in closets and infested areas of shelving. Repeat as necessary.

For control of **FLIES, GNATS, MOSQUITOES, and FLYING MOTHS** spray around window frames, around floors, and areas where they alight or rest, and outside surfaces of screens, doors, and window frames.

NOTE: The solvent used in this formulation is a petroleum distillate which may stain certain plastic, rubber, and asphalt materials such as tiles and floor coverings. Do not treat such materials. Care should also be taken to avoid spotting of wallpaper and fabrics. When used in dwellings, care should be taken to avoid deposits which could be frequently contacted by children. Do not allow children in treated areas until surfaces are dry. Do not contaminate food, food containers, or cooking utensils.

STORAGE AND DISPOSAL

PESTICIDE AND CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly and wrap in several layers of newspapers before discarding in trash.

NOTICE: Buyer assumes all risks of use, storage, or handling of this material not in strict accordance with directions given herewith.

BEST AVAILABLE COPY

