



# ANT ROACH KILLER

FORMULA 17

**CAUTION: KEEP OUT OF REACH OF CHILDREN**  
READ CAREFULLY CAUTIONS ON BACK PANEL

**NET WEIGHT 15½ OZ. 0.439 KILOGRAM**

**ACCEPTED**  
EPA Reg. No. 729-44  
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide

**TO OPERATE: SHAKE OCCASIONALLY FOR CONTINUOUS SPRAYING.** To spray, tilt can slightly forward and press button. Hold dispenser about 12" from surface. This bomb is designed to produce a coarse, wet spray. Spray until surfaces are wet but without run off.

**GULFSpray ANT ROACH KILLER** contains BAYGON® for drive-out and quick kill of roaches. Ants and roaches wet with the spray are quickly killed. Surfaces wet with it remain effective (1 to 2 weeks for roaches indoors) if the spray residues are not removed by cleaning or wear.

**GULFSpray ANT ROACH KILLER** kills roaches resistant to certain chlorinated hydrocarbon and phosphate insecticides.

**ANTS, WASPS:** Apply to ants and ant trails and window frames, door frames and where they enter house. Spray wasps and wasps nests at night when insects are in nest. Do not spray vegetation.

**ROACHES, WATER BUGS, CRICKETS:** Spray heavily into all cracks and behind baseboards. When insects run out, spray them. Repeat treatment as required.

**BLACK WIDOW AND OTHER SPIDERS, SCORPIONS, HOUSE CENTIPEDES:** Spray places where you see them, such as spider webs, around windows, back of shutters and rainspouts, corners of garages and basements. Treat window frames and other entry points.

**SILVERFISH:** Spray crevices along baseboards in attic and basement areas. Remove books, spray bookcases, permit to dry before returning books. Treat back and beneath bookcases.

**BROWN DOG TICKS:** Spray crevices along wood trim around doors and windows, baseboards, etc. Spray all crevices where dog rests. Treat areas in porch and dog kennels. Fresh bedding should be replaced after spraying. Do not spray pets. Repeat as necessary.

**FLIES, MAGGOTS:** To aid in keeping garbage cans free of flies and maggots, spray inside and outside frequently.

#### ACTIVE INGREDIENTS

*2-(1-Methylethoxy) phenol methylcarbamate †	0.5%
Petroleum Distillates	76.5%
<b>INERT INGREDIENTS</b>	23.0%


\*BAYGON is a Reg. TM of the parent company of Farbenfabriken Bayer GmbH, Leverkusen. †U.S. Pat. No. 3,111,539

**CAUTION: HARMFUL IF SWALLOWED INHALED OR ABSORBED THROUGH THE SKIN.** If spray wets the skin wash thoroughly with soap and water and after handling and before eating or smoking. Do not spray humans, pets, plants, foodstuffs or food utensils.

**KEEP OUT OF REACH OF CHILDREN.** Do not permit children or pets to contact treated surfaces until dry. Avoid breathing spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes, or clothing should also be avoided. Should poisoning occur, get prompt medical aid—atropine sulfate is antidotal. Persons hypersensitive to ingredients should not use spray. Do not use as a space spray.

Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

**WARNING: Flammable! Contents under pressure.** Do not use near fire, sparks, or flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.



Do not spray asphalt tile, some linoleum, carpets with attached foam backing, and certain plastics. Tile adhesives may be loosened if over-treated. Do not spray radio or TV cabinets.

**GULF OIL CORPORATION**  
Gulf Building  
Houston, Texas 77002

EPA Reg. No. 729-44

EPA Est. 5590 IL 1  
Made in U.S.A.

C266K T LC

8 POUNDS

SECURITY

NET WEIGHT

# SEVIN\* - SULPHUR

## 2-6 SPRAY

**ACTIVE INGREDIENTS:**

Carbaryl (1-naphthyl N-methylcarbamate) ..... 12.50%  
Sulphur, as elemental ..... 69.75%

**INERT INGREDIENTS:**

U. S. D. A. Reg. No. 769-254 ..... 17.75%  
TOTAL ..... 100.00%

\*Trade Mark Union Carbide and Carbon Corp.  
for 1-naphthyl N-methylcarbamate

UNDER THE PE  
FUNGICIDE AND  
FOR ECONOMIC  
ED UNDER NO.  
ED ATTACHED C

769-254

1969

ACT  
STER.  
SUBJECT  
IN.

**CAUTION!** KEEP OUT OF REACH OF CHILDREN. Harmful if inhaled, swallowed, or absorbed through the skin. Do not breathe dust. Do not take internally. Avoid skin contact. Avoid getting in eyes. Wash thoroughly after using. Wash hands before eating. Wash all contaminated clothing with soap and water before re-use. Avoid contamination of foodstuffs, feed, troughs, and water receptacles. For protection of honeybees avoid use, if possible, during periods when honeybees are visiting the crop or neighboring crops. When necessary to use during such periods, warn beekeepers well in advance to locate hives at a safe distance (beyond bee flight range) until one week after application.

**NOTE FOR PHYSICIAN:** Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal.

## DIRECTIONS

**PEACHES:** To control Curculio, Oriental Fruit Moth, Cat-facing insects, Brown Rot and scab, apply this product at the rate of 8 pounds per 100 gallons of water. Applications should not be made when temperature is excessively high because of the danger of sulphur injury. The following schedule is suggested as a general guide but is in no way guaranteed. The number of applications and time of application may vary in different localities. Early ripening varieties will not require the full schedule of applications. Consult your State Agricultural Experiment Station or state spray schedule for specific directions.

### DO NOT APPLY THIS MATERIAL WITHIN 1 DAY OF HARVEST SPRAY SCHEDULE

- |   |   |
|---|---|
| 1. When all petals are off              | 6. 6 weeks before harvest of each variety |
| 2. When 3-4 shucks have shed            | 7. 4 weeks before harvest                 |
| 3. 7 to 10 days after No. 2             | 8. 2 weeks before harvest                 |
| 4. 12 to 14 days after No. 3            | 9. 1 week before harvest (see note below) |
| 5. 14 days after No. 4 (see note below) |   |

**NOTE:** Unless curculios or other insects are present at the time of sprays 5 and 9, this material can be omitted and only a Nutonex Sulphur spray for control of brown rot and scab need be applied. Additional sulphur or other fungicidal sprays or dusts may be necessary near and during harvest if conditions are favorable for brown rot development. If a mite problem develops following the use of this product, apply a good miticide. Consult us or your State Agricultural experiment station for additional information.

### POULTRY

**CHICKENS, TURKEYS, DUCKS, GEESE, GAME BIRDS and PIGEONS:** Control chicken mite, lice, fleas and bedbugs: Use conventional power spray equipment when spraying buildings for control of these pests. Use 8 pounds of Sevin-Sulphur (2-6) Spray per 25 gallons of water. Spray 1 to 2 gallons per 1000 square feet of wall bedding, litter or roost surface. Force spray into cracks and crevices. Repeat as needed. Ventilate while spraying. Do not use within 7 days of slaughter, avoid contamination of nests, eggs and feeding and watering troughs.

### DISPOSAL WARNING

Dispose of waste pesticide by burying in non-crop lands away from water supplies. Containers should be disposed of by burying with wastes or by burning. Stay out of smoke.

### NOTICE

The seller makes no implied warranty of merchantability nor any other warranties which extend beyond the description on this label.

861125

**Woolfolk Chemical Works, Ltd.**

Manufacturers

Ft. Valley, Ga.