

[729-45]

ACCEPTED

NOV 30 1972

UNDER THE FEDERAL INSECTICIDE ACT
FUNGICIDE AND ROENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
E UNDER NO. 729-45



MULTI-PURPOSE INSECT KILLER

FORMULA 14

KILLS INSECTS INDOORS & OUTDOORS

CAUTION: KEEP OUT OF REACH OF CHILDREN

SEE ADDITIONAL CAUTIONS ON BACK PANEL

NET WEIGHT 14 OZ.

0.397 KILOGRAM

DIRECTIONS FOR USE:

Shake well before each use. Remove protective cap. Aim spray opening away from person. Push button to spray.

KILLS: Houseflies, mosquitoes, gnats, wasps, roaches, earwigs, two spotted mites, sowbugs, spiders, centipedes, ants, biting flies, aphids (plant lice), leafhoppers, exposed thrips, adult whiteflies, plant bugs, Japanese beetles, spittlebugs.

CONTROL HOUSEHOLD PESTS:

FOR HOUSEFLIES, MOSQUITOES, AND GNATS: Close all doors and windows. Point nozzle upward, direct spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed. **FOR CRAWLING INSECTS:** Roaches, earwigs, grain mites, sowbugs, spiders and centipedes: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible. **ANTS:** Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

INDOORS—TO PROTECT HOUSE PLANTS: Spray infested African Violets, Philodendron, Geraniums, Begonias, and Coleus for aphids, exposed thrips and adult white flies. Leave the sprayed area when done indoors, and ventilate area after treatment is completed.

NUISANCE PESTS—ON OR ENTERING BUILDINGS:

WASPS: Applications should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary. Spray directly on stray wasps that enter buildings. **ANTS:** Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary. **SPIDERS:** Direct short burst of spray on spiders and repeat as necessary. **EARWIGS:** Spray directly on earwigs in crevices and other hiding places on outdoor porches, patio floor and doorway entrances.

OUTDOORS—TO REDUCE ANNOYANCE FROM FLYING INSECTS:

Reduce mosquitoes, gnats (midges), houseflies, biting flies and pyralid and noctuid flying moths by spraying their resting areas. Hold container 18 to 24 inches from shrub, bushes and grassy areas. Spray these areas with a slow sweeping motion at the rate of from 1 to 3 seconds per cubic yard of space while moving away from the treated areas. To reduce annoyance from these flying insects, treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

OUTDOORS—TO PROTECT ORNAMENTAL PLANTS:

To control aphids, exposed thrip, adult white flies, leafhoppers, two spotted mites, plant bugs, spittlebugs and Japanese beetles on smaller rhododendrons, birches, spruce, hemlock, spirea, dogwood, palm, mimosa, ~~toyon, viburnum, juniper, oak, maple, locust, forsythia, and yucca~~; and mimosa webworm larvae on mimosa, spray directly on insects. Hold container 18 inches from the infested plants. Spray in short spray bursts of 1 to 3 seconds or spray at the rate of one linear foot of growth per second. Direct spray to all sides covering foliage until slightly moist. Avoid heavy wetting. Repeat as necessary to obtain control.

Spray peonies, iris, zinnia, snapdragons, ageratums, chrysanthemums, nasturtiums, daisy, geraniums, marigolds, daphne, fatshedera, ivy, tobira, queen sago and broad leaf acacia for control of aphids, exposed thrips, adult white flies, leafhoppers, plant bugs, spittlebugs and Japanese beetles. Spray as directed above.

USE WITH CAUTION on azaleas, junipers, roses, including hybrid tea roses, flowering quince, ash and camellias. These plants may be subject to leaf or flower burn under certain conditions of use.

For adult white flies, two spotted mites, and mealybugs be sure to direct spray to contact these pests. Thoroughly cover the infested area. Use several repeat applications at two day intervals if necessary.

ACTIVE INGREDIENTS: *†(5-Benzyl-3-furyl)methyl 2,2-dimethyl-3-(2-methylpropenyl)cyclopropanecarboxylate 0.200% w/w. Related compounds 0.027%, d-trans Allethrin (allyl homolog of Cinerin I) 0.200%. Related compounds 0.015%, Aromatic petroleum hydrocarbons 0.265%.

INERT INGREDIENTS: 99.293%
*Cis/trans isomers ratio: max. 30% (±)cis and min 70% (±)trans.
†U.S. Patent No. 3,465,007.

CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleansed before using. When using the product in these areas, apply only when the facility is not in operation. Cover or remove fishbowls. Do not use on edible crops. **WARNING:** Contents under pressure. Do not puncture. Do not expose container to temperatures above 120°F. Never throw container into fire or incinerator.

GULF OIL CORPORATION

Gulf Building, Houston, Texas 77002, U.S.A. Made in U.S.A.
C272D-SJ-LP EPA Registration No. 729-45