



Moly-Stand

SOYBEAN SEED PROTECTANT
and PLANT MICRONUTRIENT

SAMPLE LABEL

Keep Out Of Reach Of Children
WARNING

Better Stands for Better Yields
with THIRAM and MOLYBDENUM

PROTECTS SEEDS: Designed to increase stand and yield by reducing losses from seed decay, damping-off and seedling blights caused by many seed and soil borne fungi.

STIMULATES GROWTH: Growth and yields are increased from 2 to 12 or more bushels per acre under many conditions.

CONTAINS 1/2 OZ. 38% MOLYBDENUM PER 4 OZ.

EASY TO USE . STAYS ON SEED
MAY BE APPLIED IN SEED-BOX OF PLANTER
FOR BEST RESULTS USE WITH INOCULATION

ACCEPTED
NOV 8 1982
Under the Federal Insecticide, Fungicide, and Plant Disease Act
728-73

ACTIVE INGREDIENT:

Thiram (Tetramethylthiuram disulfide) 25.00%

INERT INGREDIENTS: 75.00%*
TOTAL 100.00%

*This includes 4.75% metallic Molybdenum (12 1/2% of 38% Sodium Molybdate) which is a micronutrient.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes and get medical attention.

IF ON SKIN: Immediately remove contaminated clothing, INCLUDING SHOES, and wash skin with soap and plenty of water. If irritation develops, send for a physician.

See Side Panel For Additional Precautionary Statements.

EPA REG #728-73
EPA EST #728-AL-1

NET CONTENTS

Southland Pearson & Company
Box 7344
Mobile, Alabama 36607

PRECAUTIONARY STATEMENTS

Hazards to humans and domestic animals.

WARNING: HARMFUL IF SWALLOWED. Avoid Breathing of Spray. Do Not Take Internally. Avoid Contact with Skin and Eyes. Wear regular long-sleeved work clothing. Change to clean clothing daily. Wash hands and face before eating. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not apply when weather conditions favor drift from areas treated.
Do not contaminate water by cleaning of equipment or disposal of waste.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Apply 4 ounces Southland Pearson's MO-XY-STAND per bushel of seed by any convenient method, being sure to coat all seed. Afterwards, just before planting inoculate with a good fresh soybean inoculation.

INOCULATION. This product is not a substitute for legume inoculation. Unless good nitrogen fixing bacteria is either put on the seed at time of planting, or else is already amply present in the soil from previously grown soybean crops, the growing crop cannot get nitrogen from the air. The Thiram in Southland Pearson's MO-XY-STAND is less toxic than other fungicides to the legume inoculation. IT IS RECOMMENDED THAT SOYBEAN SEED ALWAYS BE INOCULATED. The inoculation must be applied just before planting. Do not plant until soil moisture conditions will permit prompt germination and growth, otherwise the inoculation will be lost.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment.

PESTICIDE DISPOSAL:

Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures under Subtitle C of the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL:

Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by State and local authorities.

WARRANTY - CONDITION OF SALE:

DIRECTIONS FOR USE of this product are based on field use and tests believed reliable and should be followed carefully. It is however impossible to eliminate all risks associated with use of this product. Because such factors as weather conditions, foreign material and manner of use for application are all beyond the control of the Seller of this product, such things as crop injury, ineffectiveness or other unintended consequences may result.

ALL SUCH RISKS ARE ASSUMED BY THE BUYER

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the directions for use. Seller makes no other warranties, express or implied, including FITNESS OR MERCHANTABILITY. In no case shall the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product. The foregoing is a condition of sale by Seller and is accepted as such by the Buyer.

NOTICE:

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combinations with other materials.

DIRECTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. FLO PRO Seed Protectant Concentrate is for use by professional seed treaters only. Observe all cautions and limitations on labeling of products used in mixtures.

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food or feed by storage, disposal, or by cleaning of equipment. Do not reuse empty container. Open dumping is prohibited.

PESTICIDE DISPOSAL

Pesticide, spray mixture or rinsate that cannot be used or chemical reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL

Triple rinse (or equivalent) and dispose in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

GENERAL

Consult federal, state or local disposal authorities for approved, alternative procedures such as limited open burning.

STORAGE

Store in a cool dry place.

Contents: U.S. 5 Gallons