

NEW!
UNI-BOTTLE
RE-TRAINED TREATMENTS

Sudbury
KELTHANE
LIQUID CONCENTRATE
MITE SPRAY

CONTROLS RED SPIDER (TICK-BORING) MITES AND OTHER MITES AND STOPS THEIR DAMAGE



ACTIVE INGREDIENTS: 6.1-Ba (Chlorophenyl)-2,2,2-trichloroethanol 18.5%
INERT INGREDIENTS 81.5%
TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE BACK FOR ADDITIONAL PRECAUTIONS

USE ONE
BOTTLE
EACH TIME
YOU SPRAY.

BUY
AND MIX
EXACTLY
WHAT YOU
NEED.

EACH
UNI-BOTTLE
DILUTES
TO MAKE
ENOUGH
SPRAY
FOR ONE
AVERAGE
APPLICATION.*

NO
MEASURING.
ACCURATE
AND EASY
TO USE.

CONVENIENT.
NO STORAGE
OF PARTIALLY
USED
BOTTLES.

BEST DOCUMENT AVAILABLE

*Please do not use this document for any other purpose than the one for which it was prepared. Do not use this document until all rights have been received.

#48144

Net Contents: 8 bottles, .08 fl. oz. each

EPA REG. NO. 731-35
EPA EST. NO. 731-MA-1

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

May be harmful if swallowed. Avoid contact with skin. Wash thoroughly after using. Do not smoke while using. Do not operate machinery or vehicles.

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician or Poison Center. Do not induce vomiting. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled — Remove victim to fresh air. Apply artificial respiration if necessary.

If on skin — Remove victim to fresh air. Wash affected areas with soap and water.

If in eyes — Flush eyes with plenty of water. Call a physician immediately.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not apply where runoff is likely. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARD

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

Mix unit bottle(s) with water in any type sprayer as specified below:

VEGETABLE SPRAY

For Two Spotted, Pacific, Tropical and Tomato Russet Mite on Green Beans, Lima Beans, Cucumbers, Cantaloupe, Summer Squash. Apply 1 unit bottle of Mite Spray mixed in 1 quart (32 oz.) of water for each 75 sq. ft. of crop area. **Tomatoes and Peppers:** Apply 1 unit bottle of Mite Spray mixed in 1 quart of water for each 62.5 sq. ft. of crop area. Make thorough coverage to all plant surfaces when Mite population appears. Repeat as necessary. Do not apply within 7 days of harvest of Beans or within 2 days of harvest of other vegetables listed. Do not feed crop residues to dairy or meat animals being finished for slaughter. Do not use on Green or Lima Beans in California.

ORNAMENTALS, FLOWERS, NURSERY STOCK AND SHADE SPRAYS

Control of Mites common on greenhouse or outdoor plants: Two-spotted, Pacific and Tropical. Use 1 unit bottle per 1 quart (32 oz.) of water. Apply when Mites are present and repeat as necessary.

FRUIT SPRAYS

For European Mite, Clover Mite, and Two Spotted Mites on Apples, Quinces, Peaches, Plums, and Cherries: Mix 1 unit bottle per 1 quart (32 oz.) of water. Make thorough full cover applications when Mite populations appear. If repeated applications are necessary, wait 10 to 14 days on Apples, Quinces and 30 days on the other fruits to avoid excessive residues. Wait 7 days before harvest on Apples, Quinces, Plums and Cherries. Do not apply within 14 days of harvest on Peaches.

CLOVER MITES

Clover Mites breed and feed on grasses, clover and other plants. Late in the fall they mass on vegetation around homes and on foundation walls. Homes may also be invaded by large numbers during the summer.


PREVENTION: To control Clover Mites use 1 unit bottle per quart (32 oz.) of water. Spray lower exterior walls, foundations, windowsills and other points of entering, as well as plants and lawns, for 10 to 20 ft. adjacent to buildings. Repeated applications may be necessary at 2 or 3 week intervals throughout the summer and fall. Clover Mites within the house may be killed by spot spraying with Pyrethrin Sprays. They may be sucked up with a vacuum. Brushing mites on indoor surfaces smears them, causing staining.

LIMITED WARRANTY: Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions.




Sudbury. SUDBURY LABORATORY, INC., 6 OCTOBER HILL ROAD, HOLLISTON, MA 01746

BEST DOCUMENT AVAILABLE



UNIT BOTTLE LABEL

 **Sudbury**
KELTHANE
MIX SPRAY
NET CONTENTS: .08 OZ.



ACTIVE INGREDIENTS: 11-B-DICHLOROPENTYL
2,2,2-TRICHLOROETHANOL 12.5%
XYLENE 34.0%
INERT INGREDIENTS 25.5%
TOTAL 100.0%
DANGER: NO FLAME, NO FUMES, NO MIST
KEEP OUT OF REACH OF CHILDREN
CAUTION:
See Back of Case for more information
Pesticide Registration No. 101-100000
EPA Reg. No. 101-100000



BEST DOCUMENT AVAILABLE

0325

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-547) WASHINGTON, D.C. 20460	EPA REGISTRATION NO. 711-35	DATE OF ISSUANCE 10/28/74
NOTICE OF PESTICIDE: ☒ REGISTRATION ☐ REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	TERM OF ISSUANCE	
NAME OF PESTICIDE PRODUCT		
NAME AND ADDRESS OF REGISTRANT (Include ZIP code) Sandbury Laboratory, Inc. 672 Patton Road Sandbury, PA 01776		
NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.		
On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.		
A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.		
Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.		
This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(a) provided that you: 1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data. 2. Add the phrase "EPA Registration No. 711-35" to your label before you release the product for shipment. 3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the 4-71 enclosure for a further description of final printed labeling. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(a). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy on the label is enclosed for your records.		
Ray H. Johnson, Chief Insecticide-Fungicide Branch Registration Division (WH-767)		
☐ ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL		DATE