(Front Panel)

MFA

746-29

DUST		
Insecticide - Fungicide	25~	
With 4% MALATHION Pur 1 2 1987		
ACTIVE INGREDIENTS:	16-29	
*Methoxychlor Technical	5.08	
**Captan	4.95	
Related derivatives	0.1%	
**Malathion	4.0%	
NERT INGREDIENTS:		
Total	100.0\$	
Equivalent to 4.4% 2,2-bis (p-methoxyphenyl) -1,1,1- trichloroethane and 0.6% other isomers and reaction p #N-Trichloromethylthio-4-cyclohexene-1,2-dicarboximi	de.	
***0,0-Dimethyl dithiophosphate of diethyl mercaptosu		
	(12	pt.)

MANUFACTURED FOR MFA COLUMBIA, MO 65201 OIL

NET CONTENTS:

1

EPA Reg. No. 746-29 EPA Est. 407-IA-1

(

...

ĺ

1-86-84-1

EPA)

NOV - 1987

Page 2

(Back Panel)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS D.1NGER

Causes irreversible eye damage. Harmful if swallowed or inhaled. Avoid breathing of dust. May cause allergic skin reactions. Wash thoroughly after using. Do not get in eyes. Avoid contact with skin and clothing. Remove residues remaining at harvest by washing, wiping, or similar effective means.

STATEMENT OF PRACTICAL TREATMENT

If in eyes: Flush with plenty of water. Call a physician. If swallowed: Drink promptly a large quantity of milk, egg whites, gelatin solutions, or if these are not available, drink large quantities of water. Avoid sloohol. If inhaled: Remove victim to frosh air. If not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not apply when weather conditions favor drift from areastreated. Do not apply where run off is likely to occur. Drift and runoff from treated ares may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE PRECAUTIONS

Wear goggles or face shield when handling. Remove contaminated clothing and separately launder clothing before reuse.

Wear chemical resistant gloves when using indoors or outdoors. When using outdoors wear long pants and long-sleeved shirt and apply with the wind to your back. Wash nondisposable gloves thoroughly with soap and water before removing,

Do not contaminate water, food, or feed by storage or disposal. STORAGE: Store in origin. container, in a cool, dry, secure area away from fertilizer, food, or feed. Keep container closed. PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. CONTAINER DISPOSAL: Do not reuse empty container. Wrap container ard put in trash.

Start application as soon as plants are set or immediately after true leaves form. Repeat every 7 to 10 days and after every rain. Follow the caution statements as regards latest treatment possible to avoid residues at harvest. Apply Garden Dust to cover both sides of leaves and the stems as well as possible. Dust on wet or dry foliage but preferably when air is still.

GARDEN DUST will control insects, and plant diseases listed below:



1

(

383

Page 3

CANT/LOUPES: Melon Horm, Striped Cucumber Beetle, Spotted Cucumber Beetle, Flea Beetle, Molon Aphid, Bacterial Wilt, Leaf Spot, Downy Mildew or Blight. Do not use within 7 days of harvest.

٩

(

TOMATOES: Leaf Spot, Anthracnose, Early and Late Blight, Fruit Spot, Tomato Horn Worm, Tomato Fruit Worm, Flea Beetles, Aphids, Leafhoppers, Psyllid. Do not use within 7 days of harvest.

ROSES: Leaf Spot, Aphids, Rose Chafer, Rose Leaf Roller, Rose Midge. Surface of beds should also be dusted.

FLOWER INSECTS: Chrysanthemum Thrips and Tier Climbing Cut Worm, Tussock Moth, Japanese Beetle, Thrips, Thrips on Snapdragons, White Fly, Sowbugs.

NOTICE: Buyer assumes all risk of use, storage or handling of this material not in strict accordance with directions given herewith.

^