



**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND  
DOMESTIC ANIMALS**

**CAUTION**

Harmful if swallowed. Contact with skin can cause toxic symptoms. Avoid breathing spray mist. In case of contact with skin, wash with soap and water. Avoid contamination of feed or foodstuffs.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish and wildlife. Keep out of any body of water. Apply this product only as specified on this label. Do not contaminate water by cleaning of equipment or disposal of wastes.

**PHYSICAL OR CHEMICAL HAZARDS**

Do not use, pour, spill or store near heat or open flame.

**DISPOSAL**

DO NOT REUSE EMPTY CONTAINER. WRAP CONTAINER AND PUT IN TRASH COLLECTION.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use a 1% emulsion for subterranean termites. Mix 1 gallon of MFA Chlordane E. C. in 49 gallons of water (2 1/2 ounces to 1 gallon) to produce a 1% water emulsion.

**SUBTERRANEAN TERMITES - DIRECTIONS  
FOR HOMEOWNER USE**

**TERMITE CONTROL IN EXISTING STRUCTURES**

**Buildings with Basements or Crawl-Spaces**

First remove all wood debris and wood forms. Around piers, pipes, chimney bases and along foundations of poured concrete dig a trench 6 inches wide and 4 inches deep. For brick and block foundations dig the trench about 12 inches deep. If footing is more than 12 inches deep, make holes with a crowbar, pierce a rod about one foot apart that extend from the bottom to the top of the footing. Make holes in hard-packed clay soils NEVER DIG TO THE TOP OF THE FOOTING. Apply the emulsion (1 gallon) in the trench at a rate of 4 gallons per foot per foot of depth. Apply back fill. Likewise, treat along foundations of crawl-space buildings. Apply a thin layer of untreated soil over

(Cont)

ACCEPTED  
FEB 22 1983  
U.S. Environmental Protection Agency  
as amended for this use  
registered under  
EPA Reg. No. 746-58



**CHLORDANE  
CONTROLS**

**ACTIVE INGREDIENTS:**

\*Technical Chlordane 42.00%

Aromatic Petroleum 54.00%

**INERT INGREDIENTS:** 4.00%

**TOTAL:** 100.00%

\*Equivalent to 16.92% hydroindane and

**CHILDREN**

**MEDICAL TREATMENT**

Call Poison Control Center immediately. Gastric lavage should be induced if material was taken internally. DO NOT INDUCE vomiting. Do not induce vomiting. Cause aspiration pneumonia.

Move to fresh air. Apply artificial respiration if indicated.

Remove contaminated clothing and wash affected areas with soap and water.

Flush eyes with plenty of water. Get medical attention immediately.

**PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS**

NET CONTENTS 1 GALLON

No. 746-58  
407-1A-1

V-988C-J

Manufactured For



Columbia, Mo. 65201

ACCEPTED  
 FEB 22 1983  
 U.S. Environmental Protection Agency  
 Fungicide Registration Division  
 registered under  
 EPA Reg. No. 746-58



# CHLORDANE

## CONTROLS

**ACTIVE INGREDIENTS:**

*Technical Chlordane	42.00%
Aromatic Petroleum	54.00%
<b>INERT INGREDIENTS:</b>	4.00%
<b>TOTAL</b>	<b>100.00%</b>

\*Equivalent to 16.92% of dicyclohexylhydroindane and

**KEEP FROM CHILDREN**

**EMERGENCY TREATMENT**

If swallowed, call Poison Control Center immediately. Gastric lavage should be induced if material was taken internally. **DO NOT INDUCE VOMITING** as this may cause aspiration pneumonia. Move to fresh air. Apply artificial respiration if indicated. Remove contaminated clothing and wash affected areas with soap and water. Wash eyes with plenty of water. Get medical attention immediately.

**PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS**

NET CONTENTS 1 GALLON

No. 746-58  
 407-1A-1

V-988C-J

Manufactured For  Columbia, Mo. 65201

...aces, and entrance slabs, drill  
 ...ervals, 6 inches from the founda-  
 ...half gallon of emulsion (or solution)  
 ... Refill holes Slabs with heat ducts or  
 ...at pipes should be treated by commercial  
 ... operator.

...ject is to establish a treated soil barrier which  
 ... prevent termite entry. Other critical areas may  
 ... also require treatment, particularly if there are in-  
 ... accessible areas, basements or slab-type construction.  
 ... It is suggested that you contact the Agricultural Co-  
 ... operative Extension Service for advice or consult a  
 ... Commercial Pest Control Service.

Avoid contamination of public and private water sup-  
 plies by following these precautions. Do not allow a  
 hose or any type of faucet extension to reach into the  
 termite chemical solution while filling or mixing this  
 material with water. Use anti-back-flow or anti-  
 siphonage equipment on all filling equipment. These  
 devices can be purchased at hardware or plumbing  
 supply stores. Use of anti-back-flow equipment will  
 help to insure that the user of this toxic chemical will  
 not contaminate domestic water supplies. Refer to  
 Federal (Federal Housing Administration), state, and  
 local specifications for safe distances of treatment  
 areas from wells. Soil in the vicinity of wells, cisterns  
 or ponds should not be treated if it is water satu-  
 rated, subject to excessive saturation due to an ac-  
 cumulation of water or if the soil to be treated  
 around the perimeter of the structure is at a grade  
 lower than surrounding yard or property area. If this  
 is the situation treat as follows: **Do Not Apply Under  
 Pressure.** Soil should be removed to an area safe from  
 well or domestic water contamination, treated, allowed  
 to stand undisturbed for two to four hours then re-  
 turned to the trench which has been lined with 4  
 mil. plastic sheeting. Be careful not to puncture the  
 plastic sheeting when returning soil to the trench. Do  
 not treat structures that contain cisterns or wells.

**RETREATMENT RESTRICTIONS**

1. Retreatment for subterranean termites should only be made when there is evidence of re-infestation subsequent to the initial treatment, or there has been a disruption of the chemical barrier in the soil due to construction, excavations, landscaping, etc.
  2. Retreatments may be made to critical areas in accordance with the application techniques described above. This application should be made as a spot treatment to these areas.
- Routine retreatment of the entire premises should be avoided.

**NOTICE**

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.