

PMW 746-60 1/3
10-5-89

MFA
METHOXYCHLOR E.C.

FOR USE ON:

FIELD CROPS GRAIN BINS
BEEF CATTLE

CONTAINS 2 POUNDS METHOXYCHLOR PER GALLON

ACTIVE INGREDIENTS:

*Methoxychlor, Technical	24.0%
INERT INGREDIENTS:	3.5%
Aromatic Petroleum Hydrocarbons.....	<u>72.5%</u>
Total	100.0%

*Consists of 21% 2,2-Bis(p-Methoxyphenyl)-1,1,1 Trichloroethane
and 3% other isomers and related compounds

KEEP OUT OF REACH OF CHILDREN
CAUTION


SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS

MANUFACTURED FOR
MFA OIL COMPANY
COLUMBIA, MISSOURI 65201

EPA Reg. No. 746-60
EPA Est. 407-IA-1

NET CONTENTS _____

Not Reviewed. Registrant claims to be in accordance with
Reregistration of Pesticide Product Guidance for Phase 2
Response, Page 2.12, Active to Inert Change in Status.



**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed. Avoid inhalation or contact with skin. Wash with soap and water after using. Do not use on food or feed crops within 7 days of harvest.

ENVIRONMENTAL HAZARDS

Highly toxic to fish. Do not contaminate any body of water nor apply to any area not specified on the label. This product is toxic to bees and should not be applied when bees are actively visiting the area. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.
Do not apply this product through any type of irrigation system.
Remove spray deposits from plant products consumed as food.

STORAGE AND DISPOSAL

STORAGE: Store in original container, in a cool, dry, secure area, away from fertilizer, food or feed. Keep container closed. Do not store in temperatures below 40° F. This product will tend to settle out under certain temperature conditions. If it settles, warm to 80° F., and agitate thoroughly before using.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Do not contaminate water, food, or feed by storage or disposal.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

BEEF CATTLE

HORN FLY CONTROL SPRAY: Use 1 cup per 3 gallons or 2 gallons per 100 gallons of water. Thoroughly cover each animal using about 2 quarts of spray. Repeat after 2 to 3 weeks or when flies reappear. Do Not apply on dairy cattle.

HORN FLY CONTROL BACKRUBBER: Beef Cattle Use Only. Dilute 1 quart to 1 gallon of fuel oil. Locate backrubber in a place where cattle normally loaf: spring-summer such as salt licks, shade, and water troughs. Initially charge backrubber to saturation. Recharge when necessary for control, or within two weeks. DO NOT let cattle use a backrubber that is dripping with the insecticide oil mixture.

**BEEF CATTLE LICE, HOG LICE
AND SHEEP TICKS:**

Use 1 cup per 3 gallons or 2 gallons per 100 gallons of water. Cover animals thoroughly, including inside of ears and bush of tail, using 2 quarts per hog or sheep and 4 quarts per beef animals. Repeat after 15 days except for sheep ticks.

ALFALFA AND CLOVER:

For control of Blister Beetle, Alfalfa Weevil, Clover Leaf Weevil, Leaf Hoppers, Webworms and Alfalfa Caterpillar. Apply 3 quarts per acre in water as determined by sprayer calibration. Apply to give complete coverage of foliage. Begin spraying at first signs of infestation, and repeat when needed. DO NOT spray during bloom nor apply within 7 days of cutting or grazing.

GRAIN BINS

Apply as residual spray to aid in control of larvae and adult stages of Cadelle, Sawtoothed Grain Beetle, Bran bugs and certain other insects attacking stored grain. Mix Methoxychlor E.C. at 1 quart per 9 quarts, or 1 gallon per 9 gallons of water. Apply to the thoroughly cleaned bin until surfaces are wet but not until runoff. Two gallons will spray about 1,000 square feet.

WARRANTY: Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. Neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to seller and buyer assumes the risk of any such use.

F71-84-1

