

ACCEPTED  
 MAY 25, 71  
 UNDER THE FEDERAL INSECTICIDE  
 FUNGICIDE AND REPELLENTS ACT  
 FOR ECONOMIC PESTICIDE REGISTER  
 ED UNDER NO. 746-100

746-100

8

8

NET CONTENTS, ONE PINT  
**NEW!**  
 BROAD-LEAF  
**Lawn  
 weed  
 Killer**  
 CAUTION:  
 KEEP OUT OF REACH OF CHILDREN  
 SEE OTHER CAUTIONS ON BACK PANEL

Manufactured for **MFA OIL** Columbia, Missouri  
 USDA Reg. No. 746-100

A SELECTIVE CONTROL FOR BROADLEAF WEEDS  
 POISONIVY AND POISON OAK



DANDELIONS



BUCKHORN




LANTANA



CHICKWEED

**"Lawn Weed Killer"**



Use and application: Dilute with water and apply as a spray for best results, apply when air temperatures are 50° to 95° F. To mix and dilute, use 1 gallon of water for 1 quart of product. One gallon of mixed spray should cover about 250 square feet.

For early season use against broadleaf weeds, buckhorn, lantana, and chickweed, mix 1 tablespoon New Lawn Weed Killer per gallon of water. Apply to thoroughly wet the weeds.

For late season use against mature broadleaf weeds, buckhorn, lantana, dandelions, and for control of weeds, grass, lantana, chickweed, etc., mix 1/2 ounce New Lawn Weed Killer per gallon of water. Apply to thoroughly wet all plant foliage. On cold soils and grass, repeat treatment Spring and Fall. NOTE: Do not apply within the drip line of trees and shrubs.

CAUTIONS

Avoid inhalation of spray mist. Avoid contact with skin, eyes and clothing. In case of contact, flush with water, for eyes, get medical attention. Do not take internally. Keep out of reach of children. Avoid spray drift to susceptible and desirable plants such as flowers, small trees, ornamental shrubs and vegetables. Coarse sprays are less likely to drift. Do not store or use near seeds, fertilizer or other pesticides. Do not use same spraying equipment used for this product to apply other pesticides to desirable plants. Do not use on St. Augustine or Doan's grass. Best grass or grass seedlings under two months old. Avoid contamination of irrigation ditches and water used for domestic purposes. Do not contaminate ornamental fish ponds. Do not reuse container. Destroy by burying in a safe place. Do not burn.

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2, 4-Dichlorophenoxyacetic Acid	13.57%
Dimethylamine Salt of Dicamba (3, 6-Dichloro-p-tolonic acid)	6.76%
Dimethylamine Salts of related acids	1.19%

INERT INGREDIENTS:

Equivalent to 11.30% 2, 4-Dichlorophenoxyacetic acid or 1 pound per gallon	
Equivalent to 5.65% 3, 6-Dichloro-p-tolonic acid (Dicamba) or 0.5 pound per gallon	
<b>Total</b>	<b>28.53%</b>
	<b>100.00%</b>

WARRANTY: MFA Oil Company warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. Neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to MFA Oil Company, and buyer assumes the risk of any such use. D-71

20

21

1177

UNDER THE  
FUNGICIDE AND RODENTICIDE  
FOR ECONOMIC POISON REGISTER-  
ED UNDER NO. .... SUBJECT  
TO ATTACHED COMMENTS.

746-100

NET CONTENTS, ONE PINT



**NEW**

**BROAD-LEAF**

# Lawn weed Killer

A SELECTIVE CONTROL FOR BROADLEAF WEEDS  
POISON IVY AND POISON OAK

**CAUTION:**

KEEP OUT OF REACH OF CHILDREN  
SEE OTHER CAUTIONS ON BACK PANEL



Manufactured for **MFA OIL** Columbia, Missouri

USDA Reg. No. 746-100




**DANDELIONS**



**BUCKHORN**



**PLANTAIN**



**CHICKWEED**

Lawn and  
drift, use  
For early  
Apply to  
For late  
clover, p  
onion and  
Avoid in  
tion Do  
Avoid sp  
likely to  
ply othe  
Avoid co  
Do not r  
ACTIVE IN  
Dimeth  
Dimeth  
Dimeth  
INERT IN  
EQUIVA  
EQUIVA  
WARRANT  
the label  
ability or  
normal c



ACCEPTED  
MAY 25, 71  
UNDER THE FEDERAL INSECTICIDE  
ACT  
FOR  
EPA REG. NO. 746-100

746-100

8

87

A SELECTIVE CONTROL FOR BROADLEAF WEEDS  
POISONIVY AND POISON OAK

NET CONTENTS, ONE PINT  
NEW  
BROAD-LEAF

# Lawn weed Killer

CAUTION:  
KEEP OUT OF REACH OF CHILDREN  
SEE OTHER CAUTIONS ON BACK PANEL

Manufactured for  
MFA  
OIL  
Columbia, Missouri  
USA, Reg. No. 746-100



DANDELION



BUCKHORN



LAMB'S



CHICKWEED

## "Lawn Weed Killer"

**INSTRUCTIONS**  
Apply with water and spray as a spray. For best results, apply when temperatures are 50 to 95 F. To maximize drift and coverage, one gallon of mixed spray should cover about 250 square feet.  
For many weeds use spray broadleaf weed killer, including, and 4-aminobenzoic acid 1 tablespoon New Lawn Weed Killer per gallon of water. Apply thoroughly over the weeds.  
For a season long control of broadleaf weeds, including, and for control of sprouting grasses, including, apply 1/2 cup of New Lawn Weed Killer per gallon of water. Apply to thoroughly wet all plant foliage. Do not walk and grass, repeat treatment Spring and Fall 1974. Do not apply within the dry line of trees and shrubs.

**CAUTIONS**  
Avoid utilization of spray mist. Avoid contact with your eyes and clothing. In case of contact flush with water for eyes get medical attention. Do not use indoors. Keep out of reach of children.  
Avoid spray drift to susceptible desirable parts such as flowers, shrub trees, ornamental shrubs and vegetables. Control sprays are less likely to drift. Do not store or use near seeds, fertilizer or other pesticides. Do not use same spraying equipment used for this product to use on other pesticides to desirable plants. Do not use on St. Augustine or St. Andrew grass. Best grass or grass seedlings under two months old. Avoid contamination of irrigation ditches and water used for domestic purposes. Do not contaminate ornamental fish ponds. Do not reuse container or breathe by turning on a side piece. Do not burn.

ACTIVE INGREDIENTS	Weight %
Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid	13.5%
Dimethylamine Salt of Dichloro-1,4-Dichloro-2-methyl-4-aminobenzoic acid	6.7%
Dimethylamine Salt of related acids	1.9%
<b>INERT INGREDIENTS</b>	<b>78.5%</b>
<b>Total</b>	<b>100.0%</b>

Equivalent to 11.5% 2,4-Dichlorophenoxyacetic acid or 1 pound per gallon.  
Equivalent to 5.8% 1,4-Dichloro-2-methyl-4-aminobenzoic acid or 0.5 pound per gallon.  
AEROSOL MFG. CO. warrants that this product conforms to its chemical description and is suitable for the purpose stated for the label when used in accordance with directions under normal conditions of use. Neither this warranty nor any other warranty of merchantability or fitness for a particular purpose extends to the use of this product contrary to label instructions, or under conditions, conditions of use, or otherwise, not reasonably foreseeable. © MFA Oil Company and hereby assumes the risk of any such use. D-1

1179

24