




**MFA  
OIL**



# CRABGRASS PREVENTER GRANULES

CONTAINS BANDANE\*

FOR PRE-EMERGENT CRABGRASS CONTROL and CONTROL OF CERTAIN LAWN INSECTS

## CAUTION

KEEP OUT OF REACH OF CHILDREN

### ACTIVE INGREDIENTS:

Polychlorodicyclopentadiene Isomers (Chlorine Content 60-62%) 7.5%

### INERT INGREDIENTS:

92.5%

Total

100.0%

\*Bandane — Reg. Trademark of Velsicol Chemical Corp.

### GENERAL INFORMATION

CRABGRASS PREVENTER applied pre-emergent will selectively control crabgrass in new seedlings or in established lawns or turf. Treatment may be applied at the same time as seeding on established lawns or turf. Do not use when sowing grass seed on new lawns or turf; best practice is to sow grass seed in the fall or early spring and apply CRABGRASS PREVENTER after seedlings are visible. Applied according to directions and under normal growing conditions pre-emergent applications will not adversely interfere with germination or fertilizer action and season long control can be expected.

### DIRECTIONS FOR USE

For pre-emergent crabgrass control apply CRABGRASS PREVENTER at the rate of 10 pounds per 1,000 square foot of lawn or turf. Timing is important — CRABGRASS PREVENTER must be applied prior to crabgrass seed germination; usually before May 1 or before lilacs bloom.

Calibrate spreader for even and uniform coverage. For best coverage without "skips" or "double-ups", apply one-half of the material the length of your lot and the other one-half the width of your lot. NOTE: Crabgrass does not grow in heavily shaded areas. No application is necessary around the base of trees or overhanging shrubs.

CRABGRASS PREVENTER used at the crabgrass application rate will also control Japanese beetle grubs, European chater grubs, white grubs, and ants.

### CAUTION

Avoid inhalation of dust and contact with skin. May be irritating if swallowed. In case of contact with skin, wash with soap and water. Keep children and pets out of treated area until material is washed into the soil. Avoid contamination of feed and foodstuffs.

To protect fish and wildlife — do not contaminate streams, lakes or ponds with this material. Birds feeding over treated areas may be harmed.

ANTIDOTE: External — In case of spillage on skin, wash promptly with soap and water. Internal — Emetic of 1 tablespoon mustard in tumbler of water. Call a physician.

DESTROY USED CONTAINERS. Do not reuse for any purpose. Destroy containers by burning or burying in an isolated area. If burned, keep out of smoke.

and apply CRABGRASS PREVENTER after seedlings are visible. Applied according to directions and under normal growing conditions pre-emergent applications will not adversely interfere with germination or fertilizer action and season long control can be expected.

### DIRECTIONS FOR USE

For pre-emergent crabgrass control apply CRABGRASS PREVENTER at the rate of 10 pounds per 1,000 square foot of lawn or turf. Timing is important. CRABGRASS PREVENTER must be applied prior to crabgrass seed germination; usually before May 1, or before lilacs bloom.

Calibrate spreader for even and uniform coverage. For best coverage without "skips" or "double-ups", apply one-half of the material the length of your lot and the other one-half the width of your lot. NOTE: Crabgrass does not grow in heavily shaded areas. No application is necessary around the base of trees or overhanging shrubs.

CRABGRASS PREVENTER used at the crabgrass application rate will also control Japanese beetle grubs, European water grubs, white grubs, and ants.

### CAUTION

Avoid inhalation of dust and contact with skin. May be fatal if swallowed. In case of contact with skin, wash with soap and water. Keep children and pets off treated area until material is washed into the soil. Avoid contamination of feed and foodstuffs.

To protect fish and wildlife, do not contaminate streams, lakes, or ponds with this material. Birds feeding over treated areas may be harmed.

ANTIDOTE: External - In case of spillage on skin, wash promptly with soap and water. Internal - Emetic of 1 tablespoon mustard in tumbler of water. Call a physician.

DESTROY USED CONTAINERS: Do not re-use for any purpose. Destroy containers by burning or burying in an isolated area. If burned, keep out of smoke.

WARRANTY: M.F.A. Oil Company warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. Neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to M.F.A. Oil Company, and buyer assumes the risk of any such use.

### SPREADER SETTINGS

USE THESE SETTINGS AS A GUIDE. EACH LAWN SPREADER WILL VARY IN APPLICATION ACCORDING TO ITS CONDITION. FINAL CALIBRATION MUST BE CHECKED ON ALL SPREADERS.

Spreader	Setting
Scotts	9
Jackson	7
Cyclone	7
Sears	7
Lawn Beauty	11

NOTE: The above settings are for total application at one time. If application is made in two different directions as noted in the "Directions for Use" divide above settings in half.

NET CONTENTS: 25 LBS.

MANUFACTURED FOR **M. F. A. OIL COMPANY** COLUMBIA, MISSOURI



ACCEPTED

901-976

# CRABGRASS PREVENTER GRANULES

CONTAINS BANDANE®

FOR PRE-EMERGENT CRABGRASS CONTROL and CONTROL OF CERTAIN LAWN INSECTS

**CAUTION**  
KEEP OUT OF REACH OF CHILDREN

ACTIVE INGREDIENTS  
 Pyrethroid bicyclopentadiene Isomers, Chlorine Content 60.62% 7.5%  
 INERT INGREDIENTS 92.5%  
 Total 100.0%

### GENERAL INFORMATION

CRABGRASS PREVENTER is a pre-emergent crabgrass preventer for use on lawns. It is effective against crabgrass and other broadleaf weeds. It is also effective against certain lawn insects. It is a granular product that is applied to the lawn in the fall or early spring.

### DIRECTIONS FOR USE

Apply CRABGRASS PREVENTER to the lawn in the fall or early spring. Apply at the rate of 1/2 lb. per 1,000 sq. ft. of lawn. Water the lawn thoroughly after application. Do not mow the lawn for 2 weeks after application. Do not fertilize the lawn for 2 weeks after application.

### CAUTION

Keep out of reach of children. Do not use on lawns that are heavily shaded. Do not use on lawns that are heavily fertilized. Do not use on lawns that are heavily mowed. Do not use on lawns that are heavily trampled. Do not use on lawns that are heavily watered. Do not use on lawns that are heavily irrigated. Do not use on lawns that are heavily sprayed. Do not use on lawns that are heavily treated with other lawn care products.

### SPREADER SETTINGS

TYPE OF SPREADER	SPREADER SETTINGS
Hand Broadcast	1/2 lb. per 1,000 sq. ft.
Drop Spread	1/2 lb. per 1,000 sq. ft.
Blow Spread	1/2 lb. per 1,000 sq. ft.
Other	1/2 lb. per 1,000 sq. ft.

NET CONTENTS 25 LB.

MANUFACTURED FOR M. F. A. OIL COMPANY COLUMBIA, MISSOURI