

should be planted at least 1 inch deep. Applications may be made over all or in band. The rate, above are for broadcast application. For band application, the rate should be reduced. When using a band applicator, the rate should be reduced to 1/2 the broadcast rate.

The operation of tillage implements should be such as to incorporate the herbicide into the soil. The herbicide should be applied to the surface immediately or within 4 hours after application. Good incorporation may be achieved with many tools including the following:

PTO-driven equipment (tillers, cultivators, hoes) set to cut 2-3 inches deep with rotors spaced to provide a clean sweep of the soil.

Double disc (or double disc with spiketooth harrow in tandem) set to cut 3-4 inches deep and operated in two different directions (crossed) at 4-6 mph.

after planting or prior to emergence. Seed should be planted at least 1 inch deep. For early planting or late planting, the rate should be reduced. For late planting, the rate should be reduced. For early planting, the rate should be reduced. For late planting, the rate should be reduced.


PEACH—Pre-emergence—Apply 1/2 quart per acre immediately after planting. Reduce application to 1/4 quart per acre if ground is hard or if temperature is below 60°F.

WOODY NURSERY STOCK—Dormant—Apply 4 to 8 quarts in 40 gallons of water per acre as a broadcast spray to clean weed-free soil. Direct spray to avoid wetting plants. Do not apply to nursery stock that will be transplanted sooner than one month after treatment.

U.S.D.A. REGISTRATION NUMBER 748-161

ACCEPTED

13 JAN 1976



CHLORO IPC

10G

10% GRANULAR CHLORO IPC

ACTIVE INGREDIENT:

Isopropyl N-(3-Chlorophenyl) Carbamate..... 10.0%

INERT INGREDIENTS..... 90.0%

100.0%

(Granular Base Used — 16/30 Mesh AA RVM Attapulgate Clay)

**WARNING! KEEP OUT OF REACH OF CHILDREN.
HARMFUL IF SWALLOWED.**

Do not take internally.

Avoid prolonged breathing of dust.

Use with adequate ventilation.

Avoid contact with skin and eyes.

In case of skin contact wash with plenty of soap and water.

In case of contact with eyes, flush with water; if swallowed,
induce vomiting; GET IMMEDIATE MEDICAL ATTENTION.

NET CONTENTS 50 POUNDS