U. S. DEPARTMENT OF AGRICULTURE AGRICULTURAL RESEARCH SERVICE	AKGIS TEATION NO.
PLANT PEST CONTROL DIVISION	DATE OF ISSUANCE
NOTICE OF REGISTRATION UNDER THE FEDERAL	NAME OF ECONOMIC POISON
INSECTICIDE, FUNGICIDE, AND RODENTICIDE ACT	SPROUT HIP IMULSIPIABLE CONCENTRATE
N ANY CORRESPONDENCE ON THIS PRODUCT ALWAYS REFER TO ABOVE EGISTRATION NUMBER.	-
AME AND ADDRESS OF REGISTRANT	
Г	7
Pittsburgh Flate Glass Company One Gateway Center Pittsburgh 22, Pennsylvania	
	1

On the basis of the information furnished by the registrant, the above named economic poison is hereby registered under Section 4 of the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted for registration is returned herewith.

Claims or directions for use which differ in substance from the representations made in connection with the application or changes in the name or formula of the economic poison covered by this notice should not be made prior to their submission to the Pesticides Regulation Branch and receipt of notice that they have been accepted.

Registration of a product is in no way to be construed as an endorsement or approval by this Department of any claims made for it. The labeling must not bear any reference to registration under this Act. In order to protect the public, the Secretary, on his own motion, may at any time cancel the registration of an economic poison and, in lieu thereof, issue a registration under protest, in accordance with Section 4(c) of the Act. In no event shall registration of an article, whether or not protested, be construed as a defense for the commission of any offense prohibited under Section 3 of the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by a trademark held by others.

A request for registration under a new formula or labeling may be submitted at any time.

Kelsen

Head, Registration Section Pesticides Regulation Branch

Enclosure **mac** 

PPC FORM 2-225 JULY 1959

· •.•· ·

Draft 2/10/61

## POTATO SPRCUT INHIBITOR

Panel 1

SFROUT NIP EMULSIFIABLE CONCENTRATE

Net Contents 5 gallons

Ý

Contains 15 lbs. Chloro IFC

Active Ingredient: Isompopyl N (3-chlorophenyl) carbamate 36% Inert Ingredients <u>64%</u> 100%

CAUTTON! HARMFUL IF SWALLOWED DO NOT TAKE INTERNALLY

Avoid prolonged breathing of vapor or spray mist. Avoid contact with skin and eyes. In case of skin contact, wash with plenty of soap and water and get medical attention. Keep container closed when not in use. Avoid prolonged exposure to air to prevent undue moisture pick up.

ACCÉPTED APR 11 1961 UNDER THE FEORAL INSECTICIDE FUNGICIO ANA RADENTICIDE ACT FOR ECONUMIC POISUN REGISTERED UNDER NO. MAIO - 10 3 182

PITTSBURCH PLATE CLASS COMPANY Chemical Division PETTSBURCH, PENNSYLVANIA

Manufactured Under U. S. Patent No. 2,695,225

Panel 2

Picture

[Sec attachment]

### CONDITIONS OF SALE

ţ

Hittsburgh Flate Glass Company guarantees the material sold to be true to the label. Further than that, it makes no representation or warranty, and it shall not be held responsible for any injury to erops, person or property resulting from the use, storage or handling of said material whether in accordance with the directions or not. Nor does Fittsburgh Flate Glass Company guarantee that the residue of the material will not exceed any tolerance established by the appropriate governmental agencies. Application and storage conditions and other factors beyond Pittsburgh Flate Glass Company's cantrel, having much to do with the results, the buyer and/or user accepto and uses this material subject to the above conditions of cale.

# Panel 3

## DIRECTIONS FOR USE

Notice

Sprout Nip Emulsifiable Concentrate is used for treating potatoes

Apply after curing process (2 weeks after horvest) Do not apply in field.

Do not use on seed potatoes. This inhibition of sprouting at recommended rates is usually effective up to a year.

Wash equipment thoroughly with scap and water before using for seed potatces.

# Equipment

Í

Sprout Mip Emulsifiable Concentrate is applied as a 1% emulsion on the drying table after the potatees have been washed.

Spray nousle should be set to spray evenly across rolls moving the potatoes.

Dryer rolls will distribute Sprout Nip Emulsifiable Concentrate to assure complete coverage of each potato.

### Application

Dilute Sprout Nip Emulsifiable Concentrate to a 1% emulsion by adding 1 gallon of Sprout Nip Emulsifiable Concentrate to 35 gallons of water.

Agitate enough to form a uniform emulsion.

Apply at rate of 1 quart of 1% emulsion per 20 bags of potatees (100 younds for bag).