

FRONT



# PITTCOLOR®

POOL WATER OXIDIZER


SHOCK TREATMENT AND SUPER CHLORINATOR FOR SWIMMING POOLS

CONTROLS ALGAE, KILLS BACTERIA, DESTROYS ORGANIC CONTAMINANTS

RESTORES A CRYSTAL CLARITY TO POOL WATER

Active Ingredient . . . Calcium Hypochlorite*	. . . 65%
Inert Ingredients . . . . .	. . . . . 35%
	<u>100%</u>

\*Available Chlorine . . . . . 65%




DANGER!

KEEP OUT OF REACH OF CHILDREN

BEST DOCUMENT AVAILABLE

See label for instructions, Directions For Use, and additional Precautions on back panel



NET CONTENTS: 5.6 lbs. (2.5 kg)

DIRECTIONS FOR USE: It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Swimming pool water is subject to build up of a wide variety of organic contaminants including swimmer wastes such as perspiration, ammonia compounds, and natural and synthetic oils and lotions. If left untreated, the build up of these contaminants could lead to the development of noxious odors, irritating water, and unsightly water clarity problems. These organic wastes which serve as nutrients for bacteria, algae, and other organisms should be removed from the pool on a regular basis to prevent their build up. PITTCLOR pool water oxidizer will effectively reduce organic contamination in swimming pool water resulting in increased water clarity.

Superchlorination of Swimming Pools: PITTCLOR pool water oxidizer is ideal for use in routine superchlorination of pool water. Superchlorination is recommended to combat the growth of algae and other microorganisms which may be resistant to normal free available chlorine levels and to destroy unfiltered organic contamination which builds up in the pool water. To control the growth of algae and reduce the organic contamination, add 1 oz. of PITTCLOR pool water oxidizer to every 1,000 gallons of water by broadcasting the material directly into the pool water. To prevent any possible bleaching effect on vinyl lined pools, either use a pool brush to disperse and dissolve any undissolved granules setting on the bottom of the pool or preferably; predissolve the product in a clean plastic container of water and sprinkle the solution into the pool.

Add PITTCLOR pool water oxidizer at night or when the pool is not in use. Do not use the pool until the free chlorine residual has dropped to 3.0 ppm or less as determined using your test kit. Superchlorinate at least once per week during periods of heavy usage or when water temperatures are above 80°F and once every two weeks in residential pools receiving normal usage.

Shock Treatment: PITTCLOR pool water oxidizer can also be used to shock treat your pool water. A shock treatment is recommended whenever certain pool water quality problems such as visible signs of algae growth, noxious odors or unusual water clarity or color problems develop. A double dose of PITTCLOR pool water oxidizer gives you the extra power you need to combat these unpleasant pool water problems.

Shock treat your pool by adding 2 oz. of PITTCLOR pool water oxidizer for every 1,000 gallons of water by broadcasting the material directly into the pool water.

If algae is the problem, direct PITTCLOR pool water oxidizer as close to the algae as possible. It is important to remember that prolonged contact of this product with pool surfaces may cause staining or bleaching. Therefore, either use a pool brush to disperse and dissolve any undissolved granules setting on the bottom of the pool or preferably; predissolve the product in a clean plastic container of water and sprinkle the solution into the pool. Add PITTCLOR pool water oxidizer at night or when the pool is not in use. Do not enter the pool until the free chlorine residual has dropped to 3.0 ppm or less as determined using your test kit.

BEST DOCUMENT AVAILABLE

CALCIUM HYPOCHLORITE, HYDRATED - UN2300

748 - 138 EMERGENCY TELEPHONE NUMBER, PPG INDUSTRIES, INC., RATELIM, WY, (304) 443-1300

**DANGER! KEEP OUT OF REACH OF CHILDREN**

BACK

748-238

**PRACTICAL TREATMENT (FIRST AID)**

- **EYE OR SKIN CONTACT:** Flush with plenty of water for at least 15 minutes while removing contaminated clothing. For eye contact, get immediate medical attention. If skin irritation occurs, get medical attention.
- **INHALATION:** Remove to fresh air. If signs of irritation or discomfort occur, take immediately to a hospital or physician.
- **SWALLOWING:** If conscious, drink large quantities of water and/or olive oil or cooking oil. Do not induce vomiting. Take immediately to a hospital or physician. If unconscious, or in convulsions, take immediately to a hospital. Do not attempt to induce vomiting or give anything by mouth to an unconscious person.

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**DANGER!** Highly Corrosive • Causes Skin and Eye Damage • May Be Fatal If Swallowed • Irritating to Nose and Throat • Use goggles or face shield and rubber gloves when handling. Avoid breathing dust. Remove and wash contaminated clothing and shoes before reuse.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with NPDES permit. For guidance, contact the regional office of the EPA.

**PHYSICAL AND CHEMICAL HAZARDS**

**STRONG OXIDIZING AGENT!** Mix only with water. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause violent reaction leading to fire or explosion. Contamination with moisture, acids, organic matter, other chemicals or easily combustible materials such as petroleum or paint products may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of a fire or explosion.

**STORAGE AND DISPOSAL**

- Store this product in a cool, dry, well ventilated area.
- Keep away from heat sources, sparks, open flames, and lighted tobacco products.
- After use, rinse empty container thoroughly with water then place in trash collection.

**IN CASE OF FIRE:** Drench with water. PITTCLO<sup>®</sup> pool water oxidizer supplies oxygen; therefore, attempts to smother fire with a wet blanket, carbon dioxide, or a dry chemical extinguisher are ineffective.

**IN CASE OF SPILL OR LEAK:** Use extreme caution. Contamination may cause fire or violent reaction. Sweep up spilled material, using a clean dry shovel and broom and dissolve spilled material in water. Then immediately use solution as directed.

EPA Reg. No. 748-  
EPA Est. No. 748-0011

BEST DOCUMENT AVAILABLE

U.S. ENVIRONMENTAL PROTECTION AGENCY  
REGISTRATION DIVISION

REGISTRATION NUMBER: [ ]  
EXPIRES: 1984

**NOTICE OF PESTICIDE**

Product Name: [ ]  
EPA Reg. No.: [ ]

NAME AND ADDRESS OF REGISTRANT: [ ]  
  
**BEST DOCUMENT AVAILABLE**

**NOTE:** Changes in label text or other information that is accepted in connection with this registration must be promptly accepted by the Registrant in favor of protection of the label in its entirety. In any correspondence on this product, you must refer to the label of the U.S. EPA registration.

On the basis of information received by the Agency, the following pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act:

A copy of the label accepted in connection with this Registration/Reregistration is returned herewith.  
Registration is granted for the use of this product as approved by this Agency. In order to protect health and the environment, the Agency hereby prohibits the sale and use of this product outside the registration of a pesticide under the FIFRA Act. It is illegal to manufacture, distribute, or use this product in connection with the registration of a product under this Act if the label for the product does not contain the name of the pesticide and its use if it has been covered by the registration.

A copy of the label is being returned to the Registrant.  
SIGNATURE: [ ] DATE: [ ]

BEST DOCUMENT AVAILABLE

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product in a manner inconsistent with its label.
- This product may be used only for repackaging and formulating. Companies using this product are responsible for obtaining EPA Registration for their end-use product and permission, if desirable, for re-use of container.

STORAGE AND DISPOSAL

- Keep product in tightly closed, original container in a cool, dry place when not in use. Store in a cool, dry, well ventilated area away from heat sources, open flames.
- Containers should be thoroughly flushed with water to remove residual material then disposed of by placing containers in a sanitary landfill or by incineration if allowed by state and local authorities. Dispose of rinse water in accordance with all applicable government regulations.

PRECAUTIONARY STATEMENTS

HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS. HIGHLY CORROSIVE - CAUSES SKIN AND EYE DAMAGE - MAY BE FATAL IF SWALLOWED - IRRITATION TO NOSE AND THROAT. Wear goggles or face shield and rubber gloves when handling. Avoid breathing dust. Remove and wash contaminated clothing and shoes before reuse.

Environmental Hazards:

This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with NPDES Permit. For guidance, contact the regional office of EPA.

Physical and Chemical Hazards

STRONG OXIDIZING AGENT. USE ONLY CLEAN, DRY UTENSILS MADE OF METAL OR PLASTIC EACH TIME CALCIUM FLUORIDE IS TAKEN FROM THE CONTAINER. CONTAMINATION WITH MOISTURE, ACIDS, ORGANIC MATTER, OTHER CHEMICALS OR EASILY COMBUSTIBLE MATERIALS SUCH AS PETA OIL OR PAINT PRODUCTS MAY START A COMBUSTIBLE REACTION WITH GENERATION OF HEAT, LIBERATION OF HAZARDOUS GASES AND POSSIBLE GENERATION OF A FIRE OR EXPLOSION.

- IN CASE OF FIRE - Drown with water. Calcium hypochlorite supplies oxygen; therefore, attempts to smother fire with wet blanket, carbon dioxide or dry chemical extinguisher are ineffective.
- IN CASE OF SPILL OF LEAF - Use extreme caution. Contamination may cause chemical reaction with subsequent generation of heat, liberation of hazardous gases and possible generation of fire. Use spilled product with plenty of water or, sweep up spilled material using a clean dry shovel and broom and place into clean dry containers. Dispose of material and rinse water in accordance with all applicable governmental regulations.