

PM 21

748-248

7/14/97

1/7

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

JUL 14 1997

Cristina Griffin
PPG Industries, Inc.
c/o Delta Analytical
7910 Woodmont Avenue
Suite 1000
Bethesda, MD 20814

Subject: W53471P PILT 70 Plus Non-Conductive Concentrate
EPA Registration No. 748-248
Notification Per PR-Notice 95-2

Dear Ms. Griffin:

This will acknowledge receipt of your notification to comply with the provisions of PR-Notice 93-10 "Effluent Discharge Statement" label language, submitted under the provisions of FIFRA section 3 (c) 9. Based on a review of the submitted material, the following comments apply.

The application is acceptable and the notification has been made a part of the records for this file.

Sincerely,

Wanda Y. Mitchell
Notification Coordinator
Regulatory Management Branch II
Antimicrobial Division (7510W)

CONCURRENCES

SYMBOL	7510 W						
SURNAME	Mitchell						
DATE	7-14-97						



United States
Environmental Protection Agency
 Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number
 245294

Application for Pesticide - Section I

1. Company/Product Number 748-248	2. EPA Product Manager Bob Brennis	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) PPG Industries INC./ W53471P PILT 70 PLUS NON-Conductive conc.	PM# 32	
5. Name and Address of Applicant (Include ZIP Code) PPG Industries c/o Delta Analytical Corporation 7910 Woodmont Avenue, Suite #1000 Bethesda, MD 20814 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
 Notification per PR notice 93-10 and 95-2. Certification statement for 95-2 attached

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	If "Yes" Unit Packaging wgt. No. per container		<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name CRISTINA GRIFFIN	Title AGENT FOR PPG	Telephone No. (Include Area Code)
-----------------------	---------------------	-----------------------------------

<p align="center">Certification</p> <p>I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.</p>		Date Application Received (Stamped)
2. Signature 	3. Title AGENT FOR PPG	
4. Typed Name CRISTINA GRIFFIN	5. Date 6/18/97	

417

W53471P PILT "70" PLUS NON-CONDUCTIVE CONCENTRATE
Wood Preservative - For Industrial Use Only

Preserves and protects wood from rot and mildew.

DANGER! KEEP OUT OF THE REACH OF CHILDREN

Active Ingredient: Bis (Tributyl Tin) Oxide

Inert Ingredients

Total

3.48

96.52

100%

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS & DOMESTIC ANIMALS

DANGER: Corrosive, causes skin damage. Do not get on skin, on clothing, or in eyes. Wear face shield and rubber gloves when handling. May be fatal if swallowed or inhaled. Avoid breathing vapors. Use only in a well-ventilated area. Do not breathe vapors or spray mist.

PRACTICAL TREATMENT: In case of skin contact, remove contaminated clothing and immediately wash skin with soap and water. Get medical attention. Wash contaminated clothing before reuse. If in eyes, flush eyes with water. Get medical attention. If swallowed, do not induce vomiting. Get immediate medical attention. If inhaled, remove to fresh air. Use artificial respiration if breathing has stopped. Get immediate medical attention.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water by cleaning equipment or disposal of waste.

Added Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

CHEMICAL AND PHYSICAL HAZARDS: Flammable. Keep away from heat and open flame.

PPG INDUSTRIES, INC.

NET CONTENTS: 55 GALLONS

Coatings & Resins Division

One PPG Place

Pittsburgh, PA 15272



417

DIRECTIONS FOR USE: W53471P PILT "70" PLUS NON-CONDUCTIVE CONCENTRATE WOOD PRESERVATIVE - It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. For industrial use only. Should be used for controlling the concentration of the active ingredient of W53471P during its flowcoating or dipping application process according to test procedures furnished to the industrial user.

NOTE TO USER: To equal the composition of Ready To Use PILT "70" Plus Non-Conductive, blend one part by volume of PILT "70" Plus Non-Conductive Concentrate with four parts by volume of reducing solvent. To apply as ready to use, immerse the wooden parts by either flowcoating or dipping. Allow the wooden parts to dwell in the flowcoater or dip tank in contact with the PILT "70" Plus Non-Conductive a minimum of 15 seconds. Remove from solution and allow the wood to dry at 65-75°F in an area with engineered ventilation from 90 seconds prior to painting. Use xylol for clean-up solvent.

NOTE TO USER: Wear protective clothing and rubber gloves when handling freshly treated wooden parts or structures. Protective clothing should be washed before reuse.

STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Do not use or store near heat or open flame.

WOOD PRESERVATIVE DISPOSAL: PILT "70" Plus Non-Conductive wood preservative flowcoat or dipping material or xylol clean-up solvent that cannot be used according to label instructions must be disposed of according to applicable Federal, State, or Local procedures.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other approved State and Local procedures.

EPA REG. NO. 748-248

EPA EST. NO. 748-WI

4000

4000

5/7

W53471P PILT "70" PLUS NON-CONDUCTIVE CONCENTRATE
Wood Preservative - For Industrial Use Only

Preserves and protects wood from rot and mildew.

DANGER! KEEP OUT OF THE REACH OF CHILDREN

Active Ingredient: Bis (Tributyl Tin) Oxide

Inert Ingredients

Total

3.48

96.52

100%

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS & DOMESTIC ANIMALS

DANGER: Corrosive, causes skin damage. Do not get on skin, on clothing, or in eyes. Wear face shield and rubber gloves when handling. May be fatal if swallowed or inhaled. Avoid breathing vapors. Use only in a well-ventilated area. Do not breathe vapors or spray mist.

PRACTICAL TREATMENT: In case of skin contact, remove contaminated clothing and immediately wash skin with soap and water. Get medical attention. Wash contaminated clothing before reuse. If in eyes, flush eyes with water. Get medical attention. If swallowed, do not induce vomiting. Get immediate medical attention. If inhaled, remove to fresh air. Use artificial respiration if breathing has stopped. Get immediate medical attention.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water by cleaning equipment or disposal of waste.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

CHEMICAL AND PHYSICAL HAZARDS: Flammable. Keep away from heat and open flame.


PPG INDUSTRIES, INC.

Coatings & Resins Division

One PPG Place

Pittsburgh, PA 15272

NET CONTENTS: 55 GALLONS



6/7

DIRECTIONS FOR USE: W53471P PILT "70" PLUS NON-CONDUCTIVE CONCENTRATE WOOD PRESERVATIVE - It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. For industrial use only. Should be used for controlling the concentration of the active ingredient of W53471P during its flowcoating or dipping application process according to test procedures furnished to the industrial user.

NOTE TO USER: To equal the composition of Ready To Use PILT "70" Plus Non-Conductive, blend one part by volume of PILT "70" Plus Non-Conductive Concentrate with four parts by volume of reducing solvent. To apply as ready to use, immerse the wooden parts by either flowcoating or dipping. Allow the wooden parts to dwell in the flowcoater or dip tank in contact with the PILT "70" Plus Non-Conductive a minimum of 15 seconds. Remove from solution and allow the wood to dry at 65-75°F in an area with engineered ventilation from 90 seconds prior to painting. Use xylol for clean-up solvent.

NOTE TO USER: Wear protective clothing and rubber gloves when handling freshly treated wooden parts or structures. Protective clothing should be washed before reuse.

STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Do not use or store near heat or open flame.

WOOD PRESERVATIVE DISPOSAL: PILT "70" Plus Non-Conductive wood preservative flowcoat or dipping material or xylol clean-up solvent that cannot be used according to label instructions must be disposed of according to applicable Federal, State, or Local procedures.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other approved State and Local procedures.

EPA REG. NO. 748-248
EPA EST. NO. 748-WI