


PILTR 70 READY TO USE  
KEEP OUT OF REACH OF CHILDREN  
DANGER



WOOD PRESERVATIVE - FOR INDUSTRIAL USE ONLY

PRESERVES AND PROTECTS WOOD FROM ROT AND MILDEW

ACTIVE INGREDIENT: BIS (TRIBUTYL TIN) OXIDE . . . . .	.74
INERT INGREDIENTS: . . . . .	99.26%
TOTAL . . . . .	100.00%

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS & DOMESTIC ANIMALS

**DANGER:** CORROSIVE, CAUSES SKIN DAMAGE. DO NOT GET ON SKIN, ON CLOTHING, OR IN EYES. WEAR FACE SHIELD AND RUBBER GLOVES WHEN HANDLING. WEAR PROTECTIVE CLOTHING AND RUBBER GLOVES WHEN HANDLING FRESHLY TREATED WOODEN PARTS OR STRUCTURES. WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING. REMOVE CONTAMINATED CLOTHING AND WASH BEFORE REUSE. AVOID BREATHING VAPORS OR SPRAYMIST. MAY BE FATAL IF SWALLOWED OR INHALED. USE ONLY IN A WELL-VENTILLATED AREA.

**PRACTICAL TREATMENT:** IN CASE OF SKIN CONTACT, REMOVE CONTAMINATED CLOTHING AND IMMEDIATELY WASH SKIN WITH SOAP AND WATER. GET MEDICAL ATTENTION. WASH CONTAMINATED CLOTHING BEFORE REUSE. IF IN EYES, FLUSH EYES WITH WATER. GET MEDICAL ATTENTION. IF SWALLOWED, DO NOT INDUCE VOMITING. GET IMMEDIATE MEDICAL ATTENTION. IF INHALED, REMOVE TO FRESH AIR. USE ARTIFICIAL RESPIRATION IF BREATHING HAS STOPPED. GET IMMEDIATE MEDICAL ATTENTION.

PPG INDUSTRIES, INC.  
WOOD AND RESINS DIVISION  
ONE PPG PLACE  
PITTSBURGH, PA 15172

NET CONTENTS: \_\_\_\_\_ GALLONS  
\_\_\_\_\_ LBS/GAL

PPG 748-257 10 of 3

**ENVIRONMENTAL HAZARDS:** THIS PESTICIDE IS TOXIC TO FISH AND WILDLIFE. DO NOT APPLY DIRECTLY TO WATER OR WET LANDS. DO NOT CONTAMINATE WATER WHEN DISPOSING OF EQUIPMENT WASHWATERS.

**CHEMICAL AND PHYSICAL HAZARDS:** FLAMMABLE. DO NOT USE OR STORE NEAR HEAT SOURCES OR OPEN FLAME. DO NOT USE IN THE VICINITY OF PILOT LIGHTS.

**DIRECTIONS FOR USE:** PILTR 70 READY TO USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. FOR INDUSTRIAL USE ONLY. MUST BE APPLIED TO UNPAINTED CLEAN, DRY WOOD.

PILTR 70 READY TO USE PROTECTS AGAINST DECAY PRODUCING FUNGI, STAINING FUNGI, AND SURFACE MOLD.

**PRODUCT USES:** THIS PRODUCT IS RECOMMENDED FOR MILLWORK, SHINGLES (NOT ASBESTOS), SHAKES, LAPBOARDS, SMOOTH OR ROUGH-CUT SIDING, PLYWOOD, DECKS, PORCHES, RAILINGS, STRUCTURAL SUPPORT TIMBERS, FLATBEDS, COLDFRAMES AND GREENHOUSES. DO NOT USE FOR BELOW OR GROUND CONTACT APPLICATIONS REQUIRING PRESERVATIVE QUALITIES. DO NOT USE ON WOOD THAT WILL BE IN CONTACT WITH FOOD, FEED OR POTABLE WATER OR WHERE PROLONGED SKIN CONTACT WILL OCCUR. DUE TO THE PRESENCE OF PETROLEUM DISTILLATES IN THIS PRODUCT, DO NOT USE ON LUMBER THAT CAN BE USED WHERE DAIRY CATTLE OR LIVESTOCK CAN COME IN CONTACT WITH THE TREATED WOOD.

PILTR 70 READY TO USE IS USED AS IS. IMMERSE INDIVIDUAL WOODEN PARTS BY EITHER FLOWCOATING OR DIPPING. ALLOW THE WOODEN PARTS TO DWELL IN THE FLOWCOATER OR DIP TANK IN CONTACT WITH PILTR 70 READY TO USE A MINIMUM OF 15 SECONDS. BUNDLES OF PARTS SHOULD BE IMMERSUED FOR 4 MINUTES. REMOVE FROM SOLUTION AND, PRIOR TO PAINTING, ALLOW THE WOOD TO DRY AT 65-75°F IN AN AREA WITH ENGINEERED VENTILLATION ACCORDING TO THE FOLLOWING SCHEDULE:

<u>SOLVENT SYSTEM</u>	<u>DRYING TIME</u>
LACOLENE	12 HOURS
NAPHTHA	24 HOURS
XYLENE	48 HOURS
ALL OTHER SOLVENTS	72 HOURS

USE ALIPHATIC HYDROCARBON SOLVENT FOR CLEAN-UP SOLVENT.

PREPARE WOOD PRIOR TO TREATMENT IF POSSIBLE. IF NOT, LIBERALLY APPLY TWO COATINGS OF PILTR 70 READY TO USE TO ALL JOINTS, CRACKS, GAPS, HOLES OR OTHER OPENINGS.

2015

**PESTICIDE DISPOSAL:** PESTICIDE WASTES ARE ACUTELY HAZARDOUS. IMPROPER DISPOSAL OF EXCESS PESTICIDE, SPRAY MIXTURE, OR RINSATE IS A VIOLATION OF FEDERAL LAW. IF THESE WASTES CANNOT BE DISPOSED OF BY USE ACCORDING TO LABEL INSTRUCTIONS, CONTACT YOUR STATE PESTICIDE OR ENVIRONMENTAL CONTROL AGENCY, OR THE HAZARDOUS WASTE REPRESENTATIVE AT THE NEAREST EPA REGIONAL OFFICE FOR GUIDANCE. DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

**STORAGE:** Do NOT USE OR STORE NEAR HEAT OR OPEN FLAME.

**CONTAINER DISPOSAL:** TRIPLE RISE (OR EQUIVALENT). THEN OFFER FOR RECYCLING OR RECONDITIONING, OR PUNCTURE AND DISPOSE OF IN A SANITARY LANDFILL, OR BY OTHER APPROVED STATE AND LOCAL PROCEDURES.

EPA REG. NO. 748-257

EPA EST. NO. 748-257-WI-1