# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

FUB.

JUL 1 4 1997

Cristina Griffin PPG Industries, Inc. c/o Delta Analytical 7910 Woodmont Avenue Sūite 1000 Bethesda, MD 20814

Subject: PILT 70 Ready To Use

EPA Registration No. 748-257 Notification Per PR-Notice 95-2

Dear Ms. Griffin:

This will acknowledge receipt of your notification to comply with the provisions of PR-Notice 93-10 "Effluent Discharge Statement" label language, submitted under the provisions of FIFRA section 3 (c) 9. Based on a review of the submitted material, the following comments apply.

The application is acceptable and the notification has been made a part of the records for this file.

Sincerely,

Wanda Y. Mitchell Notification Coordinator Regulatory Management Branch II Antimicrobial Division (7510W)

CONCURRENCES							
SYMBOL 75/0W			******* * 5545*************************				
SURNAME ) Mitchell							
DATE 7-14-57							
			ansierra su s conv				



June 18, 1997

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504C)
Environmental Protection Agency
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington VA 22202

Attn: Bob Brennis, PM 32

Re: - Notification per PR notice 93-10 and 95-2

Company: PPG Industries, Inc.

Product names and EPA Reg. Number:

W53471P PILT 70 Plus Non-Conductive Concentrate, 748-248

PILT 70 Ready to Use, 748-257 PILT 77 Ready to Use, 748-277

Dear Mr. Brennis:

On behalf of PPG Industries Inc., I am submitting a notification of labeling changes to comply with PR notice 93-10, the effluent discharge statement.

Enclosed are:

- Application form
- 2 copies of revised label

We will be submitting more comprehensive label changes as an amendment in the near future. For now we are just updating the labels to add the effluent discharge statement. If you have any questions regarding this submission, please call me at (301) 652-5495.

Sincerely,

Cristina N. Griffin

Agent for PPG Industries Inc.

**Enclosures** 

cc: Scott Benton, PPG

7910 Woodmont Avenue Suite 1000 Bethesda, Maryland 20814 (301) 652-5495 FAX (301) 652-5408

Please read instructions on reverse before completing form.		Form Appro	oved, OMB No	2070-00	060. Approval ex	pires 05-31-98	
		Registrati		ndment	OPP Identifier Number		
Application for Pesticide - Section I							
1. Company/Product Number 748-257		2. EPA Product Manager Bob Brennis		3	3. Proposed Classification		
4. Company/Product (Name) PPG INDUSTRIES INC./ PILT 70 READY TO USE		PM# 32 None None			Restricted		
5. Name and Address of Applicant (Include ZIP Code) PPG INDUSTRIES INC. c/o DELTA ANALYTICAL CORPORATIO 7910 WOODMONT AVENUE, SUITE # 1 Bethesda, MD 20814 Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No.  Product Name						
	Sec.	tion - II	·				
Amendment - Explain below.  Resubmission in response to Agency letter dated  X Notification - Explain below.	Final printed labels in response to Agency letter dated "Me Too" Application.  Other - Explain below.						
Explanation: Use additional page(s) if necessary. (For section I and Section II.)  Notification per PR notice 93-10 and 95-2. Certification statement for 95-2 attached.							
	Sect	ion - III					
1. Material This Product Will Be Packaged In:				······································			
Child-Resistant Packaging  Yes*  No  No  If "Yes"  No. per	Resistant Packaging  Yes*  No  If "Yes"  Unit Packaging  Water  No. per  If "Yes"  Unit Packaging  Water  No. per  If "Yes"  Unit Packaging wgt. container  Packaging		No No. per		ntainer Metal Hestic Hess Heper Henr (Specify)		
Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions On Label					ilet		
Label Container Con Labeling accompanying product  6. Manner in Which Label is Affixed to Product Paper glued Stenciled Container Contai							
Section - IV							
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)							
Name CRISTINA GRIFFIN  Title AGENT FOR PPG  Telephone No. (Include Area Code) (301) 652-5495							
Certification  I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete.  I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.  6. Data Application  Received  (Stamped)  (Stamped)							
2. Signature —	3. Title	GENT FOR PF				) ) ) () () () () () () () ()	
4. Typed Name CRISTINA GRIFFIN 5. Date		6/18/97	7	- militar a - Thinging a street, spathages street	***	1/3/197 5/G	

#### PILT® 70 READY TO USE

# KEEP OUT OF REACH OF CHILDREN

DANGER

Wood Preservative - For Industrial Use Only

Preserves and Protects Wood from Rot and Mildew Active Ingredient: Bis (Tributyl Tin) Oxide Inert Ingredients Total

.74 99.26

100%

Contains Petroleum Distillates

## PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER: Corrosive, causes skin damage. Do not get on skin, on clothing, or in eyes. Wear face shield and rubber gloves when handling. Wear protective clothing and rubber gloves when handling freshly treated wooden parts or structures. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Avoid breathing vapors or spray mist. May be fatal if swallowed or inhaled. Use only in a well ventilated area.

PRACTICAL TREATMENT: In case of skin contact, remove contaminated clothing and immediately wash skin with soap and water. Get medical attention. Wash contaminated clothing before reuse. If in eyes, flush eyes with water. Get medical attention. If swallowed, do not induce vomiting. Get medical attention. If inhaled, remove to fresh air. Use artificial respiration if breathing has stopped. Get immediate medical attention.

PPG INDUSTRIES, INC. Coatings & Resins Division One PPG Place Pittsburgh, PA 15272

NET CONTENTS	Gallon		
	Lhs/Col		



ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Do not apply directly to water or wet lands. Do not contaminate water when disposing of equipment wash water.

addad

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

CHEMICAL & PHYSICAL HAZARDS: Flammable. Do not use or store near heat sources or open flame. Do not use in the vicinity of pilot lights.

DIRECTIONS FOR USE: PILT® 70 READY TO USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For industrial use only. Must be applied to unpainted clean, dry wood.

PILT® READY TO USE protects against decay producing fungi, staining fungi, and surface mold.

PRODUCT USES: This product is recommended for millwork, shingles (not asbestos), shakes, clapboards, smooth or rough-cut siding, plywood, decks, porches, railings, structural support timbers, flatbeds, cold-frames and greenhouses. Do not use for below or ground contact applications requiring preservative qualities. Do not use on wood that will be used in contact with food, feed or potable water or where prolonged skin contact will occur. Due to the presence of petroleum distillates in this product, do not use on lumber that can be used where dairy cattle or livestock can come in contact with the treated wood.

PILT® 70 READY TO USE is used as is. Immerse individual wooden parts by either flowcoating or dipping. Allow the wooden parts to dwell in the flowcoater or dip tank in contact with PILT® 70 READY TO USE a minimum of 15 seconds. Bundles of parts should be immersed for 3 minutes. Remove from solution and, prior to painting, allow the wood to dry at 65-75°F in an area with engineered ventilation according to the following schedule:

Solvent System	Drying Time
Lacolene	12 Hours
Naphtha	24 Hours
Xylene	48 Hours
All Other Solvents	72 Hours

Use aliphatic hydrocarbon solvent for clean-up solvent.



Cut and machine wood prior to treatment, if possible. If not, liberally apply two coatings of preservative to all joints, cracks, cut ends, holes or other openings.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by using according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance. Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Do not use or store near heat or open flame.

CONTAINER DISPOSAL: Triple rise (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

EPA Reg. No. 748-257

EPA Est. No. 748-257-WI-1

