

748-284

04/30/2006

1/5

June 30, 2006

Donna L. Butler
Regulatory Compliance Specialist
PPG Industries, Inc.
One PPG Place - 8 North
Pittsburgh, PA 15272

Subject: Pittabs G65
EPA Registration No. 748-284
Application Date: May 31, 2006
Receipt Date: June 2, 2006

Dear Ms. Butler:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA section 3(c)9.

Proposed Notification

addition of alternate brand name "Titan 325W SI Calcium Hypochlorite Tablets"

General Comments

Based on a review of the material submitted, the following comments apply:

The notification application is acceptable and a copy has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, please contact me at (703) 308-6345.

Sincerely,

Wanda Y. Henson
Product Reviewer (32)
Regulatory Management Branch II
Antimicrobials Division (7510P)

CONCURRENCES

MBOL	7510P	7510P						
RNAME	E. Berg	Henson						
DATE	6/30/06	6/30/06						

32



2/5

PPG Industries

PPG Industries, Inc.
One PPG Place – 8 North
Pittsburgh, PA 15272 USA

Donna L. Butler
Regulatory Compliance Specialist
Product Stewardship
Environment, Health & Safety
Phone: 1-412-434-2887
Fax: 1-412-434-2014
E-mail: dbutler@ppg.com

May 31, 2006

Ms. Emily H. Mitchell, Product Manager 32
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

**RE: EPA Reg. No. 748-284, Pittabs G65
Notification of Alternate Brand Name per PR Notice 98-10**

Dear Ms. Mitchell:

This is a notification to EPA that PPG is adding the alternate brand name of "**Titan 325W SI Calcium Hypochlorite Tablets**" under the Pittabs G65 Registration No. 748-284. Attached are completed EPA Form 8570-1, Application for Pesticide Amendment, and two copies of the Titan 325W SI Calcium Hypochlorite Tablets container label for your review.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If you have any questions, please call.

Very truly yours,

Donna L. Butler

Attachments



United States
Environmental Protection Agency
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 748-284	2. EPA Product Manager Mitchell	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Pittabs G65	PM# 32	
5. Name and Address of Applicant (Include ZIP Code) PPG Industries, Inc. One PPG Place - 8 North Pittsburgh, PA 15272 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input checked="" type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

This is a notification to EPA that PPG is adding the alternate brand name of "Titan 325W SI Calcium Hypochlorite Tablets" under the Pittabs G65 Registration No. 748-284. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:

Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt No. per container

3. Location of Net Contents Information
 Label Container

4. Size(s) Retail Container

5. Location of Label Directions

6. Manner in Which Label is Affixed to Product
 Lithograph
 Paper glued
 Stenciled Other _____

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Donna L. Butler	Title Regulatory Compliance Specialist	Telephone No. (Include Area Code) 412-492-5457
-------------------------	---	---

Certification
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

2. Signature 	3. Title Regulatory Compliance Specialist	6. Date Application Received (Stamped)
4. Typed Name Donna L. Butler	5. Date 5/31/06	

Titan® 325W SI
Calcium Hypochlorite Tablets
Para aplicación industrial

Actm. Hypochlorite Tablets 325W SI
 OSHA # 123456
 Version 1.0, 1998

KEEP OUT OF REACH OF CHILDREN
DANGER

Do not mix with other chemicals.
 Do not add water to product - Add product to water.
 See additional precautionary statements on each bag.

First Aid:
 If in eyes: Flush with water for at least 15 minutes. Get medical attention.
 If on skin or clothing: Wash with soap and water. Remove contaminated clothing.
 If swallowed: Do not induce vomiting. Drink water. Get medical attention.
 If inhaled: Move to fresh air. Get medical attention.
 Note to physician: Calcium hypochlorite.
 Contact 1-412-434-4515

STORAGE AND DISPOSAL

Customer Disposal: See local regulations.
Produce Disposal: See local regulations.
In Case of Fire: Use water, foam, or CO2.
In Case of Spill or Leak: Contain spill. Do not breathe vapors.
 See local regulations for disposal.

Net Weight **55 lbs.** (25 kg)
 PPG Industries Inc.
 P.O. Box 1000
 Pittsburgh, PA 15227
 Made in the U.S.A.

Titan® 325W SI
Tabletas de Hipoclorito de Calcio
Para aplicación industrial

Hipoclorito de Calcio 325W SI
 OSHA # 123456
 Version 1.0, 1998

Mantega fuera del alcance de los niños.
PELIGRO

No mezcle con otros químicos.
 No agregue agua al producto - Agregue el producto al agua.
 Vea otras medidas precautorias en la etiqueta posterior.

Primeros Auxilios:
 Si en contacto con los ojos: Lávese con agua abundante durante al menos 15 minutos. Busque atención médica.
 Si en contacto con la piel o la ropa: Lávese con agua y jabón. Quite la ropa contaminada.
 Si se ha tragado: No provoque el vomito. Beba agua. Busque atención médica.
 Si se ha inhalado el producto: Mueva a un lugar con aire fresco. Busque atención médica.
 Informe al médico: Hipoclorito de calcio.
 Llame al 1-412-434-4515

ALMACENAMIENTO Y ELIMINACION

Eliminacion de recipientes: Segun regulaciones locales.
Eliminacion del producto: Segun regulaciones locales.
En caso de incendio: Use agua, espuma o CO2.
En caso de derrame o escape: Contiene el derrame. No respire vapores.
 Segun regulaciones locales para la eliminacion.

Net Weight **55 lbs.** (25 kg)
 PPG Industries Inc.
 P.O. Box 1000
 Pittsburgh, PA 15227
 Made in the U.S.A.



EMERGENCY TELEPHONE
NUMBER
NUMERO DE TELÉFONO
DE EMERGENCIA
1-412-434-4515

CALCIUM
HYPOCHLORITE,
HYDRATED
UN2880 RQ

EPA Reg. No. 749-254
 EPA Est. No. 59401-0-1
 LPO122105SLTIT-0406A
 REC No. 250730780
 CAS No. 7778-54-3
 Nominal Tablet Weight:
 325 grams



Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Indicaciones de Uso

Es una violación de la Ley federal usar este producto en una manera diferente a las indicaciones de la etiqueta.

Indicaciones de Uso

Use: For: Home
Always read the entire label carefully before using 10 to 20 ounces of this product per 10,000 gallons of water in the home to control odors. Always read the entire label carefully before using 10 to 20 ounces of this product per 10,000 gallons of water in the home to control odors. Always read the entire label carefully before using 10 to 20 ounces of this product per 10,000 gallons of water in the home to control odors.

Instructions For Method
Always read the entire label carefully before using 10 to 20 ounces of this product per 10,000 gallons of water in the home to control odors. Always read the entire label carefully before using 10 to 20 ounces of this product per 10,000 gallons of water in the home to control odors.

Caution: For Method
Always read the entire label carefully before using 10 to 20 ounces of this product per 10,000 gallons of water in the home to control odors. Always read the entire label carefully before using 10 to 20 ounces of this product per 10,000 gallons of water in the home to control odors.

Label
Always read the entire label carefully before using 10 to 20 ounces of this product per 10,000 gallons of water in the home to control odors. Always read the entire label carefully before using 10 to 20 ounces of this product per 10,000 gallons of water in the home to control odors.

Refrigerator Cooling Water System
Always read the entire label carefully before using 10 to 20 ounces of this product per 10,000 gallons of water in the home to control odors. Always read the entire label carefully before using 10 to 20 ounces of this product per 10,000 gallons of water in the home to control odors.

Disposal Rates
Always read the entire label carefully before using 10 to 20 ounces of this product per 10,000 gallons of water in the home to control odors. Always read the entire label carefully before using 10 to 20 ounces of this product per 10,000 gallons of water in the home to control odors.

Use: For: Industrial Cooling Water System
Always read the entire label carefully before using 10 to 20 ounces of this product per 10,000 gallons of water in the home to control odors. Always read the entire label carefully before using 10 to 20 ounces of this product per 10,000 gallons of water in the home to control odors.

Disposal Rates
Always read the entire label carefully before using 10 to 20 ounces of this product per 10,000 gallons of water in the home to control odors. Always read the entire label carefully before using 10 to 20 ounces of this product per 10,000 gallons of water in the home to control odors.

Use: For: Industrial Cooling Water System
Always read the entire label carefully before using 10 to 20 ounces of this product per 10,000 gallons of water in the home to control odors. Always read the entire label carefully before using 10 to 20 ounces of this product per 10,000 gallons of water in the home to control odors.

Instructions For Method
Always read the entire label carefully before using 10 to 20 ounces of this product per 10,000 gallons of water in the home to control odors. Always read the entire label carefully before using 10 to 20 ounces of this product per 10,000 gallons of water in the home to control odors.

Caution: For Method
Always read the entire label carefully before using 10 to 20 ounces of this product per 10,000 gallons of water in the home to control odors. Always read the entire label carefully before using 10 to 20 ounces of this product per 10,000 gallons of water in the home to control odors.

Label
Always read the entire label carefully before using 10 to 20 ounces of this product per 10,000 gallons of water in the home to control odors. Always read the entire label carefully before using 10 to 20 ounces of this product per 10,000 gallons of water in the home to control odors.

Refrigerator Cooling Water System
Always read the entire label carefully before using 10 to 20 ounces of this product per 10,000 gallons of water in the home to control odors. Always read the entire label carefully before using 10 to 20 ounces of this product per 10,000 gallons of water in the home to control odors.

Disposal Rates
Always read the entire label carefully before using 10 to 20 ounces of this product per 10,000 gallons of water in the home to control odors. Always read the entire label carefully before using 10 to 20 ounces of this product per 10,000 gallons of water in the home to control odors.

Use: For: Industrial Cooling Water System
Always read the entire label carefully before using 10 to 20 ounces of this product per 10,000 gallons of water in the home to control odors. Always read the entire label carefully before using 10 to 20 ounces of this product per 10,000 gallons of water in the home to control odors.

Disposal Rates
Always read the entire label carefully before using 10 to 20 ounces of this product per 10,000 gallons of water in the home to control odors. Always read the entire label carefully before using 10 to 20 ounces of this product per 10,000 gallons of water in the home to control odors.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Danger: Highly Corrosive Causes irreversible eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles to face splash and safety glasses when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove all contaminated clothing and shoes before reuse. May be fatal if swallowed. Irritating to nose and throat. Avoid breathing dust.

Environmental Hazard: This product is toxic to fish and aquatic life. Do not discharge where it can come in contact with fish, shellfish, mollusks, crustaceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge if your community's water supply system withdraws directly from the discharge stream. Do not discharge into public waters, but discharge contact with State Water Quality Control Office of the EPA.

Physical and Chemical Hazards: Strong oxidizing agent. Mix only with water. Never mix with other products. Always add product to large quantities of water. Never add water to product. Do not mix with any other chemicals. Do not use this product in any container which contains remnants of any other products. Such use may cause violent reaction, leading to fire or explosion. Combustion with moisture, acids, organic matter, other chemicals or other combustible materials such as petroleum or other products may cause a chemical reaction with production of heat, liberation of flammable gases and pressure generation if fire or explosion. In case of construction or deconstruction, do not reuse containers if possible obtain the container in good or well-ventilated area. Report with appropriate volume of water, if necessary.

INSTRUCCIONES DE PRECAUCION

Riesgos para humanos y animales domesticos

PELIGRO: Altamente corrosivo. El producto causa danos irreversibles en los ojos y la piel. No mezcle el producto con otros productos. Siempre agregue el producto a grandes cantidades de agua. Nunca agregue agua al producto. No mezcle con otros productos. No use este producto en cualquier recipiente que contenga restos de otros productos. Tal uso puede causar una reaccion violenta que conduzca a fuego o explosion. La reaccion puede ser mas fuerte si se mezcla con agua. En caso de construccion o de desconstruccion, no reutilice los recipientes si es posible obtenga el recipiente en un area bien ventilada. Reporte con el volumen apropiado de agua, si es necesario.

Riesgos Ambientales: Este producto es toxico para peces y organismos acuaticos. No descargue los residuos que contengan este producto en aguas, rios, arroyos, lagunas, estanques, charcos o aguas para cultivo de peces, ni en ningun otro tipo de sistema de Saneamiento Nacional de Limpieza de Aguas. Consulte con el Estado para obtener informacion sobre el sistema de Saneamiento Nacional de Limpieza de Aguas. No descargue el producto en las plantas de Saneamiento de Aguas. Consulte con el Estado para obtener informacion sobre el sistema de Saneamiento de Aguas. Consulte con el Estado para obtener informacion sobre el sistema de Saneamiento de Aguas.

Riesgos Físicos y Químicos: Agente oxidante fuerte. Mezclar solo con agua. Nunca mezclar con otros productos. Siempre agregue el producto a grandes cantidades de agua. Nunca agregue agua al producto. No mezcle con otros productos. No use este producto en cualquier recipiente que contenga restos de otros productos. Tal uso puede causar una reaccion violenta que conduzca a fuego o explosion. La reaccion puede ser mas fuerte si se mezcla con agua. En caso de construccion o de desconstruccion, no reutilice los recipientes si es posible obtenga el recipiente en un area bien ventilada. Reporte con el volumen apropiado de agua, si es necesario.

