



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Natalie A. Gaydos Axiall, LLC 11 Stanwix Street Pittsburgh, PA 15222

SEP 12 2014

Subject:

PPG Shield Energizer

EPA Reg. No.

748-286

Application Date:

August 7, 2014

Receipt Date:

August 8, 2014

Dear Ms. Gaydos:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA section 3(c)9.

Proposed Notification:

Language to be added to Use Site Specific labels:

Page 4 and 5 replace "For a complete copy of the master label for this product, contact PPG or review the most current EPA stamped label at www.epa.gov/pesticides/pestlabels" with For specific literature on these and other accepted uses, write to address on the front label. [And/or] For specific literature on these and other accepted uses, contact Axiall. . [And/or] For additional directions for use, including Service Bulletins, visit www.axiall.com/calciumhypochloriteuse"

General Comments:

Based on a review of the material submitted, the following comment applies:

The notification application is acceptable and a copy has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, please contact me at <u>Henson.Wanda@epa.gov</u> or call (703) 308-6345.

Sincerely,

Wanda Henson¹

Registration Risk Manager

Regulatory Management Branch II Antimicrobials Division (7510P)

Please read instructions on re	everse side before completin	ng forn	Form	Approved. OMF	2070-00	060. Approval expires 05-31-98	
≎EPA	Environme	United States	ion Agency	☐ Registra ☐ Amenda ☐ Other	ition	OPP Identifier Number	
		Application	n for Pesticide – Se	ction 1		<u> </u>	
1. Company/Product Number 748-286			Demson Fu	2. EPA Product Manager Demson Fuller		Proposed Classification None Restricted	
4. Company/Product (Name) Axiall, LLC/PPG Shield Energizer			PM# 32		L L	None	
5. Name And Address Of Applicant (Include ZIP Code) Axiall, LLC 11 Stanwix Street Pittsburgh, PA 15222 Check if this is a new address			(b)(i), my produto: EPA Reg. No Product Name _	EPA Reg. No Product Name			
· · · · · · · · · · · · · · · · · · ·			Section II				
Amendment – Explain below. Resubmission in response to Agency letter dated Notification – Explain below.			Agency let	Final Printed labels in response to Agency letter dated "Me Too" Application. Other – Explain Below.			
other changes have bee 18 U.S.C. Sec. 1001 to	e notification is consion made to the labeling willfully make any fa 10 and 40 CFR 152.4	stent with the pg or the confidence of the confidence of the statement to 6, this product	provisions of PR Notice 9 ential statement of formul o EPA. I further understa	a of this product. nd that if this not	I underst ification i	at 40 CFR 152.46, and no and that it is a violation of s not consistent with the to enforcement action and	
			Section III				
1. Material This Product W	/ill Be Packaged In:						
Child Resistant Packaging Yes* No	tant Packaging Unit Packaging W Yes* Yes		Water Soluble Packaging Yes No	2. Typ	e of Contai Metal Plastic	ner	
* Certification must be submitted- 425# not CR´ EPA has data on file	Unit Packaging wgt.	No. per Container		o. per ontainer	Glass Paper Other (Specify) _:	
3. Location of Net Content Label C	s Information ontainer	4. Size(S) Reta 10#, 20#, 35#	il Container	1 1	n Label	rections accompanying product	
Pap		Lithographe Paper glue Stenciled	glued				
			Section IV				
1. Contact Point (Complete	e items directly below for	identification of	individual to be contacted, if	necessary, to proce			
Name Natalie A. Gaydos						ne No. (Include Area Code)	
	nat any knowingly false o		on all attachments thereto are t ement may be punishable by			6. Date Application Resaived	
2. Signature Motelia A Lhudas			3. Title Sr. EHS Specialist				

5. Date

August 7, 2014

4. Typed Name

Natalie A. Gaydos

Natalie A. Gaydos

412-515-8103

August 7, 2014

Pittsburgh, PA 15222

Product Stewardship Specialist 11 Stanwix Street, Suite 1900

Natalie.Gaydos@axiall.com



Axial Corporation 1000 Abernathy Road NE Suite 1200 Atlanta. GA 30346

Via FedEx

Mr. Demson Fuller – PM 32 Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501

RE: PPG Shield Energizer, EPA Reg. No. 748-286

Notification of Minor Label Change

Dear Mr. Fuller:

I am submitting a notification of minor label changes to the PPG Shield Energizer label, EPA Reg. No. 748-286. The first label contains the highlighted changes and the second is a clean copy.

On pages 4 and 5 I am **replacing**: "For a complete copy of the master label for this product, contact PPG or review the most current EPA stamped-accepted label at www.epa.gov/pesticides/pestlabels"

With: "Optional language:

For specific literature on these and other accepted uses, write to the address on the front label. [And/or]

For specific literature on other accepted uses, contact Axiall.

[And/or]

For additional directions for use, including Service Bulletins, visit www.axiall.com/calciumhypochloriteuse."

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections and 14 of FIFRA.

If you have any questions, please call.

Very truly yours.

Nàtalie A. Gaydos 4

PPG SHIELD ENERGIZER

and Shock Treatment Tablets for Swimming Pools
Once a Week

EPA Reg. No. 748-286 EPA Est. No. 58401-IL-1

KEEP OUT OF REACH OF CHILDREN DANGER

Do not mix with any other chemicals, including any other pool chemicals of any kind.

Mixing with other chemicals could cause a fire or explosion.

Always add product to large quantities of water to fully dissolve product.

Do not pour water into product, always add product to water

Do not use with stabilized chlorine or bromine tablet chemical feeders.

See additional precautionary statements on back label.

FIRST AID: If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If swallowed, call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. Note to Physician, probable mucosal damage may contraindicate the use of gastric lavage.

Contact 1-304-455-6882 or your poison control center for 24-hour emergency medical treatment information. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Manufactured by Axiall, LLC 1000 Abernathy Road NE Suite 1200 Atlanta, GA 30328 Emergency Telephone Number: 1-304-455-6882

NET WT. XXX lbs. (XXX Kgs.)

NOTIFICATION
Date Reveiwed: 9-12-14
Reviewed By: W. nonso



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER - Highly Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or going to the toilet. Remove and wash contaminated clothing and shoes before reuse. May be fatal if swallowed. Irritating to nose and throat. Avoid breathing dust.

[NOTE TO EPA: The following statement will appear on package sizes 50 lbs or larger:] **ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

[NOTE TO EPA: The following statement will appear on package sizes less than 50 lbs:] **ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish and aquatic organisms

PHYSICAL AND CHEMICAL HAZARDS: Strong oxidizing agent! Mix only with water. Do not mix this product with any other chemicals, including any other pool chemicals of any kind, such as other disinfection or "shock" pool products. Always add product to large quantities of water to dissolve product. Do not pour water into product. [The following statement shall not be used on small, single use packages: Use only a clean, dry utensil made of metal or plastic each time product is taken from the container.] Do not add this product to any dispensing device containing remnants of any other product or pool chemical. Such use may cause violent reaction leading to fire or explosion. Contamination with moisture, acids, organic matter, other chemicals (including, but not limited to cleaning chemicals and other pool chemicals), petroleum or paint products or other easily combustible materials may start a chemical reaction with generation of heat, liberation of hazardous gases and possible violent reaction leading to fire or explosion. If product becomes contaminated or decomposes do not reseal container. If possible isolate container in open air or well-ventilated area. Flood with large volumes of water, if necessary, to fully dissolve product.

[NOTE TO EPA: The following Optional Marketing Claims and Symbols may be added to the product label:]

Re-energizes Sustain® Summer Shield®
Controls Algae
Destroys Organic Contaminants
Restores Water Clarity
Does not lower pH or destroy total alkalinity.
Colored blue to prevent mixing with other non-compatible tablets.
Does not contain stabilizer.
Stop! Do not mix with other products or pre-dissolve before use

For Consumer Inquiries, Log onto www.AskJoePool.com

For Domestic Use Only

Not for Export

Start Blue. Stay Blue.

Step 3





Directions for Use

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SWIMMING POOL USE

This calcium hypochlorite product contains a minimum of 65% available chlorine. These tablets are fast-dissolving, blue chlorinating tablets that re-energize the protective Sustain[®] Summer Shield[®] and destroy organic contaminants to keep pool water clear and sparkling.

For any application method you choose: No one can be in the pool when chemicals are being added directly to the pool. Do not mix this product with other chemicals, including any other pool chemicals of any kind, such as other disinfection or "shock" products. Mixing could cause a fire or explosion. Always add this product into large quantities of water to fully dissolve. Never add water into product. Make sure to keep the pump and filter running during application and for at least 6 to 8 hours after application to allow for the best product dispersion. For best results, test your pool water prior to addition of this product and maintain pool water parameters in the ranges noted below.

This product will raise the pH of pool water. For best results, test your pool water prior to addition of this product. If your pH measures 7.4 or higher, adjust it downward so that it is between 7.2 to 7.4. This will help avoid clouding of water and allow for faster dispersion of the product.

APPLICATION METHOD:

Clear out skimmer basket of any debris such as leaves or any other obstructions. Then, place [Sustain Energizer] chlorinating tablets directly into your pool's skimmer basket. Note: If you have a small skimmer basket you may have to remove your [Sustain 3"] skimmer cup to avoid water flow restriction. When [Energizer] tablets have dissolved, return the [Sustain 3"] skimmer cup to the basket.

HOW TO APPLY TO POOLS

REMINDER: Never add water to product. Always add product to large quantities of water to fully dissolve. Maintain operation of your pump and filter. Treatment should be done at night or during a period when the pool is not in use

Use 1 cup (8 oz.) of tablets for each 5,000 gallons of water. Clean skimmer basket and return basket to the skimmer. For smaller skimmer baskets you may need to take the 3" Chlorinating Tablet skimmer dispenser out of the skimmer basket while applying the PPG Shield Energizer tablets. Add proper dosage of tablets with the circulating system running. Continue circulating for at least 5 hours. For the smaller skimmer, return the filled 3" Chlorinating tablet skimmer dispenser to the skimmer basket as soon as the PPG Shield Energizer tablets have dissolved. Do not use the pool until the free chlorine residual is 4 ppm or less as determined by using your Sustain 3-way test strips or DPD test. Use Sustain® Summer Shield® to help chlorine protect your pool from algae growth all season long.

[NOTE TO EPA: Optional Statements for Pool Maintenance:]

Add Sustain[®] Summer Shield[®], once each summer (150 days) to help chlorine protect your pool from algae growth all season long. Begin weekly additions of PPG Shield Energizer tablets to re-energize the protective Sustain[®] Summer Shield[®] and keep your pool water sparking clear. You must follow the use directions of these products.

Four tablets weigh approximately 1 oz. One standard U.S. measuring cup equals approximately 862. of tablets.

Optional language:

For specific literature on these and other accepted uses, write to the address on the front label. [And/or]

For specific literature on other accepted uses, contact AXIALL.

[And/or]

For additional directions for use, including Service Bulletins, visit www.axiall.com/calciumhypochloriteuse.

STORAGE AND DISPOSAL:

Do not contaminate food or feed by storage, disposal, or cleaning of equipment.

Pesticide Storage

Keep this product dry in a tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all materials before discarding this container.

Pesticide Disposal

Pesticide wastes may be hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

Container Handling

Nonrefillable container. Do not reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or place in trash collection.

LIMITED WARRANTY: The Manufacturer warrants, for a period of 1 year from purchase, that when this Product is stored and used, all in accordance with label directions, it will be fit for its intended purpose. THE MANUFACTURER EXPRESSLY DISCLAIMS ALL OTHER EXPRESS OR IMPLIED WARRANTIES. TO THE EXTENT THIS DISCLAIMER IS PROHIBITED BY APPLICABLE LAW, ANY IMPLIED WARRANTIES ON THIS PRODUCT ARE LIMITED IN DURATION TO THE DURATION OF THIS WARRANTY. If this Product fails to conform to this Limited Warranty, the Manufacturer will refund your purchase price or furnish you with replacement product, at Manufacturer's option. This is the Manufacturer's sole liability and in no event will Manufacturer be liable for direct, indirect, special, incidental or consequential damages. To make a claim under this Limited Warranty, contact the store/dealership where you purchased this Product. This Limited Warranty gives you specific legal rights, and you may also have other legal rights which vary from state to state.

